

REFERENCES

- Adams GP. Improving the tumor specificity and retention of antibody-based molecules. *In vivo* 1998; 12: 11-21.
- Adams GP, Shaller CC, Chappell LL, *et al.* Delivery of the alpha-emitting radioisotope bismuth-213 to solid tumors via single-chain Fv and diabody molecules. *Nucl Med Biol* 2000; 27: 339-346.
- Adler B and Faine S. Host immunological mechanisms in the resistance of mice to leptospiral infections. *Infect Immun* 1977; 17: 67-72.
- Adler B and Faine S. Serological and protective antibody responses of rabbits to leptospiral antigens. *J Med Microbiol* 1978; 11: 401-9.
- Adler B, Murphy AM, Locarnini SA and Faine S. Detection of specific anti-leptospiral immunoglobulin M and G in human serum by solid-phase enzyme-linked immunosorbent assay. *J Clin Microbiol* 1980; 11: 452-457.
- Ahmed N, Devi SM, Valverde ML, *et al.* Multilocus sequence typing method for identification and genotypic classification of pathogenic *Leptospira* species. *Ann Clin Microbiol Antimicrob.* 2006; 5: 28.
- Akira S, Takeda K and Kaisho T. Toll-like receptors: critical proteins linking innate and acquired immunity. *Nature Immunol* 2001; 2: 675-80.
- Alexander AD, Lessel EF, Evans LB, Franck E, and Green SS. Preservation of *Leptospira* by liquid-nitrogen refrigeration. *Int J Syst Bacteriol* 1972; 22: 165-169.
- Altschul SF, Gish W, Miller W, Myers EW and Lipman DJ. Basic local alignment search tool. *J Mol Biol* 1990; 215: 403-10.
- Amit AG, Mariuzza RA, Phillips SE and Polijak RJ. Three-dimensional structure of an antigen-antibody complex at 2.8 Å resolution. *Science* 1986; 233: 747-53.
- Annear DI. Recovery of leptospire after dry storage for ten years. *Int J Syst Bacteriol* 1974; 24: 399-401.
- Appassakij H, Silpapojakul K, Wansit R and Woodtayakorn J. Evaluation of the immunofluorescent antibody test for the diagnosis of human leptospirosis. *Am*

- J Trop Med Hyg 1995; 52: 340-43.
- Arean, VM. The pathologic anatomy and pathogenesis of fatal human leptospirosis (Weil's disease). Am. J. Pathol 1962; 40: 393-423.
- Argos P. An investigation of oligopeptides linking domains in protein tertiary structures and possible candidate for general gene fusion. J Mol Biol 1990; 211: 943-58.
- Arikawa J, Yao JS, Yoshimatsu K, Takashima I and Hashimoto N. Protective role of antigenic sites on the envelop protein of Hantaan virus defined by monoclonal antibodies. Arch Virol 1992; 126: 271-81.
- Arimitsu Y, Kmetz E, Ananyina Y, *et al.* Evaluation of the one-point microcapsule agglutination test for diagnosis of leptospirosis. Bull WHO 1994; 72: 395-99.
- Atherton SS. Protection from retinal necrosis by passive transfer of monoclonal antibody specific for herpes simplex virus glycoprotein D. Curr Ete Res 1992; 11: 45-52.
- Aulitzky WE, Schulz TF, Niederwieser D, *et al.* Human monoclonal antibodies neutralizing cytomegalovirus (CMV) for prophylaxis of CMV disease: Report of a phase I trial in bone marrow transplant patients. J Infect Dis 1991; 163: 1344-1347.
- Beer KB and Miller VL. Amino acid substitutions in naturally occurring variants of ail result in altered invasion activity. J Bacteriol 1992; 174: 1360-9.
- Bergami PL, Mateos P, Hoebeke J, Levin MJ and Baldi A. Sequence analysis, expression, and paratope characterization of a single-chain Fv fragment for the eukaryote ribosomal P proteins. Biochem Biophys Res Commun 2003; 301: 819-24.
- Bessen D and Gotschlich EC. Interactions of gonococci with Hela cells: attachment, detachment, replication, penetration, and the role of protein II. Infect Immun 1986; 54: 154-60.
- Bharti AR, Nally JE, Ricaldi JN, *et al.* Leptospirosis: a zoonotic disease of global importance. Lancet Infect Dis 2003; 3: 757-71.
- Birch-Andersen A, Hovind-Hougen K and Borg-Petersoen C. Electron microscopy of *Leptospira*. 1. *Leptospira* strain Pomona. Acta Pathol Microbiol Scand, Sect B 1973; 81: 665-76.

- Black RE, Gunn RA. Hypersensitivity reactions associated with botulinum antitoxin. *Am J Med* 1980; 69: 567-570.
- Blake PA, Feldman RA, Buchanan TM, Brooks GF, Bennett JV. Serologic therapy of tetanus in the United States. *J Am Med Assoc* 1976; 42: 42-44.
- Blanco DR, Reimann K, Skare J, *et al.* Isolation of the outer membrane from *Treponema pallidum* and *Treponema vincentii*. *J Bacteriol* 1994; 176: 6088-99.
- Blazek D, Celer V, Navratilova I and Skladal P. Generation and characterization of single-chain antibody fragments specific against transmembrane envelope glycoprotein gp46 of maedi-visna virus. *J Virol Methos* 2004; 115: 83-92.
- Boon L, Holland B, Gordon W, *et al.* Development of anti-CD4 MAb hu 5A8 for treatment of HIV-1 infection: preclinical assessment in non-human primates. *Toxicol* 2002; 172: 191-203.
- Boqvist S, Montgomery JM and Hurst M. *Leptospira* in slaughtered fattening pigs in southern Vietnam: presence of the bacteria in the kidneys and association with morphological findings. *Veterinary Microbiol* 2003; 93: 361-8.
- Borer A, Metz I, Gilad J, *et al.* Massive pulmonary haemorrhage caused by leptospirosis successfully treated with nitric oxide inhalation and haemofiltration. *J Infect* 1999; 38: 42-5.
- Boulianne GL, Hozumi N and Shulman MJ. Production of functional chimeric mouse/human antibody. *Nature* 1984; 312: 643-6.
- Bouraux-Eude C, Saint Girons I and Zuerner R. *Leptospira* genome. *Electrophoresis* 1998; 19: 589-92.
- Bradford MM. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* 1976; 72: 248-54.
- Brahamsha, B, and Greenberg EP. A biochemical and cytological analysis of the complex periplasmic flagella from *Spirochaeta aurantia*. *J. Bacteriol* 1988; 170: 4023-32.
- Brandao AP, Camargo ED, Da Silva ED, Silva MV and Abrao RV. Macroscopic agglutination test for rapid diagnosis of human leptospirosis. *J Clin Microbiol* 1998; 36: 3138-42.

- Breg, HC, Bromley DB and Charon NW. Leptospiral motility. Symp. Soc. Gen. Microbiol 1978; 28: 285-94.
- Brekke OH and Dandlie I. Therapeutic antibodies for human diseases at the dawn of the twenty-first century. Nat Rev Drug Discovery 2003; 2: 52-62.
- Brekke OH and Sandlie I. Therapeutic antibodies for human diseases at the dawn of the twenty-first century. Nat Rev Drug Discov 2003; 2: 52-62.
- Brenner DJ, Kaufmann AF, Sulzer KR, Steigerwalt AG, Rogers FC and Weyant RS. Further determination of DNA relatedness between serogroups and serovars in the family Leptospiraceae with a proposal for *Leptospira alexanderi* sp nov and four new *Leptospira* genomospecies. J Sys Bacteriol 1999; 49(2); 839-58.
- Broughton ES and Flack LE. The susceptibility of a strain of *Leptospira interrogans* serogroup icterohaemorrhagiae to amoxicillin, erythromycin, lincomycin, tetracycline, oxytetracycline and minocycline. Zentralbl Bakteriologie Mikrobiologie Hyg [A] 1986; 261: 425-31.
- Brown PD, Gravekamp C, Carrington DG, *et al.* Evaluation of the polymerase chain reaction for early diagnosis of leptospirosis. J Med Microbiol 1995; 43: 110-4.
- Bulach DM, Zuerner RL, Wilson P, *et al.* Genome reduction in *Leptospira borgpetersenii* reflects limited transmission potential. Proc Natl Acad Sci 2006; 103: 14560-5.
- Bunnag T, Potha U, Thirachandra S and Impand P. Leptospirosis in man and rodents in North and Northern Thailand. Southeast Asian J Trop Med Public Health 1983; 14: 481-7.
- Caldas C, Coelho PVC, Rigden DJ, Neschich G, Moro AM and Brigio MM. Design and synthesis of germline-based hemi-humanized single-chain Fv against CD18 surface antigen. Protein Eng 2000; 13(5): 353-60.
- Caldas C, Coelho V, Kalil J, Moro AM, Maranhao AQ and Brigido MM. Humanization of anti-CD18 antibody 6.7; an unexpected effect of a framework residue in binding to antigen. Mol Immunol 2003; 39: 941-52.
- Carter P. Improving the efficacy of antibody-based cancer therapies. Nat Rev Cancer 2001; 1: 118-129.
- Carter PJ. Potent antibody therapeutics by design. Nat Rev Immunol 2006; 6: 343-57.
- Casadevall A and Scharff MD. Serum therapy revisited: animal models of infection

and development of passive antibody therapy. *Antimicrob Agents Chemother* 1994; 38: 1695-702.

Casadevall A and Scharff MD. Return to the past: the case for antibody-based therapies in infectious diseases. *Clin Infect Dis* 1995; 21: 150-61.

Casadevall A. Antibody-based therapies for emerging infectious diseases. *Emerg Infect Dis* 1996; 2: 200-8.

Casadevall A. Passive antibody therapies: progress and continuing challenges. *Clin Immunol* 1999; 93: 5-15.

Chapman AJ, Adler B and Faine S. Antigens recognized by the human immune response to infection with *Leptospira interrogans* serovar hardjo. *J Med Microbiol* 1988; 25: 269-78.

Chapman AJ, Faine S and Adler B. Antigens recognized by the human immune response to vaccination with a bivalent hardjo/pomona leptospiral vaccine. *FEMS Microbiol Immunol* 1990; 2: 111-8.

Charoonruangrit S and Boonpacknavig S. Leptospirosis at Chulalongkorn: a report of 54 cases. *J Med Assoc Thai* 1964; 47: 653-61.

Cheng LS, Liu AP, Yang JH, *et al.* Construction, expression and characterization of the engineered antibody against tumor surface antigen, p185^{c-erb-2}. *Cell Res* 2003; 13(1): 35-48.

Chippaux JP. The development and use of immunotherapy in Africa. *Toxicon* 1998; 36: 1503-6.

Chowdhry AK. Jaundice at Port Blair, Andaman Islands. *Indian Med Res Gaz* 1903; 38: 409-412.

Cochet O, Kenigsberg M, Delumeau I, *et al.* Intracellular expression and functional properties of an anti-p21RAS scFv derived from a rat hybridoma containing specific λ and irrelevant κ light chains. *Mol Immunol* 1998; 35: 1097-10.

Cohn EJ, Strong LE, Hugher WL, *et al.* Preparation and properties of serum and plasma proteins. *J AM Chem Soc* 1946; 68: 459-75.

Colcher D, Bird R, Roselli M, *et al.* *In vivo* tumor targeting of a recombinant single-chain antigen-binding protein. *J Natl Cancer Inst* 1990; 82: 1191-97.

Colcher D, Pavlinkova G, Beresford G, Booth BJ, Choudhury A and Batra SK. Pharmacokinetics and biodistribution of genetically-engineered antibodies. *J*

Nucl Med 1998; 42(4): 225-41.

- Cole JR, Sulzer CR, and Pursell A. Improved microtechnique for the leptospiral microscopic agglutination test. *Appl Microbiol* 1973; 25: 976-80.
- Cotter TW, Meng Q, Shen ZL, Zhang YX, Su H and Caldwell HD. Protective efficacy of major outer membrane protein-specific immunoglobulin A (IgA) and IgG monoclonal antibodies in a murine model of *Chlamydia trachomatis* genital tract infection. *Infect Immun* 1995; 63: 4704-14.
- Courtenay-Luck NS, Epenetos AA, Moore R, *et al.* Development of primary and secondary immune responses to mouse monoclonal antibodies used in the diagnosis and therapy of malignant neoplasms. *Cancer Res* 1986; 46: 6489-93.
- Couto JR, Padlan EA, Blank EW, Peterson JA and Ceriani RL. Humanization of KC4G3, an anti-human carcinoma antibody. *Hybridoma* 1994; 13: 215-9.
- Cox DL, Chang P, McDowall AW and Radolf JD. The outer membrane, not a coat of host proteins, limits antigenicity of virulent *Treponema pallidum*. *Infect Immun* 1992; 60: 1076-83.
- Cristiansen AH. Studies on the antigenic structure of *Treponema pallidum*. II. Isolation and purification of polysaccharides from Reiter's pathogenic strain. *Acta Pathol Microbiol Scand* 1962; 56: 166-76.
- Cullen PA, Haake DA and Adler B. Outer membrane proteins of pathogenic spirochetes. *FEMS Microbiol Rev* 2004; 28: 291-318.
- Cullen PA, Xu X, Matsunaga J, *et al.* Surfaceome of *Leptospira* spp. *Infect Immun* 2005; 73: 4853-63.
- Dai H, Gao H, Zhao X, *et al.* Construction and characterization of a novel recombinant single-chain variable fragment antibody against white spot syndrome virus from shrimp. *J Immunol Methods* 2003; 9362: 1-9.
- Danes L and Hruskova J. Efficacy testing of passive immunization against *Venezuelan equine encephalomyelitis* in mice. *Acta Virol* 1969; 13: 554-6.
- Dansithong W, Paul S, Mitsumoto T, Saruhashi S and Shinozawa T. Production and characterization of a bacterial single-chain Fv fragment specific to human truncated midkine. *Cancer Letters* 2001; 164: 169-76.
- Debritto T, Freymueller E, Penna DO, *et al.* Electron microscopy of the biopsied kidney in human leptospirosis. *Am J Trop Med Hyg* 1965; 14: 397-403.

- De Haard HJ, Kazemier B, van de Bent A, *et al.* Absolute conservation of residue 6 of immunoglobulin heavy chain variable regions of class IIA is required for correct folding. *Protein Eng* 1998; 11(12): 1267-76.
- de la Pena-Moctezuma A, Bulach DM, Kalambaheti T and Adler B. Comparative analysis of the LPS biosynthesis loci of the genetic subtypes of serovar Hardjo: *Leptospira interrogans* subtype Hardjoprajitno and *Leptospira borgpetersenii* subtype Harjobovis. *FEMS Microbiol Lett* 1999; 177: 319-26.
- De Silva MV, Dias Camargo E, Vaz AJ and Batista L. Immunodiagnosis of human Leptospirosis using saliva. *Trans Roy Soc Trop Med Hyg* 1992; 86: 560-1.
- De Silva MV and Camargo ED. An immunoenzyme test (ELISA) for the detection of circulating class-IgA antibodies in human leptospirosis. *Rev Inst Med Trop Sao Paulo* 1992; 34: 239-42.
- Del Real G, Segers RP, van der Zeijst BA and Gaastra W. Cloning of a hemolysin gene from *Leptospira interrogans* serovar *hardjo*. *Infect Immun* 1989; 57: 2588-90.
- Diament D, Brunialti MK, Romero EC, Kallas EG and Salomao R. Peripheral blood mononuclear cell activation by *Leptospira interrogans* glycoprotein. *Infect Immun* 2002; 70: 1677-83.
- Dietzschold B, Kao M, Zheng YM, *et al.* Delineation of putative mechanisms involved in antibody-mediated clearance of rabies virus from the central nervous system. *Proc Natl Acad Sci USA* 1992; 89: 7252-6.
- Diggs CL, Hines F and Welde BT. *Plasmodium falciparum*: passive immunization of *Aotus lemurinus griseimembra* with immune serum. *Exp Parasitol* 1995; 80: 291-6.
- Dinger JE. Duurzaamheid der smetkracht van leptospirenkweken. *Ned. Tijdschr. Geneeskd* 1932; 72: 1511-9.
- Dong L, Chen C, Bartsch U and Schachner M. Generation of affinity matured scFv antibodies against mouse neural cell adhesion molecule L1 by phage display. *Biochem Biophys Res Commun* 2003; 301: 60-70.
- Dougan DA, Malby RL, Gruen LC, Kortt AA and Hudson PJ. Effects of substitutions in the binding surface of an antibody on antigen affinity. *Protein Eng* 1998; 11: 65-74.

- Drabick J, Narayanan R, Williams J, LeDuc J and Nacy C. Passive protection of mice against lethal *Francisella tularensis* (live tularemia vaccine strain) infection by the sera of human recipients of the live tularemia vaccine. *Am J Med Sci* 1994; 308: 83-7.
- Edelman GM. The covalent structure of a human gamma G-immunoglobulin. XI. Functional implications. *Biochemistry* 1970; 9: 3197-205.
- Edward A., Hodder, Staughton. Leptospirosis. Quoted in Topley and Wilson's Principles of Bacteriology, Virology and Immunity. 8th ed. Vol. 3, 619, 1990.
- Eis-Hubinger A, Schmidt D and Schneeweis K. Anti-glycoprotein genital herpes simplex virus infection by inhibition of virus infection of virus replication at the inoculated mucous membrane. *J Gen Virol* 1993; 4: 379-85.
- Elkins C and Sparling PF. Outer membrane proteins of *Neisseria gonorrhoeae*. In: Microbial Determinants of Virulence and Host Response. Ayoub EM, Cassell GH, Branche WC, Henry TJ (eds.). American Society for Microbiology, Washington, DC 1990; 207-17.
- Ellis, WA, Hovind-Hougen K, Moller S and Birch-Andresen A. Morphological changes upon subculturing of freshly isolated strains of *Leptospira interrogans* serovar *hardjo*. *Zentralbl. Bakteriol. Mikrobiol. Hyg.* 1983; 255: 323-35.
- Emmanouilides, CE, Kohn OF and Garibaldi R. Leptospirosis complicated by a Jarisch-Herxheimer reaction and adult respiratory distress syndrome: case report. *Clin. Infect. Dis* 1994; 18: 1004-6.
- Epenetos AA, Snook D, Durbin H, Johnson PM and Taylor-Papadimitriou J. Limitations of radiolabeled monoclonal antibodies for localization of human neoplasms. *Cancer Res* 1986; 46: 3183-91.
- Estavoyer JM, Racadot E, Couetdic G, Leroy J and Groperrin L. Tumor necrosis factor in patients with leptospirosis. *Rev Infect Dis* 1991; 13: 1245-6.
- Faine S, Adler B and Ruta G. A mechanism of immunity to leptospirosis. *Aust J Exp Biol Med Sci* 1974; 52: 301-10.
- Faine S. Leptospirosis-here, now. *Pathology* 1981; 13: 1-5.
- Faine S. Guidelines for the control of Leptospirosis, World Health Organization, Geneva, 1982.
- Faine S, Adler B, Bolin C, and Perolat P. (1999) *Leptospira* and leptospirosis, 2nd ed.

MedSci, Melbourne, Australia.

- Feigin RD, Anderson DC (1998) Leptospirosis. In: Textbook of Pediatric Infectious Disease. Feigin RD, Cherry JD. (eds.). 4th edition. WB Saunders Company, Philadelphia, USA. pp 1529-1542.
- Field KJ and Sibold AL (1999) The laboratory hamster & gerbil. A volume in the laboratory animal pocket reference series.
- Field H, Yarranton GT and Ress AR. Expression of mouse immunoglobulin light and heavy chain variable regions in *Escherichia coli* and reconstitution of antigen-binding activity. *Protein Eng* 1990; 3: 641-7.
- Fisher MW. A polyvalent human gamma-globulin immune to *Pseudomonas aeruginosa*: passive protection of mice against lethal infection. *J Infect Dis* 1977; 136: S181-5.
- Foote J and Winter G. Antibody framework residues affecting the conformation of the hypervariable loops. *J Mol Biol* 1992; 224: 487-99.
- Friedland JS and Warrell DA. The jarisch-herxheimer reaction in leptospirosis: possible pathogenesis and reviews. *Rev Infect Dis* 1991; 13(2): 207-10.
- Gall FL, Reusch U, Moldenhauer G, Little M and Kipriyanov SM. Immunosuppressive properties of anti-CD3 single-chain Fv and diabody. *J Immunol Methods* 2004; 285: 111-27.
- Ginger CD. Isolation and characterization of muramic acid from two spirochetes: *Borrelia duttoni* and *Leptospira biflexa*. *Nature (London)* 1963; 199: 159.
- Giraudon P and Wild T. Correlation between epitopes on hemagglutinin of measles virus and biological activities: passive protection by monoclonal antibodies is related to their hemagglutination inhibiting activity. *J Virol* 1985; 144: 46-58.
- Giudicelli V, Chaume D and Lefranc MP. IMGT/V-QUEST, an intergrated software program for immunoglobulin and T cell receptor V-J and V-D-J rearrangement analysis. *Nucleic Acids Res* 2004; 32: 435-40.
- Goldenberg DM, Goldenberg H, Sharkey RM, *et al.* Clinical studies of cancer radioimmunodetection with carcinoembryonic antigen monoclonal antibody fragments labeled with ¹²³I or ^{99m}Tc. *Cancer Res* 1990; 50: 909-21.
- Goldstein SF and Charon NW. Motility of the spirochete *Leptospira*, Cell. Motility. Cytoskeleton 1988; 9: 101-10.

- Gorman SD, Clark MR, Routledge EG, Cobbold SP and Waldmann H. Reshaping a therapeutic CD4 antibody. *Proc Natl Acad Sci USA* 1991; 88: 4181-5.
- Gravekamp C, Van de kemp H, Franzen M, *et al.* Detection of seven species of pathogenic leptospires by PCR using two sets of primers. *J Gen Microbiol* 1993; 139: 1691-700.
- Griffin GE. Cytokines involved in human septic shock-the model of the jarisch-herxheimer reaction. *Journal of Antimicrobial Chemotherapy (suppl. A)* 1998; 41: 25-29.
- Guo JQ, You SY, Li L, Zhang YZ, Huang JN and Zhang CY. Construction and high-level expression of a single-chain Fv antibody fragment specific for acidic isoferritin in *Escherichai coli*. *J Biotechnol* 2003; 102: 177-89.
- Gussenhoven GC, van der Hoorn MA, Goris MG, *et al.* LEPTO dipstick, a dipstick assay for detection of *Leptospira*-specific immunoglobulin M antibodies in human sera. *J Clin Microb* 1997; 35: 92-7.
- Haake DA, Walker EM, Blanco DR, *et al.* Change in the surface of *Leptospira interrogans* serovar grippotyphosa during in vitro cultivation. *Infect Immun* 1991; 59: 1131-40.
- Haake DA, Champion CI, Martinich C, *et al.* Molecular cloning and sequence analysis of the gene encoding OmpL1, a transmembrane outer membrane protein of pathogenic *Leptospira* spp. *J Bacteriol* 1993; 175: 4225-34.
- Haake DA. Spirochetal lipoproteins and pathogenesis. *Microbiology* 2000, 146; 1491-504.
- Hale G, Waldmann H and Dyer M. Specificity of monoclonal antibody Campath-1. *Bone Marrow. Transplant* 1988; 3: 237-9.
- Harmon RC, Rutherford RL, Wu HM and Collins MS. Monoclonal antibody-mediated protection and neutralization of motility in experimental *Proteus mirabilis* infection. *Infect Immune* 1989; 57: 1936-41.
- Hathaway SC and Marshall RB. Haemolysis as a means of distinguishing between *Leptospira interrogans* serovars *balcanica* and *hardjo*. *J Med Microb* 1980; 13: 477-481.
- Hayatsu E, Kawakubo Y, Yayoshi M, *et al.* Immunological responses of hansters in the required immune state to *Mycoplasma pneumoniae* infection. *Microbiol*

Immunol 1981; 25: 1255-63.

Hayhurst A and Georgiou G. High-throughput antibody isolation. *Curr Opin Chem Biol* 2001; 5: 683-8.

He FT, Nie YZ, Chen BJ, *et al.* Expression and identification of recombinant soluble single-chain variable fragment of monoclonal antibody MC3. *World J Gastroenterol* 2002; 8(2): 258-62.

Hindle E and White P. A specific soluble substance in spirochetes. *Proc R Soc* 1934; 114: 523.

Hoffman PS, Ripley M and Weeratna R. Cloning and nucleotide sequence of gene (*ompS*) encoding the major outer membrane protein of *Legionella pneumophila*. *J Bacteriol* 1992; 174: 914-20.

Holt SC. Anatomy and chemistry of spirochetes. *Microbiol Rev* 1978; 42:114-60.

Hoogenboom HR, Volckaert G and Raus JC. Construction and expression of antibody-tumor necrosis factor fusion proteins. *Mol Immunol* 1991; 28(9): 1027-37.

Hoogenboom HR. Overview of antibody phage-display technology and its applications. *Methods Mol Biol* 2002; 178: 1-37.

Hookey JV, Bryden J and Gatehouse L. The use of 16S rDNA sequence analysis to investigate the phylogeny of Leptospiraceae and related spirochaetes. *J Gen Microbiol* 1993; 139: 2585-90.

Hospenthal DR, Murray CK. *In vitro* susceptibilities of seven *Leptospira* species to traditional and newer antibiotics. *Antimicrob Agents Chemother* 2003; 47: 2646-8.

http://www.bact.wisc.edu/Microtextbook/index.php?module=Book&func=displayarticle&art_id=60&theme=printer

<http://www.ann-clinmicrob.com/content>

<http://epid.moph.go.th/dssur/zoonosis/lepto.html>

<http://www.sci.sdsu.edu/TFrey/Chem365/Proteins/AntibodyStructCh365.html>

<http://pymol.sourceforge.net>

Igarashi A, Fukuoka T and Fukai K. Passive immunization of mice with rabbit antisera against Chikungunya virus and its components. *Biken J* 1971; 14: 353-5.

- Isberg RR and Falkow S. A single genetic locus encoded by *Yersinia pseudotuberculosis* permits invasion of cultured animal cells by *Escherichia coli* K-12. *Nature (London)* 1985; 317: 262-4.
- Jackson SW and Zey PN. Ultrastructure of lipopolysaccharide isolated from *Treponema pallidum*. *J Bacteriol* 1973; 114: 838-44.
- Jager M and Pluckthun A. Domain interactions in antibody Fv and scFv fragments: effects on unfolding kinetics and equilibria. *FEBS Lett* 1999; 462(3): 307-12.
- Jahrling PB and Peters CJ. Passive antibody therapy of Lassa fever in cynomolgus monkeys: importance of neutralizing antibody and Lassa virus strain. *Infect Immun* 1984; 44: 528-33.
- Jarusiripath C, Jarusiripath P, Wasuwattakul, *et al.* Clinical study of leptospirosis at Songklanakarin Hospital. *Med J Songklanakarin Hospital* 1986; 4: 307-14.
- Jeanteur D, Lakey HJ and Patus F. The bacterial porin superfamily: sequence alignment and structure prediction. *Mol Microbiol* 1991; 5: 2153-64.
- Johnson RC and Harris VG. Differentiation of pathogenic and saprophytic leptospire. I. Growth at low temperatures. *J Bacteriol* 1967; 94: 27-31.
- Johnson RC, Walby J, Henry RA and Auran NE. Cultivation of parasitic leptospire: effect of pyruvate. *Appl Microbiol* 1973b; 26: 118-9.
- Johnson AM, McDonald PJ and Neoh SH. Monoclonal antibodies to *Toxoplasma* cell membrane surface antigens protect mice from toxoplasmosis. *J Protozool* 1983; 30: 351-6.
- Johnson, RC, and Faine S. 1984. *Leptospira*, p. 62–67. In N. R. Krieg and J. G. Holt (ed.), *Bergey's manual of systematic bacteriology*, vol. 1. Williams & Wilkins, Baltimore, Md.
- Johnson TA, Oliver C, Prince GA, *et al.* Development of a humanized monoclonal antibodies (MEDI-493) with potent *in vitro* and *in vivo* activity against respiratory syncytial virus. *J Infect Dis* 1997; 176: 1215-24.
- Jones PT, Dear PH, Foote J, Neuberger MS and Winter G. Replacing the complementary-determining regions in a human antibody with those from mouse. *Nature* 1986; 321: 2.
- Jones TA, Zou JY, Cowan SW and Kjeldgaard M. Improved methods for building protein models in electron density maps and the location of errors in these

models. *Acta Crystallor* 1991; 47: 110-9.

Jost B, Adler B and Faine S. Experimental immunization of hamsters with lipopolysaccharide antigens of *Leptospira interrogans*. *J Med Microbiol* 1989; 29: 115-20.

Kabat EA, Wu TT and Bilofsky H. Unusual distributions of amino acids in complementarity-determining (hypervariable) segments of heavy and light chains of immunoglobulins and their possible roles in specificity of antibody-combining sites. *J Biol Chem* 1977; 252: 6609-16.

Kabat EA and Wu TT. Identical V regions and sequences and segments of sequences in antibodies of different specificities. Relative contributions of VH and VL genes, minigenes, and complementarity-determining regions to binding of antibody-combining sites. *J Immunol* 1991; 147: 1709-19.

Kaukoranta-Tolvanen SE, Laurila AL, Saikku P, Leinonen M and Laitinen K. Experimental *Chlamydia pneumoniae* infection in mice: effect of reinfection and passive immunization. *Microb Pathog* 1995; 18: 279-88.

Kelley, PW (1998) Leptospirosis. In: Gorbach SL, Bartlett JG, Blacklow NR. (eds). 2nd edition. *Infectious Diseases*. WB Saunders, Philadelphia, pp 1580-1587.

Kelson, JS, Adler B, Chapman AJ and Faine S. Identification of leptospiral flagellar antigens by gel electrophoresis and immunoblotting. *J. Med. Microbiol* 1988; 26: 47-53.

Kennel SJ, Falcioni R and Wesley JW. Microdistribution of specific rat monoclonal antibodies to mouse tissues and human tumor xenografts. *Cancer Res* 1991; 51: 1529-36.

Kettleborough CA, Saldanha J, Heath VJ, Morrison CJ and Bendig MM. Humanization of a mouse monoclonal antibody by CDR-grafting: the importance of framework residues on loop conformation. *Protein Eng* 1991; 4: 773-83.

Kipriyanov SM, Moldenhauer G and Little M. High level production of soluble single chain antibodies in small-scale *Escherichia coli* cultures. *J Immunol Methods* 1997; 200: 69-77.

Kipriyanov SM and Little M. Generation of recombinant antibodies. *Mol Biotechnol* 1999; 12(2): 173-201.

- Khazaeli MB, Conry RM and Lobigio AF. Human immune response to monoclonal antibodies. *J Immunother* 1994; 15: 45-52.
- Kmety E and Dikken H. Classification of the species *Leptospira interrogans* and the history of its serovars. University Press Groningen, Groningen, 1993.
- Ko AI, Galvao Reis M, Dourado CMR, Johnson WD and Riley LW. Urban epidemic of severe leptospirosis in Brazil. *Lancet* 1999; 354: 820-5.
- Kobayashi Y. Clinical observation and treatment of leptospirosis. *J Infect Chemother* 2001; 7: 59-68.
- Kocen RS. Leptospirosis: a comparison of symptomatic and penicillin therapy. *BMJ* 1962: 1181-3.
- Kohler G and Milstein C. Continuous cultures of fused cells secreting antibody of predefined specificity. *Nature* 1975; 256: 495-7.
- Kortt AA, Dolezal O, Power BE and Hudson PJ. Dimeric and trimeric antibodies: high avidity scFvs for cancer targeting. *Biomol Eng* 2001; 18: 95-108.
- Kramer KJ, Pang LW, Minette HP and Perrone JB. Evaluation of the quantitative buffy coat analysis (QBC) system for the detection of *Leptospira* in human blood. *Southeast Asian J Trop Med Public Health* 1994; 25: 788-9.
- Kritman RJ. Immunotoxins in cancer therapy. *Curr Opin Immunol* 1999; 11: 570-8.
- Laemmli UK. Cleavage of structural protein during the assembly of the head of bacteriophage T4. *Nature* 1970; 227: 680-5.
- Lambert C, Leonard N, De Bolle X and Depiereux E. EsysPred3D: Prediction of proteins 3D structures. *Bioinformatics* 2002; 18: 1250-6.
- Laroche-Traineau J, Clofent-Sanchez G and Santarelli X. Three-step purification of bacterially expressed human single-chain Fv antibodies for clinical applications. *J Chromatogr* 2000; 737: 107-17.
- Lee KJ, Mao S, Sun C, *et al.* Phage-display selection of a human single-chain Fv antibody highly specific for melanoma and breast cancer cells using a chemoenzymatically synthesized G_{M3}-carbohydrate antigen. *J Am Chem Soc* 2002; 124: 12439-46.
- Lee SH, Kim S, Park SC and Kim MJ. Cytotoxic activities of *Leptospira interrogans* hemolysin SphH as a pore-forming protein on mammalian cells. *Infect Immun* 2002; 70: 315-22.

- Leung S, Goldenberg DM, Dion AS, *et al.* Construction and characterization of a humanized internalizing, B-cell (CD22)-specific, leukemia/lymphoma antibody, LL2. *Mol Immunol* 1995; 32(17118): 1413-27.
- Levett PN and Whittington CU. Evaluation of the indirect hemagglutination assay for diagnosis of acute leptospirosis. *J Clin Microb* 1998; 36: 11-14.
- Levett PN. Leptospirosis. *Clin Microbiol Rev* 2001; 14(2): 296-326.
- Levett PN. Usefulness of serologic analysis as a predictor of the infecting serovar in patients with severe leptospirosis. *Clin Infect Dis* 2003; 36: 447-52.
- Lindquist EA, Marks JD, Kleba BJ and Stephens RS. Phage-display antibody detection of *Chlamydia trachomatis*-associated antigens. *Micribiol* 2002; 148: 443-51.
- Liu R, Yuan B, Emadi S, *et al.* Single chain variable fragment against β -amyloid ($A\beta$) can inhibit $A\beta$ aggregation and prevent $A\beta$ -induced neurotoxicity. *Biochem* 2004; 43: 6959-67.
- Lobugio FA, Wheeler HR, *et al.* Mouse/human chimeric monoclonal antibody in man: kinetics and immune response. *Proc Natl Acad Sci USA* 1989; 86: 4220-4.
- Magaldi AJ, Yasuda PN, Kudo LH, Seguro AC, Roch AS. Renal involvement in leptospirosis: a pathophysiologic study. *Nephron* 1992; 62: 332-339.
- Magill AJ. Fever in the return traveler. *Infect Dis Clin north Am* 1998; 12: 445-469.
- Marinella MA. Jarisch-herxheimer reaction. *JWM* 1996; 165(3): 161-2.
- Marcet R, Diaz A, Arteaga E, Finlay CM and Sarracent J. Passive protection against fasciolosis in mice by immunization with monoclonal antibody (ES-78 MoAb). *Parasite Immunol* 2002; 24(2): 103.
- Marks JD, Hoogenboom HR, Griffiths AD and Winter G. By-passing immunization. human antibodies from V-gene libraries displayed on phage. *J Mol Biol* 1991; 222: 581-97.
- Marty C, Odermatt B, Schott H, *et al.* Cytotoxic targeting of F9 teratocarcinoma tumours with anti-ED-B fibronectin scFv antibody modified liposomes. *British J Cancer* 2002; 87: 106-112.
- McCafferty J, Griffiths AD, Winter G and Chiswell DJ. Phage antibodies: filamentous phage displaying antibody variable domains. *Nature* 1990; 348:

552-4.

- McClain JB, Ballou WR, Harrison SM, Steinweg DL. Doxycycline therapy for leptospirosis. *Ann Intern Med* 1984; 100: 696-8.
- Men RH, Bray M and Lai CJ. Carboxy-terminally truncated dengue virus envelope glycoproteins expressed on the cell surface and secreted extracellularly exhibit increased immunogenicity in mice. *J Virol* 1991; 65: 1400-7.
- Merien F, Truccolo J, Baranton G and Perolat P. Identification of a 36-kDa fibronectin-binding protein expressed by a virulent variant of *Leptospira interrogans* serovar *icterohaemorrhagiae*. *FEMS Microbiol Lett* 2000; 185: 17-22.
- Merien F, Truccolo J, baranton G and Perolat P. Identification of a 36-kDa fibronectin binding protein expressed by a virulent variant of *Leptospira interrogans* serovar *icterohaemorrhagiae*. *FEMS Micribiol Lett* 2000; 185: 17-22.
- Nicholls PJ, Johnson VG, Blanford MD and Andrew SM. An improved method for generating single-chain antibodies from hybridomas. *Journal of Immunological Methods* 1993; 165: 81-91.
- Miller NG and Wilson RB. Electron microscopy of the liver of the hamster during acute and chronic leptospirosis. *Am J Vet Res* 1966; 27: 1071-81.
- Mitchison M, Rood JI, Faine S and Adler B. Molecular analysis of a *Leptospira borgpetersenii* gene encoding an endoflagella subunit protein. *J Gen Microbiol* 1991; 137: 1529-36.
- Morrison SL, Schlom J. Recombinant chimeric monoclonal antibodies. *Important Adv Oncol*: 1990; 3-18.
- Morton HE and Anderson TF. Morphology of *Leptospira icterohaemorrhagiae* and *L.canicola* as revealed by electron microscope. *Journal of Bacteriology* 1943, 45: 143-6.
- Motin V, Nakajima R, Smirnov G and Brubaker R. Passive immunity to Yersinia mediated by anti-recombinant V antigen and protein A-V antigen fusion peptide. *Infect Immun* 1994; 62: 4192-201.
- Mountain A and Adair JR. Engineering antibodies for therapy. *Biotechnol Genet Eng Rev* 1992; 10: 1-142.
- Mousli M, Devaux C, Rochat H, Goyffon M and Billiald P. A recombinant single-

- chain antibody fragment that neutralizes toxin II from the venom of the scorpion *Androctonus australis Hector*. FEBS Letters 1999; 442: 183-8.
- Myers DM. Effect of culture medium on the agglutinability of leptospire by the microscopic agglutination test. Re Argent Microbiol 1976;8: 4–20.
- Nadelman RB, Luger SW, Frank E, Wisniewski M, Collin JJ and Wormser GP. Comparison of cefuroime axetil and doxycycline in the treatment of early Lyme disease. Annals of Internal Medicine 1992; 117: 273-80.
- Negussie Y, Remick DG, DeForge LE, Kunkel SL, Eynon A and Griffin GE. Detection of plasma tumor necrosis factor, interleukin 6, and 8 during the jarisch-herxheimer reaction of relapsing fever. Journal of Experimental Medicine 1992; 175: 1207-12.
- Nakamura K, Tanaka Y, Shitara K and Janai N. Construction of humanized anti-ganaglioside monoclonal antibodies with potent immune effector functions. Cancer Immunol Immunolther 2001; 50: 275-84.
- Nally JE, Chantranuwat C, Wu XY, *et al.* Alveolar septal deposition of immunoglobulin and complement parallels pulmonary hemorrhage in a guinea pig model of severe pulmonary leptospirosis. Am J Pathol 2004; 163: 1115–27.
- Napier MP, Sharma SK, Springer CJ, *et al.* Antibody-directed enzyme prodrug therapy: efficacy and mechanism of action I colorectal carcinoma. Clin Cancer Res 2000; 6: 765-72.
- Nascimento AL, Ko AI, Martins EA, *et al.* Comparative genomics of two *Leptospira interrogans* serovars reveals novel insights into physiology and pathogenesis. J Bacteriol 2004; 186:2164–72.
- Neuhoff V, Arold N, Taube D and Ehrhardt W. Improved staining of proteins in polyacrylamide gels including isoelectric focusing gels with clear background at nanogram sensitivity using Coomassie Brilliant Blue G-250 and R-250. Electrophoresis 1988; 9: 255-62.
- Nicholson IC, Lenton KA, Little DJ, *et al.* Constructure and characterization of a functional CD19 specific single chain Fv fragment for immunotherapy of B lineage leukemia and lymphoma. Mol Immunol 1997; 34: 1157-65.
- Nicodemo AC, Duarte MI, Alves VA, Takakura CF, Santos RT and Nicodemo EL.

Lung lesions in human leptospirosis: microscopic, immunohistochemical, and ultrastructural features related to thrombocytopenia. *Am J Trop Med Hyg* 1997; 56: 181-7.

Nicolescu M and Andreescu N. May human leptospirosis develop as a chronic infection? *Zentralbl Bakteriol Mikrobiol Hyg [A]* 1984; 257: 531-4.

Noguchi H. The spirochaetes, in the newer knowledge of bacteriology and immunology, Jordan EO and Falk IS. University of Chicago Press, Chicago, 1928; 452-97.

Norris, SJ, Charon NW, Cook RG, Fuentes MD, and Limberger RJ. Antigenic relatedness and N-terminal sequence homology define two classes of periplasmic flagellar proteins of *Treponema pallidum* subsp. *pallidum* and *Treponema phagedenis*. *J Bacteriol* 1988; 170: 4072-82.

Norton EJ, Diekman AB, Flickinger CJ and Herr J. RASA, a recombinant single-chain variable fragment (scFv) antibody directed against the human sperm surface: implications for novel contraceptives. *Human Reproduction* 2001; 9: 1854-60.

Nussbaum G, Yuan R, Casadevall A and Scharff MD. Immunoglobulin G3 blocking antibodies to the fungal pathogen *Cryptococcus neoformans*. *J Exp Med* 1996; 80: 1905-9.

O'Connor SJ, Meng YG, rezaie AR and Presta LG. Humanization of an antibody against human protein C and calcium-dependence involving framework residues. *Protein Eng* 1998; 11: 321-8.

Okuno Y, Matsumoto K, Isegawa Y and Ueda S. Protection against the mouse-adapted A/FM/1/47 strain of influenza A virus mice by a monoclonal antibody with cross-neutralizing activity among H1 and H2 strains. *J Virol* 1994; 68: 517-20.

Padlan EA. Anatomy of the antibody molecule. *Mol Immunol* 1994; 31: 169-217.

Palaniappan RU, Chang YF, Jusuf SS, *et al.* Cloning and molecular characterization of an immunogenic LigA protein of *Leptospira interrogans*. *Infect Immun* 2002; 70: 5924-30.

Park SS, Kim J, Brandts JF and Hong HJ. Stability of murine, chimeric and humanized antibodies against pre-S2 surface antigen of hepatitis B virus.

Biological 2003, 31: 295-302.

- Paus E, Almasbak H, Borner OP and Warren DJ. A single-chain-Fv-based immunofluorometric assay specific for the CEA variant NCA-2. *J Immunol Methods* 2003; 283: 125-39.
- Pavlinkova G, Batra SK, Colcher D, Booth BJM and Baranowska-Kortylewicz J. Construction of biotin mimetic peptide with CC49 single-chain Fv designed for tumor pretargeting. *Peptide* 2003; 24: 353-62.
- Penichet ML and Morrison SL. Antibody-cytokine fusion proteins for the therapy of cancer. *J Immunol Methods* 2001; 248: 91-101.
- Penna D, de Brito T, Pupo AA, *et al.* Kidney biopsy in human leptospirosis. *Am. J Trop Med Hyg* 1963; 12: 896-901.
- Perolat P, Chapple R, Alder B, *et al.* *Leptospira fainei* sp. Nov. isolated from pigs in Australia. *Int J Syst Bacteriol* 1998; 48: 851-8.
- Pike RM. Laboratory-associated infections: summary and analysis of 3921 cases. *Health Lab Sci* 1976; 13: 105-14.
- Plank R and Dean D. Overview of the epidemiology, microbiology, and pathogenesis of *Leptospira* spp. in humans. *Microbes and Infect* 2000; 2: 1265-76.
- Polijak RJ, Amzel LM, Avey HP, Chen BL, Phizackerley RP and Saul F. Three-dimensional structure of the Fab' fragment of a human immunoglobulin at 2.8-Å resolution. *Proc Natl Acad Sci USA* 1973; 70: 3305-10.
- Porter RR. The structure of immunoglobulins. *Essays Biochem* 1967; 3: 1-24.
- Pound MW and May DB. Proposed mechanisms and preventive options of jarisch-herxheimer reactions. *J Clin Pharm and Therapeutics* 2005; 30: 291-5.
- Presta LG, Lahr SJ, Shields RL, *et al.* Humanization of an antibody directed against IgE. *J Immunol* 1993; 151: 2623-32.
- Radolf JD, Norgard MV, Brandt ME, Isaacs RD, Thompson PA and Beutler B. Lopoproteins of *Borrelia burgdorferi* and *Treponema pallidum* activate cachectin/tumor necrosis factor synthesis. Analysis using a CAT reporter construct. *Journal of Immunology* 1991; 147: 1968-74.
- Ramadass P, Jarvis BDW, Corner RJ, Penny D and Marshall RB. Genetic characterization of pathogenic *Leptospira* species by DNA hybridization. *Int J Syst Bacteriol* 1992; 42: 215-19.

- Reed LJ and Muench H. A simple method of estimating fifty percent endpoints. *Am J Hyg* 1938; 27: 493-97.
- Reichart JM. Monoclonal antibodies in the clinic. *Nat Biotechnol* 2001; 19: 819-22.
- Ren X, Gao S, You D, *et al.* Cloning and expression of a single-chain catalytic antibody that acts as a glutathione peroxidase mimic with high catalytic efficiency. *Biochem J* 2001; 359: 369-74
- Ren SX, Fu G, Jiang XG, *et al.* Unique physiological and pathogenic features of *Leptospira interrogans* revealed by whole-genome sequencing. *Nature* 2003; 422: 888-93.
- Riechmann L, Clark M, Waldmann H and Winter G. Reshaping human antibodies for therapy. *Nature* 1988; 332: 323-7.
- Riechmann L, Clark M, Waldmann H and Winter G. Reshaping human antibodies for therapy. *Nature* 1998; 332: 323-7.
- Rittenberg MB, Linscott WD, and Ball MG. Simple method for separating leptospirae from contaminating microorganisms. *J Bacteriol* 1958; 76: 669-70.
- Robin S, Petrov K, Dintinger T, Kujumdzieva A, Tellier C and Dion M. Comparison of three microbial hosts for the expression of an active catalytic scFv. *Mol Immunol* 2003; 39: 729-38.
- Roguska MA, Pedersen JT, Keddy CA, *et al.* Humanization of murine monoclonal antibodies through variable domain resurfacing. *Proc Natl Acad Sci USA* 1994; 91: 969-73.
- Romero EC, Billerbeck AE, Lando VS, Camargo ED, Souza CC and Yasuda PH. Detection of *Leptospira* DNA in patients with aseptic meningitis by PCR. *J Clin Microbiol* 1998; 36: 1453-5.
- Rosok MJ, Yelton DE, Harris LJ, *et al.* A combinatorial library strategy for the rapid humanization of anticarcinoma BR96 Fab. *J Biol Chem* 1996; 271(37): 22661-8.
- Rule PL, and Alexander AD. Gellan gum as a substitute for agar in leptospiral media. *J Clin Microbiol* 1986; 23: 500-4.
- Saengjaruk P, Chaicumpa W, Watt G, *et al.* Diagnosis of human leptospirosis by monoclonal antibody-based antigen detection in urine. *J Clin Microb* 2002; 40(2): 480-9.

- Safrit JT, Fung MS, Andrews CA, Braun DG, Sun WN, Chang TW, *et al.* Hu-PBL-SCID mice can be protected from HIV-1 infection by passive transfer of monoclonal antibody to the principal neutralizing determination of envelop gp120. *AIDS* 1993; 7: 15-21.
- Sakolvaree Y, Maneewatch S, Tapchaisri P, *et al.* Epitope of specific monoclonal antibodies to pathogenic *Leptospira* spp. contained in proteins with different functions. (Submitted to PLOS neglected tropical diseases)
- Sambasiva RR, Naveen GPB and Agarwal S.K. Leptospirosis in India and the rest of the world. *The Brazilian Journal of Infectious Diseases* 2003; 7(3):178-93.
- Sambrook J, Fritsch EF, Maniatis T. Molecular cloning a laboratory manual, second edition. Cold Spring Harbor, Cold Spring Harbor Laboratory Press New York 1989.
- Sandee D, Tungradabkul S, Tsukio M, Imanaka T and Takagi M. Construction and high cytoplasmic expression of a tumoricidal single-chain antibody against hepatocellular carcinoma. *BMC Biotech* 2002, 2:1-8.
- Saukkonen K, Abdillahi H, Poolman JT and Leinonen M. Protective efficacy of monoclonal antibodies to class 1 and class 3 outer membrane proteins of *Neisseria meningitidis* B:15:P1.16 in infant rat infection model: new prospects for vaccine development. *Microb Pathog* 1987; 3: 261-7.
- Savio ML, Rossi C, Fusi P, Tagliabue S and Pacciarini ML. Detection and identification of *Leptospira interrogans* serovars by PCR coupled with restriction endonuclease analysis of amplified DNA. *J Clin Microbiol* 1994; 32: 935-41.
- Schaller G, Bangemann N, Becker CH, Buchler H, Opri F and Weitzel HK. Therapy of breast cancer with humanized antibodies against the HER2 receptor protein. *J can Res Clin Oncol* 1999; 125: 520-4.
- Schroff RW, Foone KA, Beatty SM, Oldham RK and Morgan AC Jr. Human anti-murine responses in patients receiving monoclonal antibody therapy. *Cancer Res* 1985; 45: 879-85.
- Scott G, Coleman TJ (1996) Leptospirosis. In: Manson's Tropical Diseases. Cook GC. (ed.). 20th edition. WB Saunders Company, London, UK.
- Searle C, Blyth RI, White RG, Tucker NP, Lee MH and Barrett SD. Photoemission

- study of CO adsorption on Gd. *J Synchrotron Radiat* 1995; 2: 312-5.
- Segers RP, van der Drif A, de Nijs A, Corcione P, van de Zeijst BA and Gaastra W. Molecular analysis of a sphingomyelinase C gene from *Leptospira interrogans* serovar *hardjo*. *Infect Immun* 1990; 58: 2177-85.
- Sehgal SC, Murhekar MV and Sugunan AP. Outbreak of leptospirosis with pulmonary involvement in North Andaman. *Indian J Med Res* 1995; 102: 9-12.
- Shang ES, Exner MM, Summers TA, *et al.* The rare outer membrane protein, OmpL1, of pathogenic *Leptospira* species is a heat-modifiable porin. *Infect Immun* 1995; 63: 3174-81.
- Shapiro RL, Hatheway C, Swerdlow DL. Botulism in the United States: a clinical and epidemiologic review. *Ann Intern Med* 1998; 129: 221-228.
- Shaw DM, Embleton MJ, Westwater C, *et al.* Isolation of a high affinity scFv from a monoclonal antibody recognizing the oncofetal antigen 5T4. *Biochimica Biophys Acta* 2000; 154: 238-46.
- Shawler DL *et al.* Human immune response to multiple injections of murine monoclonal immunoglobulins. *J Immunol* 1985; 135: 1530-5.
- Sheldon WH. Leptospiral antigen demonstrated by the fluorescent antibody technique in human muscle lesions of *Leptospira icterohemorrhagiae*. *Proc Soc Exp Biol Med* 1953; 84: 165-7.
- Sherry B, Li XY, Tyler KL, Cullen JM and Virgin HW. Lymphocytes protect against and are not required for reovirus-induced myocarditis. *J Virol* 1993; 67: 6119-24.
- Shimizu T, Matsusaka E, Takayanagi K, *et al.* Biological activities of lipopolysaccharide-like substance (LLS) extracted from *Leptospira interrogans* serovar *canicola* strain Moulton. *Microbiol. Immunol* 1987; 31: 727-735.
- Shingoka AO, Pincus SH, Rote NS and Hill HR. Protective efficacy of hybridoma type-specific antibody against experimental infection with Group-B *Streptococcus*. *J Infect Dis* 1984; 149: 363-72.
- Silva MV, Camargo ED, Batista L, Vaz AJ, Ferreira AW and Barbosa PR. Application of anti-*Leptospira* ELISA- IgM for the etiologic elucidation of meningitis. *Rev Inst Med Trop Sao Paulo* 1996; 38: 153-6.

- Singer II, Kawla DW, DeMartino JA, *et al.* Optimal humanization of 1B4, an anti-CD18 murine monoclonal antibody, is achieved by correct choice of human V-region framework sequences. *J Immunol* 1993; 150: 2844-56.
- Skerra A and Pluckthun A. Assembly of a immunoglobulin Fv fragment in *Escherichia coli*. *Science* 1998; 240: 1038-40.
- Sonrier C, Branger C, Michel V, Ruvoen-Clouet N, Ganiere JP and Andre-Fontaine G. Evidence of cross-protection within *Leptospira interrogans* in an experimental model. *Vaccine* 2000; 19: 86-94.
- Stamm LV, and Charon NW. Plate assay for detection of *Leptospira interrogans* serovar *pomona* hemolysin. *J Clin Microbiol* 1979;10: 590-2.
- Stoebner JA and Payne SM. Iron-regulated hemolysin production and utilization of heme and hemoglobin by *Vibrio cholerae*. *Infect Immun* 1988; 56: 2891-5.
- Smibert RM. Spirochaetales, a review. *CRC Crit Rev Microbiol* 1973; 2: 491-52.
- Steinman L. Blocking adhesion molecules as therapy for multiple sclerosis: natalizumab. *Nature Rev. Drug Discov* 2005; 4: 510-8.
- Studnicka GM, Soares S, Better M, Williams RE, Nadell R and Horwitz PR. Human-engineered monoclonal antibodies retain full specific binding activity by preserving non-CDR complementarity-modulating residues. *Protein Eng* 1994; 7(6): 805-114.
- Sulzer CR and Jones WL. A modified semi-micro method for the test for leptospirosis. *Health Lab Sci* 1973; 10: 13-7.
- Sundharagiati B and Harinasuta C. Studies on leptospirosis in Thailand: a review. *J Med Assoc Thai* 1964; 47: 662-79.
- Sundharagiati B and Harinasuta C. Leptospire isolated from man and animal in Thailand. *J Med Assoc Thai* 1965; 48: 343-51.
- Svenson SB, Nurminen M and Lindberg AA. Artificial Salmonella vaccines: O-antigenic oligosaccharide-protein conjugates induce protection against infection with *Salmonella typhimurium*. *Infect Immun* 1979; 25: 863-72.
- Swendsen CL and Johnson W. Humoral immunity to *Streptococcus pneumoniae* induced by a pneumococcal ribosomal protein fraction. *Infect Immun* 1976; 14: 345-54.
- Tabrizi MA, Tseng CM and Roskos LK. Elimination mechanisms of therapeutic

monoclonal antibodies. *Drug Discov Today* 2006; 11: 81-8.

Tacket CO, Shandera WX, Mann JM, Hargrett NT, Blake PA. Equine antitoxin use and other factors that predict outcome in type A foodborne botulism. *Am J Med* 1984; 76: 794-798.

Tajiki H and Salomao R. Association of plasma levels of tumor necrosis factor alpha with severity of disease and mortality among patients with leptospirosis. *Clin Infect Dis* 1996; 23: 1177-8.

Tan P, Mitchell DA, Buss TN, Holmes MA, Anasetti C and Foote J. "Superhumanized" antibodies: reduction of immunogenic potential by complementarity-determining region grafting with human germline sequences: application to an anti- CD28. *J Immunol* 2002; 169: 1119-25.

Tangkanakul W, Tharmaphornpil P, Plikaytis BD, *et al.* Risk factors associated with leptospirosis in northern Thailand, 1998. *Am J Trop Med Hyg* 2000; 63: 204-8.

Tattevin P, Jaur_guiberry S and Michelet C. Meningitis as a Possible Feature of the Jarisch-Herxheimer Reaction in Leptospirosis. *Eur J Clin Microbiol Infect Dis* 2003; 22: 449.

Tavares D, Ferreira P, Vilanova M, Videira A, Arala-Chaves M. Immunoprecipitation against systemic candidiasis in mice. *Int immunol* 1995; 7: 785-96.

Terpstra WJ, Korver H, Schoone GJ, *et al.* Comparative classification of *Leptospira* serovars of the Pomona group by monoclonal antibodies and restriction-endonuclease analysis. *Zentralbl Bakteriol Mikrobiol Hyg [A]* 1987; 266: 412-21.

Thompson JD, Higgins DG and Gibson TJ. Clustal W: Improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acid Res.* 1994; 22: 4673-80.

Tjalma RA, and Galton MM. Human leptospirosis in Iowa. *Am. J Trop Med Hyg* 1965; 14: 387-96.

Towbin H, Staechelin T and Gordon J. Electrophoresis transfer of proteins from polysaccharide gels to nitrocellulose sheets: procedure and some applications. *Proc Natl Acad Sci USA* 1979; 76: 4350-4.

- Trevejo RT, Rigor-Perez JG, Ashford DA, *et al.* Epidemic leptospirosis associated with pulmonary hemorrhage-Nicaragua, 1995. *J Infect Dis* 1998; 178: 1457-1463.
- Tripathy DN and Hanson LE. Immunoperoxidase staining of leptospires. *Appl Microbiol* 1974; 27: 268-9.
- Trueba GA, Bolin CA and Zuerner RL. Characterization of the periplasmic flagellum proteins of *Leptospira interrogans*. *J Bacteriol* 1992; 174: 4761-8.
- Trueba GA, Bolin CA, and Zuerner RL. Cloning of the *pfaP* gene of *Leptospira borgpetersenii*. *Gene* 1995;160: 133-4.
- Turner LH. Leptospirosis II Serology. *Trans Roy Soc Trop Med Hyg* 1968; 62: 880-9.
- Turner LH. Leptospirosis III. Maintenance, isolation and demonstration of leptospires. *Trans R Soc Trop Med Hyg* 1970; 64: 623-46.
- Uhlenhuth P, Formme W. Quoted in Topley and Wilson's Principles of Bacteriology, Virology and Immunit. 1916; 8(2): 617.
- Uip DE, Amato Neto V, Duarte MS. The early diagnosis of leptospirosis by demonstrating antigens via an immunohistochemical exam of the hamstring muscle. *Rev Inst Med Trop Sao Paulo* 1992; 34: 375-81.
- Van Crevel, R, Speelman P, Gravekamp C, Terpstra WJ. Leptospirosis in travelers. *Clin Infect Dis* 1994; 19: 132-4.
- van Dijk MA and van de Winkel JG. Human antibodies as next generation therapeutics. *Curr Opin Chem Biol* 2001; 5: 368-74.
- Van Eys GJ, Gravekamp C, Gerritsen MJ, *et al.* Detection of leptospires in urine by polymerase chain reaction. *J Clin microb* 1989; 27: 2258-62.
- Vaswani SK and Hamilton RG. Humanized antibodies as potential therapeutic drugs. *Ann Allergy Asthma Immunol* 1998; 81: 105-15.
- Vaughan C, Cronin CC, Walsh EK and Whelton M. The jarisch-herxheimer reaction in leptospirosis. *Postgraduate Medical Journal* 1994; 70: 118-21.
- Vinetz JM. Leptospirosis. *Curr Opin Infect Dis* 1997; 10: 357-61.
- Vinetz JM. Leptospirosis. *Curr Opin Infect Dis* 2001; 14(5): 527-38.
- Vinh T, Adler B, and Faine S. Ultrastructure and chemical composition of lipopolysaccharide extracted from *Leptospira interrogans* serovar

- copenhageni*. J. Gen. Microbiol 1986; 132:103–9.
- Wang C, John L, Chang T, Cheng W, Luo M, and Hung A. Studies on anicteric leptospirosis. I. Clinical manifestations and antibiotic therapy. Chin. Med. J. 1965; 84: 283–91.
- We TT and Kabat EA. An analysis of the sequence of the variable regions of Bence Jones proteins and myeloma light chains and their implications for antibody complementarity. J Exp Med 1970; 132: 211-50.
- Werther WA, Gonzales TN, O'Connor SJ, *et al.* Humanization of an anti-lymphocyte function-associated antigen (LFA)-1 monoclonal antibody and reengineering of the humanized antibody for binding to rhesus LFA-1. J Immunol 1996; 157: 4986-95.
- Werts C, Tapping RI, Mathison JC, *et al.* Leptospiral lipopolysaccharide activates cells through a TLR 2-dependent mechanism. Nat Immunol 2001; 2: 346-52.
- Weyant RS, Bragg SL, Kaufmann AF. *Leptospira* and leptoneura. In: Murray PR, Baron EJ, Pfaller MA, *et al*, eds. Manual of clinical microbiology, 7th edn. Washington DC: ASM Press, 1999: 739–45.
- Winter G and Milstein C. Man-made antibodies. Nature 1991; 24: 293-9.
- Wolff JW. (1954) The Laboratory diagnosis of leptospirosis. Oxford: Blackwell.
- Yamagami S, Motoki M, Kimura T, *et al.* Efficacy of postinfection treatment with anti-shiga toxin (Stx)2 humanized monoclonal antibody TMA-15 in mice lethally challenged with Stx-producing *Escherichai coli*. J Infect Dis 2001; 184: 738-42.
- Yamamoto M, Hayashi N, Takehara T, *et al.* Intracellular single-chain antibody against hepatitis B virus core protein inhibits the replication of hepatitis B virus in cultured cells. Hepatology 1999; 30: 300-7.
- Yamashiro-Kanashiro EH, Benard G, Sato MN, Seguro AC and Duarte AJ. Cellular immune response analysis of patients with leptospirosis. Am J Trop Med Hyg 1991; 45: 138-45.
- Yanagawa R and Faine S. Morphological and serological analysis of leptospiral structure. Nature (London) 1966; 211: 823-6.
- Yasuda PH, Streigerwalt AG, Sulzer KA, *et al.* Deoxyribonucleic acid and relatedness between serogroups and serovars in the family Leptospiraceae with proposal

for seven *Leptospira* species. *Int J Syst Bacteriol* 1987; 37: 404-15.

- Yasuda PH, Sakata EE, Shikanai-Yasuda MA, *et al.* Evaluation of counterimmunoelectrophoresis with antigens of *icterohaemorrhagiae* and *patoc* serovars in the serodiagnosis of human leptospirosis. *Rev Inst Med Trop Sao Paulo* 1991; 33: 497-502.
- Yokota T, Milenic DE, Whitlow M and Schlom J. Rapid tumor penetration of a single-chain Fv and comparison with other immunoglobulin forms. *Cancer Res* 1992; 52: 3402-8.
- You SY, Zhang CY, Yi XP, and Huang W. Evaluation of clinical significance of isoferritin by development of new monoclonal antibodies specific for acidic isoferritin. *Hybridoma* 2001; 20: 243-8.
- Yu ZC, Ding J, Nie YZ, Fan DM and Zhang XY. Preparation of single chain variable fragment of MG-7 mAb by phage display technology. *World J Gastroenterol* 2000; 7(4): 510-4.
- Yuan Q, Clark JR, Zhou HR, Linz JE, Pestka JJ and Hart LP. Molecular cloning expression, and characterization of a functional single-chain Fv antibody to the mycotoxin zeralenone. *Applied Environ Microbiol* 1997; 63(1): 263-9.
- Yusada PH, Steigerwalt AG, Sulzer KR, Kaufmann AF, Rogers F and Brenner DJ. Deoxyribonucleic acid relatedness between serogroups and serovars in the family *Leptospiraceae* with proposals for seven new *Leptospira* species. *Int J Syst Bacteriol* 1987; 37: 407-15.
- Zaki SR and Shieh WJ. Leptospirosis associated with outbreak of acute febrile illness and pulmonary hemorrhage, Nicaragua 1995. The epidemic working group at Ministry of Health in Nicaragua. *Lancet* 1996; 347: 535-6.
- Zaki, SR, and Spiegel RA. (1998) Leptospirosis, p. 73–92. *In* A. M. Nelson and C. R. Horsburgh (ed.), *Pathology of emerging infections 2*. American Society for Microbiology, Washington, D.C.
- Zaltzman M, Kallenbach JM, Goss GD, Lewis M, Zwi S, and Gear JHS. Adult respiratory distress syndrome in *Leptospira canicola* infection. *BMJ* 1981; 283: 519–20.
- Zeigler JA and Van Eseltine WP. Isolation and chemical characterization of outer envelope of *Leptospira pomona*. *Can J Microbiol* 1975; 21: 1102-12.

Zeitlin L, Cone RA and Whaley KJ. Using monoclonal antibodies to prevent mucosal transmission of epidemic infection diseases. *Emerg Infect Dis* 1999; 5(1): 54-64.

Zhang W, Matsumoto-Takasaki A, Kusada Y, *et al.* Isolation and characterization of phage-displayed single chain antibodies recognizing nonreducing terminal mannose residues. 2. Expression, purification, and characterization of recombinant single chain antibodies. *Biochemistry* 2007; 46: 263-270.

