

LIST OF FIGURES

Figure	Page
LITERATURE REVIEW	
1 The two <i>V. cholerae</i> chromosomes	26
2 The regulatory cascade that controls <i>ctx</i> and <i>tcp</i> transcription	33
MATERIALS AND METHODS	
3 Flowchart for isolation and identification of <i>Vibrio cholerae</i> from rectal swabs	46
RESULTS	
4 The results of dot-ELISA using MAb specific to <i>V. cholerae</i> O1 for determining the lowest amount of whole cell homogenate of <i>V. cholerae</i> O1 (O17SR)	54
5 The results of dot-ELISA using MAb specific to <i>V. cholerae</i> O139 for determining the lowest amount of whole cell homogenate of <i>V. cholerae</i> O139 (VCMO45)	55
6 The representative result of the MAb-based dot-ELISA for detection of <i>V. cholerae</i> O1 antigen in the rectal swab samples	62
7 The representative result of the MAb-based dot-ELISA for detection of <i>V. cholerae</i> O139 antigen in the rectal swab samples	65
8 The representative result of the MAb-based dot-ELISA for detection of <i>V. cholerae</i> O139 antigen in the rectal swab samples	66
9 The result of PCR for detection of <i>ctxA</i> gene of <i>V. cholerae</i> O1 and O139 in selected rectal swab samples that were positive by MAb-based dot-ELISA	69
10 The result of PCR for detection of <i>ctxB</i> gene of <i>V. cholerae</i> O1 and O139 in selected rectal swab samples that were positive by MAb-based dot-ELISA	70
11 The result of PCR for detection of <i>tcpA</i> gene of <i>V. cholerae</i> O1 and O139 in selected rectal swab samples that were positive by MAb-based dot-ELISA	71

Figure		Page
12	The result of PCR for detection of <i>toxR</i> gene of <i>V. cholerae</i> O1 and O139 in selected rectal swab samples that were positive by MAb-based dot-ELISA	74