

## REFERENCES

- Abdulkader RCRM, Seguro AC, Malheiro PS, *et al.* Peculiar electrolytic and hormonal abnormalities in acute renal failure due to leptospirosis. *Am J Trop Med Hyg* 1996; 54: 1–6.
- Adu-Bobie J, Capecchi B, Serruto D, Rappouli R, Pizza M. Two years into reverse vaccinology. *Vaccine* 2001; 19: 2688-91.
- Aebersold R, Mann M. Mass spectrometry-based proteomics. *Nature* 2003; 422: 198–207.
- Amato MB, Barbas CS, Medeiros DM, *et al.* Effect of a protective-ventilation strategy on mortality in the acute respiratory distress syndrome. *N Engl J Med* 1998; 338: 347–54.
- Ashford DA, Kaiser RM, Spiegel RA, *et al.* Asymptomatic infection and risk factors for leptospirosis in Nicaragua. *Am J Trop Med Hyg* 2000; 63: 249–54.
- Bajani MD, Ashford DA, Bragg SL, *et al.* Evaluation of four commercially available rapid serologic tests for diagnosis of leptospirosis. *J Clin Microbiol* 2003; 41: 803–9.
- Barocchi MA, Ko AI, Reis MG, *et al.* Rapid translocation of polarized MDCK cell monolayers by *Leptospira interrogans*, an invasive but nonintracellular pathogen. *Infect Immun* 2002; 70: 6926–32.
- Bauby H, Saint GI, Picardeau M. Construction and complementation of the first auxotrophic mutant in the spirochaete *Leptospira meyeri*. *Microbiology* 2003; 149 (Pt 3): 689–93.
- Bessen D, Gotschlich EC. Interactions of gonococci with HELA cells: attachment, detachment, replication, penetration, and the role of protein II. *Infect Immun* 1986; 54: 154-60.
- Bharti AR, Nally JE, Ricaldi JN, *et al.* Leptospirosis: a zoonotic disease of global importance. *Lancet Infect Dis* 2003; 3: 757–71.
- Birnboim HC, Doly J. A rapid alkaline extraction procedure for screening recombinant DNA. *Nucleic Acid Res* 1979; 7: 1513-23.

- Bjellqvist B, Ek K, Righetti PG, Gianazza E, *et al.* Iso-electric focusing in immobilized pH gradients: principle, methodology, and some applications. *J Biochem Biophys Methods* 1982; 6: 317–39.
- Boonyod D, Poovorawan Y, Bhattarakosol P, Chirathaworn C. LipL32, an outer membrane protein of *Leptospira*, as an antigen in a dipstick assay for diagnosis of leptospirosis. *Asian Pac J Allergy Immunol.* 2005; 23:133-41.
- Bourhy P, Louvel H, Saint Girons I, Picardeau M. Random insertional mutagenesis of *Leptospira interrogans*, the agent of leptospirosis, using a mariner transposon. *J Bacteriol* 2005; 187: 3255–28.
- Bradford, MM. A rapid and sensitive method for the quantification of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* 1976; 72: 248-54.
- Branger C, Sonrier C, Chatrenet B, *et al.* Identification of the hemolysis associated protein 1 as a cross-protective immunogen of *Leptospira interrogans* by adenovirus-mediated vaccination. *Infect Immun* 2001; 69: 6831–8.
- Brown RA, Blumerman S, Gay C, *et al.* Comparison of three different leptospiral vaccines for induction of a type 1 immune response to *Leptospira borgpetersenii* serovar Hardjo. *Vaccine* 2003; 21: 4448–58.
- Bulach DM, Zuerner RL, Wilson P, *et al.* Genome reduction in *Leptospira borgpetersenii* reflects limited transmission potential. *PNAS* 2006; 13 14560-5.
- Burth P, Younes-Ibrahim M, Santos MC, *et al.* Role of nonesterified unsaturated fatty acids in the pathophysiological processes of leptospiral infection. *J Infect Dis* 2005; 191: 51–7.
- Collins RA. Leptospirosis. *The Biomedical Scientist* February 2006; 116-21.
- Celis JE, Gromov P. 2D protein electrophoresis: can it be perfected? *Curr Opin Biotechnol* 1999; 10: 16–21.
- Ciceroni L, Stepan E, Pinto A *et al.* Epidemiological trends of human leptospirosis in Italy between 1994 and 1996. *Eur J Epidemiol* 2000; 16: 79-86.
- Chaicumpa W, Thin-inta W, Khusmith S, *et al.* Detection with monoclonal antibody of *Salmonella typhi* antigen 9 in specimens from patients. *J Med Microbiol* 1988; 26: 1824-30.

- Chappel RJ, Goris M, Palmer MF, Hartskeerl RA. Impact of proficiency testing on results of the microscopic agglutination test for diagnosis of leptospirosis. *J Clin Microbiol* 2004; 42: 5484–8.
- Costa E, Lopes AA, Sacramento E, *et al.* Penicillin at the late stage of leptospirosis: a randomized controlled trial. *Rev Inst Med Trop Sao Paulo* 2003; 45: 141–5.
- Covic A, Goldsmith DJ, Gusbeth-Tatomir P, *et al.* A retrospective 5-year study in Moldova of acute renal failure due to leptospirosis: 58 cases and a review of the literature. *Nephrol Dial Transplant* 2003; 18: 1128–34.
- Cullen PA, Cordwell SJ, Bulach DM, *et al.* Global analysis of outer membrane proteins from *Leptospira interrogans* serovar Lai. *Infect Immun* 2002; 70: 2311–18.
- Cullen PA, Haake DA, Bulach DM, *et al.* LipL21 is a novel surface-exposed lipoprotein of pathogenic *Leptospira* species. *Infect Immun* 2003; 71: 2414–21.
- Cullen PA, Xu X, Matsunaga J, *et al.* The surfaceome of *Leptospira*. *Infect Immun* 2005; 73: 4853–63.
- Cumberland P, Everard COR, Wheeler JG, Levett PN. Persistence of antileptospiral IgM, IgG and agglutinating antibodies in patients presenting with acute febrile illness in Barbados 1979–1989. *Eur J Epidemiol* 2001; 17: 601–8.
- Daher E, Trevisan Zanetta DM, Cavalcante MB, Abdulkader RCRM. Risk factors for death and changing patterns in leptospirosis acute renal failure. *Am J Trop Med Hyg* 1999; 61: 630–4.
- Daher EF, Nogueira CB. Evaluation of penicillin therapy in patients with leptospirosis and acute renal failure. *Rev Inst Med Trop Sao Paulo* 2000; 42: 327–32.
- de Fost M, Hartskeerl RA, Groenendijk MR, van der Poll T. Interleukin-12 in part regulates gamma interferon release in human whole blood stimulated with *Leptospira interrogans*. *Clin Diagn Lab Immunol* 2003; 10: 332–5.
- de la Pena-Moctezuma, A., Bulach, D.M., Kalambaheti, T. and Adler, B. Comparative analysis of the LPS biosynthetic loci of the genetic subtypes of serovar Hardjo: *Leptospira interrogans* subtype Hardjoprajitno and *Leptospira borgpetersenii* subtype Hardjobovis. *FEMS Microbiol. Lett.* 1999; 177: 319–326.

- Diament D, Brunialti MKC, Romero EC, *et al.* Peripheral blood mononuclear cell activation induced by *Leptospira interrogans* glycolipoprotein. *Infect Immun* 2002; 70: 1677–83.
- Drews O, Reil G, Parlar H, Görg A. Setting up standards and a reference map for the alkaline proteome of the gram-positive bacterium *Lactococcus lactis*. *Proteomics* 2004; 4: 1293–304.
- Ducret A, van Oostveen I, Eng JK, Yates JR III, *et al.* High throughput protein characterization by automated reverse-phase chromatography/electrospray tandem mass spectrometry. *Protein Sci* 1998; 7: 706–19.
- Dupont H, Dupont-Perdrizet D, Perie JL, *et al.* Leptospirosis: prognostic factors associated with mortality. *Clin Infect Dis* 1997; 25: 720–4.
- Effler PV, Bogard AK, Domen HY, *et al.* Evaluation of eight rapid screening tests for acute leptospirosis in Hawaii. *J Clin Microbiol* 2002; 40: 1464–9.
- Elkins C and Sparling PF. Outer membrane proteins of *Neisseria gonorrhoeae*. In: *Microbial Determinants of Virulence and Host Response*. Ayoub EM, Cassell GH, Branche WC, Henry TJ (eds.). American Society for Microbiology, Washington, DC 1990; 207-17.
- Esen S, Sunbul M, Leblebicioglu H, *et al.* Impact of clinical and laboratory findings on prognosis in leptospirosis. *Swiss Med Wkly* 2004; 134: 347–52.
- Everard COR, Edwards CN, Everard JD, Carrington DG. A twelve-year study of leptospirosis on Barbados. *Eur J Epidemiol* 1995; 11: 311–20.
- Faine SB, Adler B, Bolin C, Perolat P. *Leptospira* and leptospirosis. 2nd ed. Melbourne, Australia: Med Sci; 1999.
- Farr RW. Leptospirosis. *Clin Infect Dis* 1995; 21: 1-6
- Fey SJ, Mose Larsen P. 2D or not 2D. Two-dimensional gel electrophoresis. *Curr Opin Chem Biol* 2001; 5: 26–33.
- Figeys D, Gygyi SP, McKinnon G, Aebersold R. Data-dependent modulation of solid-phase extraction capillary electrophoresis for the analysis of complex peptide and phosphopeptide mixtures by tandem mass spectrometry: application to endothelial nitric oxide synthase. *Anal Chem* 1999; 70: 3728–34.

- Flannery B, Costa D, Carvalho FP, *et al.* Evaluation of recombinant *Leptospira* antigen-based enzyme-linked immunosorbent assays for the serodiagnosis of leptospirosis. *J Clin Microbiol* 2001; 39: 3303–10.
- Gamberini M, Gomez RM, Atzingen MV, *et al.* Whole-genome analysis of *Leptospira interrogans* to identify potential vaccine candidates against leptospirosis. *FEMS Microbiol Lett* 2005; 244: 305–13.
- Görg A, Boguth G, Obermaier C, Weiss W. Two-dimensional electrophoresis of proteins in an immobilized pH 4–12 gradient. *Electrophoresis* 1998; 19: 1516–9.
- Görg A, Obermaier C, Boguth G, Csordas A, *et al.* Very alkaline immobilized pH gradients of two-dimensional electrophoresis of ribosomal and nuclear proteins. *Electrophoresis* 1997; 18: 328–37.
- Görg A, Obermaier C, Boguth G, Harder A, *et al.* The current state of two-dimensional electrophoresis with immobilized pH gradients. *Electrophoresis* 2000, 21, 1037–53.
- Görg A, Obermaier C, Boguth G, Weiss W. Recent development in wide pH gradients up to pH 12, longer separation distances and simplified procedures. *Electrophoresis* 1999; 20: 712–7.
- Görg A, Postel W, Günther S. The current state of two-dimensional electrophoresis with immobilized pH gradients. *Electrophoresis* 1988; 9: 531–46.
- Görg A, Postel W, Weser J, Patutschnick W, Cleve H. Improved resolution of pI (alpha 1-antitrypsin) phenotypes by a large-scale immobilized pH gradient. *Am J Hum Genet* 1985; 37: 922–30.
- Görg A, Weiss W, Dunn MJ. Current two-dimensional electrophoresis technology for proteomics. *Proteomics* 2004; 4: 3665–85.
- Görg A. IPG-Dalt of very alkaline proteins. *Methods Mol Biol* 1999; 112: 197–209.
- Görg A. In: 2-D electrophoresis: Principles and Methods. Buckinghamshire, UK. GE Healthcare Limited, 2005.
- Graves PR, Haystead TA. Molecular biologist's guide to proteomics. *Microbiol Mol Biol Rev* 2002; 66: 39–3.

- Guegan R, Camadro JM, Saint GI, Picardeau M. *Leptospira* spp. possess a complete haem biosynthetic pathway and are able to use exogenous haem sources. *Mol Microbiol* 2003; 49: 745–54.
- Guerreiro H, Croda J, Flannery B, *et al.* Leptospiral proteins recognized during the humoral immune response to leptospirosis in humans. *Infect Immun* 2001; 69: 4958–68.
- Gygi SP, Rist B, Gerber SA, Turecek F, *et al.* Quantitative analysis of complex protein mixtures using isotope-coded affinity tags. *Nat Biotechnol* 1999; 17: 994–9.
- Haake DA, Dundoo M, Cader R, *et al.* Leptospirosis, water sports, and chemoprophylaxis. *Clin Infect Dis* 2002; 34: e40–e43.
- Haake DA, Matsunaga J. Characterization of the leptospiral outer membrane and description of three novel leptospiral membrane proteins. *Infect Immun* 2002; 70: 4936–45.
- Haake DA, Suchard MA, Kelley MM, *et al.* Molecular evolution and mosaicism of leptospiral outer membrane proteins involves horizontal DNA transfer. *J Bacteriol* 2004; 186: 2818–28.
- Haake DA, Mazel MK, McCoy AM, *et al.* Leptospiral outer membrane proteins OmpL1 and LipL41 exhibit synergistic immunoprotection. *Infect Immun* 1999; 67: 6572–82.
- Haynes PA, Yates JR III. Proteome profiling-pitfalls and progress. *Yeast* 2000; 17: 81–7.
- Hoffman PS, Ripley M and Weeratna R. Cloning and nucleotide sequence of gene (*ompS*) encoding the major outer membrane protein of *Legionella pneumophila*. *J Bacteriol* 1992; 174: 914–20.
- Hogan MA, Pate G, McConkey SL, *et al.* Leptospirosis in the Republic of Ireland: 1985–1996. *Commun Dis Rep CDR Rev* 1997; 7: R185–9.
- Hookey JV, Bryden J, Getehouse L. The use of 16S rDNA sequence analysis to investigate the phylogeny of Leptospiraceae and related spirochaetes. *J Gen Microbiol* 1993; 139: 2585–90.
- Hoving S, Voshol H, van Oostrum J. Towards high performance two-dimensional gel electrophoresis using ultra zoom gels. *Electrophoresis* 2000; 21: 2617–21.

<http://www.brenda.uni.koeln.de>

<http://www.matrixscience.com>

<http://www.wishart.biology.ulberta.ca>

Isberg RR, Falkow S. A single genetic locus encoded by *Yersinia pseudotuberculosis* permits invasion of cultured animal cells by *Escherichia coli* K-12. *Nature* (London) 1985; pp. 834-44.

Jeanteur D, Lakey HJ and Patus F. The bacterial porin superfamily: sequence alignment and structure prediction. *Mol Microbiol* 1991; 5: 2153-64.

Jena AB, Mohanty KC, Devadasan N. An outbreak of leptospirosis in Orissa, India: the importance of surveillance. *Trop Med Int Health* 2004; 9: 1016–21.

Johnson MA, Smith H, Joseph P, *et al.* Environmental exposure and leptospirosis, Peru. *Emerg Infect Dis* 2004; 10: 1016–22.

Karande S, Bhatt M, Kelkar A, *et al.* An observational study to detect leptospirosis in Mumbai, India, 2000. *Arch Dis Child* 2003; 88: 1070–5.

Karande S, Gandhi D, Kulkarni M, *et al.* Concurrent outbreak of leptospirosis and dengue in Mumbai, India, 2002. *J Trop Pediatr* 2005; 51: 174–81.

Kariv R, Klempfner R, Barnea A, *et al.* The changing epidemiology of leptospirosis in Israel. *Emerg Infect Dis* 2001; 7: 990–2.

Katz AR, Effler PV, Ansdell VE. Comparison of serology and isolates for the identification of infecting leptospiral serogroups in Hawaii, 1979–1998. *Trop Med Int Health* 2003; 8: 639–42.

Kinter M, Sherman NE. Protein sequencing and identification using tandem mass spectrometry. ISBN 0-471-32249-0. Copyright © Wiley-Interscience, Inc. 2000.

Klimpel GR, Matthias MA, Vinetz JM. *Leptospira interrogans* activation of human peripheral blood mononuclear cells: preferential expansion of TCR gamma delta+ T cells vs TCR alpha beta+ T cells. *J Immunol* 2003; 171: 1447–55.

Ko AI, Galvao Reis M, Ribeiro Dourado CM, *et al.* Urban epidemic of severe leptospirosis in Brazil. Salvador Leptospirosis Study Group. *Lancet* 1999; 354: 820–5.

Koizumi N, Watanabe H. Leptospiral immunoglobulin-like proteins elicit protective immunity. *Vaccine* 2004; 22: 1545–52.

- Lamond A, Mann M. Cell biology and genome projects – a concert strategy for characterizing multi-protein complexes using mass spectrometry. *Trends Cell Biol* 1997; 7: 139–42
- Laras K, Cao BV, Bounlu K, *et al.* The importance of leptospirosis in Southeast Asia. *Am J Trop Med Hyg* 2002; 67: 278–86.
- LaRocque RC, Breiman RF, Ari MD, *et al.* Leptospirosis during dengue outbreak, Bangladesh. *Emerg Infect Dis* 2005; 11: 766–9.
- Levett PN, Branch SL. Evaluation of two enzyme-linked immunosorbent assay methods for detection of immunoglobulin M antibodies in acute leptospirosis. *Am J Trop Med Hyg* 2002; 66: 745–8.
- Levett PN, Morey RE, Galloway RL, *et al.* Detection of pathogenic leptospires by real-time quantitative PCR. *J Med Microbiol* 2005b; 54 (Pt 1): 45–9.
- Levett PN, Morey RE, Galloway RL, *et al.* Reclassification of *Leptospira parva* Hovind-Hougen *et al.* 1982 as *Turneriella parva* gen. nov., comb. nov. *Int J Syst Evol Microbiol* 2005a; 55: 1497–9.
- Levett PN. Leptospirosis. *Clin Microbiol Rev* 2001; 14: 296–326.
- Levett PN. Usefulness of serologic analysis as a predictor of the infecting serovar in patients with severe leptospirosis. *Clin Infect Dis* 2003; 36: 447–52.
- Lilley KS, Razzaq A, Dupree P. Two-dimensional gel electrophoresis: recent advances in sample preparation, detection and quantitation. *Curr Opin Chem Biol* 2002; 6: 46–50.
- Lingappa J, Kuffner T, Tappero J, *et al.* HLA-DQ6 and ingestion of contaminated water: possible gene-environment interaction in an outbreak of Leptospirosis. *Genes Immun* 2004; 5: 197–202.
- Link AJ, Eng J, Schieltz DM, Carmack V, *et al.* Direct analysis of protein complexes using mass spectrometry. *Nat. Biotechnol* 1999; 17: 676–82.
- Lopes AA, Costa E, Costa YA, *et al.* Comparative study of the in-hospital case-fatality rate of leptospirosis between pediatric and adult patients of different age groups. *Rev Inst Med Trop Sao Paulo* 2004; 46: 19–24.
- Louvel H, Saint Girons I, Picardeau M. Isolation and characterization of FecA and FeoB-mediated iron acquisition systems of the spirochete *Leptospira biflexa* by random insertional mutagenesis. *J Bacteriol* 2005; 187: 3249–54.



- Magaldi AJ, Yasuda PN, Kudo LH, *et al.* Renal involvement in leptospirosis: a pathophysiologic study. *Nephron* 1992; 62: 332–9.
- Majed Z, Bellenger E, Postic D, *et al.* Identification of variable-number tandem-repeat loci in *Leptospira interrogans* sensu stricto. *J Clin Microbiol* 2005; 43: 539–45.
- Marotto PC, Nascimento CM, Eluf-Neto J, *et al.* Acute lung injury in leptospirosis: clinical and laboratory features, outcome, and factors associated with mortality. *Clin Infect Dis* 1999; 29: 1561–3.
- Martinez R, Perez A, Quinones Mdel C, *et al.* Efficacy and safety of a vaccine against human leptospirosis in Cuba [in Spanish]. *Rev Panam Salud Publica* 2004; 15: 249–55.
- Matsunaga J, Barocchi MA, Croda J, *et al.* Pathogenic *Leptospira* species express surface-exposed proteins belonging to the bacterial immunoglobulin superfamily. *Mol Microbiol* 2003; 49: 929–45.
- Matsunaga J, Sanchez Y, Xu X, Haake DA. Osmolarity, a key environmental signal controlling expression of leptospiral proteins LigA and LigB and the extracellular release of LigA. *Infect Immun* 2005; 73: 70–8.
- Morgan J, Bornstein SL, Karpati AM, *et al.* Outbreak of leptospirosis among triathlon participants and community residents in Springfield, Illinois, 1998. *Clin Infect Dis* 2002; 34: 1593–9.
- Murdoch DR, Woods CW, Zimmerman MD, *et al.* The etiology of febrile illness in adults presenting to Patan hospital in Kathmandu, Nepal. *Am J Trop Med Hyg* 2004; 70: 670–5.
- Naiman BM, Blumerman S, Alt D, *et al.* Evaluation of type 1 immune response in naive and vaccinated animals following challenge with *Leptospira borgpetersenii* serovar Hardjo: involvement of WC1<sup>+</sup>  $\gamma\delta$  and CD4 T cells. *Infect Immun* 2002; 70: 6147–57.
- Nally JE, Chantranuwat C, Wu XY, *et al.* Alveolar septal deposition of immunoglobulin and complement parallels pulmonary hemorrhage in a guinea pig model of severe pulmonary leptospirosis. *Am J Pathol* 2004; 164: 1115–27.

- Nally JE, Chow E, Fishbein MC, *et al.* Changes in lipopolysaccharide O-antigen distinguish acute *versus* chronic *Leptospira interrogans* infections. *Infect Immun* 2005; 73: 3251–60.
- Nally JE, Whitelegge JP, Aguilera R, *et al.* Purification and proteomic analysis of outer membrane vesicles from a clinical isolate of *Leptospira interrogans* serovar Copenhageni. *Proteomics* 2005; 5: 144–52.
- Nardone A, Capek I, Baranton G, *et al.* Risk factors for leptospirosis in metropolitan France: results of a national case-control study, 1999–2000. *Clin Infect Dis* 2004; 39: 751–3.
- Nascimento AL, Ko AI, Martins EA, *et al.* Comparative genomics of two *Leptospira interrogans* serovars reveals novel insights into physiology and pathogenesis. *J Bacteriol* 2004; 186: 2164–72.
- Neuhoff V, Arold N, Taube D, Ehrhardt W. Improved staining of proteins in polyacrylamide gels including isoelectric focusing gels with clear background at nanogram sensitivity using Coomassie Brilliant G-250 and R-250. *Electrophoresis* 1985; 9: 255–62.
- Nicodemo AC, Duarte MI, Alves VA, *et al.* Lung lesions in human leptospirosis: microscopic, immunohistochemical, and ultrastructural features related to thrombocytopenia. *Am J Trop Med Hyg* 1997; 56: 181–7.
- O'Farrell PH. High-resolution two-dimensional electrophoresis of proteins. *J Biol Chem* 1975; 250: 4007–21.
- Ong SE, Pandey A. An evaluation of the use of two-dimensional gel electrophoresis in proteomics. *Biomol Eng* 2001; 18: 195–205.
- Palaniappan RU, Chang YF, Chang CF, *et al.* Evaluation of *lig*-based conventional and real time PCR for the detection of pathogenic leptospires. *Mol Cell Probes* 2005; 19: 111–7.
- Palaniappan RU, Chang YF, Hassan F, *et al.* Expression of leptospiral immunoglobulin-like protein by *Leptospira interrogans* and evaluation of its diagnostic potential in a kinetic ELISA. *J Med Microbiol* 2004; 53: 975–84.
- Palaniappan RU, Chang YF, Jusuf SS, *et al.* Cloning and molecular characterization of an immunogenic LigA protein of *Leptospira interrogans*. *Infect Immun* 2002; 70: 5924–30.

- Panaphut T, Domrongkitchaiporn S, Thinkamrop B. Prognostic factors of death in leptospirosis: a prospective cohort study in Khon Kaen, Thailand. *Int J Infect Dis* 2002; 6: 52–9.
- Panaphut T, Domrongkitchaiporn S, Vibhagool A, *et al.* Ceftriaxone compared with sodium penicillin G for treatment of severe leptospirosis. *Clin Infect Dis* 2003; 36: 1507–13.
- Pandey A, Mann M. Proteomics to study genes and genomes. *Nature* 2000; 405: 837–46
- Pappin DJC, Højrup P, Bleasby AJ. Rapid identification of proteins by peptide mass fingerprinting. *Curr Biol* 1993; 3: 327–32.
- Pereira MM, Da Silva JJ, Pinto MA, *et al.* Experimental leptospirosis in marmoset monkeys (*Callithrix jacchus*): a new model for studies of severe pulmonary leptospirosis. *Am J Trop Med Hyg* 2005; 72: 13–20.
- Perrocheau A, Perolat P. Epidemiology of leptospirosis in New Caledonia (South Pacific): a one-year survey. *Eur J Epidemiol* 1997; 13: 161–7.
- Phraisuwan P, Whitney EA, Tharmaphornpilas P, *et al.* Leptospirosis: skin wounds and control strategies, Thailand, 1999. *Emerg Infect Dis* 2002; 8: 1455–9.
- Phu NH, Hien TT, Mai NT, *et al.* Hemofiltration and peritoneal dialysis in infection-associated acute renal failure in Vietnam. *N Engl J Med* 2002; 347: 895–902.
- Picardeau M, Bauby H, Saint GI. Genetic evidence for the existence of two pathways for the biosynthesis of methionine in the *Leptospira* spp. *FEMS Microbiol Lett* 2003; 225: 257–62.
- Que-Gewirth NL, Ribeiro AA, Kalb SR, *et al.* A methylated phosphate group and four amide-linked acyl chains in *Leptospira interrogans* lipid A. The membrane anchor of an unusual lipopolysaccharide that activates TLR2. *J Biol Chem* 2004; 279: 25420–9.
- Rabilloud T. Two-dimensional gel electrophoresis in proteomics: old, old fashioned, but it still climbs up the mountains. *Proteomics* 2002; 2: 3–10.
- Ren SX, Fu G, Jiang XG, *et al.* Unique physiological and pathogenic features of *Leptospira interrogans* revealed by whole-genome sequencing. *Nature* 2003; 422: 888–93.

- Rodriguez AG, Jimenez YR, Santiesteban NB, *et al.* Microbiological characterization of candidate vaccine strains of Ballum serogroup *Leptospira interrogans* [in Spanish]. *Rev Cubana Med Trop* 2003; 55: 146–52. (cited by McBride *et al.*, 2005)
- Romero EC, Bernardo CC, Yasuda PH. Human leptospirosis: a twenty-nine year serological study in Sao Paulo, Brazil. *Rev Inst Med Trop Sao Paulo* 2003; 45: 245–8.
- Roy S, Biswas D, Vijayachari P, Sugunan AP, Sehgal SC. A22-mer primer enhances discriminatory power of AP-PCR fingerprinting technique in characterization of leptospires. *Trop Med Int Health* 2004; 9: 1203–9
- Russell KL, Montiel GMA, Watts DM, *et al.* An outbreak of leptospirosis among Peruvian military recruits. *Am J Trop Med Hyg* 2003; 69: 53–7.
- Saengjaruk P, Chaicumpa W, Watt G, *et al.* Diagnosis of human leptospirosis by monoclonal antibody-based antigen detection in urine. *J Clin Microbiol* 2002; 40: 480–9.
- Sanchez RM, Sierra AP, Obregon Fuentes AM, *et al.* Reactogenicity and immunogenicity of Cuban trivalent inactivated vaccine against human leptospirosis in different vaccination schedule. *Rev Cubana Med Trop* 2002; 54: 37-43.
- Sarkar U, Nascimento SF, Barbosa R, *et al.* Population-based case-control investigation of risk factors for leptospirosis during an urban epidemic. *Am J Trop Med Hyg* 2002; 66: 605–10.
- Saukkonen K, Abdillahi H, Poolman JT and Leinonen M. Protective efficacy of monoclonal antibodies to class 1 and class 3 outer membrane proteins of *Neisseria meningitidis* B:15:P1.16 in infant rat infection model: new prospects for vaccine development. *Microb Pathog* 1987; 3: 261-7.
- Scheele GA. Two-dimensional gel analysis for soluble proteins. Characterization of guinea pig exocrine pancreatic proteins. *J Biol Chem* 1975; 250: 5375–85.
- Segura ER, Ganoza CA, Campos K, *et al.* Clinical spectrum of pulmonary involvement in leptospirosis in a region of endemicity, with quantification of leptospiral burden. *Clin Infect Dis* 2005; 40: 343–51.

- Seguro AC, Lomar AV, Rocha AS. Acute renal failure of leptospirosis: nonoliguric and hypokalemic forms. *Nephron* 1990; 55: 146–51.
- Sehgal SC, Vijayachari P, Sugunan AP, Umapathi T. Field application of Lepto lateral flow for rapid diagnosis of leptospirosis. *J Med Microbiol* 2003; 52 (Pt 10): 897–901.
- Sejvar J, Bancroft E, Winthrop K, *et al.* Leptospirosis in “Eco-Challenge” athletes, Malaysian Borneo, 2000. *Emerg Infect Dis* 2003; 9: 702–7.
- Shang ES, Exner MM, Summers TA, *et al.* The rare outer membrane protein, OmpL1, of pathogenic *Leptospira* species is a heat-modifiable porin. *Infect Immun* 1995; 63: 74-81.
- Smits HL, Chee HD, Eapen CK, *et al.* Latex based, rapid and easy assay for human leptospirosis in a single test format. *Trop Med Int Health* 2001; 6: 114–8.
- Smits HL, Eapen CK, Sugathan S, *et al.* Lateral-flow assay for rapid serodiagnosis of human leptospirosis. *Clin Diagn Lab Immunol* 2001; 8: 166–9.
- Smythe L. Leptospirosis worldwide. *Wkly Epidemiol Rec* 1999; 74: 237–42.
- Smythe LD, Smith IL, Smith GA, *et al.* A quantitative PCR (TaqMan) assay for pathogenic *Leptospira* spp. *BMC Infect Dis* 2002; 2: 13. <http://www.biomedcentral.com/1471-2334/2/13>
- Stoebner JA and Payne SM. Iron-regulated hemolysin production and utilization of heme and hemoglobin by *Vibrio cholerae*. *Infect Immun* 1988; 56: 2891-5.
- Suputtamongkol Y, Niwattayakul K, Suttinont C, *et al.* An open, randomized, controlled trial of penicillin, doxycycline, and cefotaxime for patients with severe leptospirosis. *Clin Infect Dis* 2004; 39: 1417–24.
- Suwimolteerabut J, Chaicumpa W, Tapchaisri P, *et al.* Detection of *Leptospira* antigenuria among cattle at farms in Thailand. *American Journal of Veterinary Research* 2005; 66: 762-6.
- Tajiki MH, Salomao R. Association of plasma levels of tumor necrosis factor alpha with severity of disease and mortality among patients with leptospirosis. *Clin Infect Dis* 1996; 23 (5): 1177–8.
- Tassinari WS., Pellegrini DCP, Sabroza PC, Carvalho MS. Spatial distribution of leptospirosis in the city of Rio de Janeiro, Brazil, 1996–1999 [in Portuguese]. *Cad Saude Publica* 2004; 20: 1721–9. (cited by McBride *et al.*, 2005)

- Trevejo RT, Rigau-Perez JG, Ashford DA, *et al.* Epidemic leptospirosis associated with pulmonary hemorrhage-Nicaragua, 1995. *J Infect Dis* 1998; 178: 1457–63.
- Truccolo J, Serais O, Merien F, Perolat P. Following the course of human leptospirosis: evidence of a critical threshold for the vital prognosis using a quantitative PCR assay. *FEMS Microbiol Lett* 2001; 204: 317–21.
- United Nations. The challenge of slums: global report on human settlements. Nairobi: UN-Habitat; 2003.
- Vieira SR, Brauner JS. Leptospirosis as a cause of acute respiratory failure: clinical features and outcome in 35 critical care patients. *Braz J Infect Dis* 2002; 6: 135–9.
- Vijayachari P, Sugunan AP, Sehgal SC. Evaluation of Lepto Dri Dot as a rapid test for the diagnosis of leptospirosis. *Epidemiol Infect* 2002; 129: 617–21.
- Vinetz JM, Glass GE, Flexner CE, *et al.* Sporadic urban leptospirosis. *Ann Intern Med* 1996; 125: 794–8.
- Vinetz JM. A mountain out of a molehill: do we treat acute leptospirosis, and if so, with what? *Clin Infect Dis* 2003; 36: 1514–5.
- Vinetz JM. Leptospirosis. *Curr Opin Infect Dis* 2001; 14: 527–38.
- Wagenaar JF, Falke TH, Nam NV, *et al.* Rapid serological assays for leptospirosis are of limited value in southern Vietnam. *Ann Trop Med Parasitol* 2004; 98: 843–50.
- Werts C, Tapping RI, Mathison JC, *et al.* Leptospiral lipopolysaccharide activates cells through a TLR2-dependent mechanism. *Nature Immunol* 2001; 2: 346–52.
- Westbrook JA, Yan JX, Wait R, Welson SY, Dunn MJ. Zooming-in on the proteome: very narrow-range immobilised pH gradients reveal more protein species and isoforms. *Electrophoresis* 2001; 22: 2865–71.
- Westermeier R, Naven T. In: *Proteomics in Practice*, 3<sup>rd</sup> ed. New York, USA: John Wiley and Sons, 2002.
- WHO. Human leptospirosis: guidance for diagnosis, surveillance and control. Malta: World Health Organization; 2003.
- Wildgruber R, Harder A, Obermaier C, Boguth G, *et al.* Towards higher resolution: two-dimensional electrophoresis of *Saccharomyces cerevisiae* proteins using

- overlapping narrow immobilized pH gradients. *Electrophoresis* 2000; 21: 2610–6.
- Wildgruber R, Reil G, Drews O, Parlar H, Görg A. Web-based two-dimensional database of *Saccharomyces cerevisiae* proteins using immobilized pH gradients from pH 6 to pH 12 and matrix-assisted laser desorption/ionization-time of flight mass spectrometry. *Proteomics* 2002; 2: 727–32.
- Wongsrichanalai C, Murray CK, Gray M, *et al.* Co-infection with malaria and leptospirosis. *Am J Trop Med Hyg* 2003; 68: 583–5.
- Wu MS, Yang CW, Pan MJ, *et al.* Reduced renal Na<sup>+</sup>-K<sup>+</sup>-Cl<sup>-</sup> co-transporter activity and inhibited NKCC2 mRNA expression by *Leptospira shermani*: from bed-side to bench. *Nephrol Dial Transplant* 2004; 19: 2472–9.
- Xu H, Zhang Y, Guo X, *et al.* Isoleucine biosynthesis in *Leptospira interrogans* serotype Lai strain 56601 proceeds *via* a threonine-independent pathway. *J Bacteriol* 2004; 186: 5400–9.
- Yan Y, Chen Y, Liou W, *et al.* An evaluation of the serological and epidemiological effects of the outer envelope vaccine to *Leptospira*. *J Chin Med Assoc* 2003; 66: 224–30.
- Zhang YX, Li J, Guo XK, *et al.* Characterization of a novel toxin-antitoxin module, VapBC, encoded by *Leptospira interrogans* chromosome. *Cell Res* 2004; 14: 208–16.
- Zhou Jt, Wang SS, Lan WL. A discussion on a setting up target age group for immunization against leptospirosis. *Zhonghua Liu Xing Bing Xue Za Zhi* 1995; 16: 228-30.