

References

Books

- Agency for Health Care Policy and Research. (1994). *Clinical practice guideline cancer pain management* Rockville: MD: US Department of Health and Human Services.
- American Psychiatric Association. (1994). *Diagnostic and Statistical Manual of Mental Disorders, 4th ed.* Washington, D.C.: American Psychiatric Association.
- Bonica, J. J. (1990). *The management of pain.* (2nd ed.). Philadelphia: Lea & Febiger.
- Breitbart, W. (1990). Cancer pain and suicide. In Foley KM & et al (Eds.), *Advances in Pain Research and Therapy* (Vol. 16, pp. 339). New York: Raven.
- Bruera, E., & Neumann, C. M. (2003). History and clinical examination of the cancer pain patient: assessment and measurement. In A. Rice, C. Warfield, D. Justin & C. Eccleston (Eds.), *Clinical Pain Management Cancer Pain* (pp. 63-71). New York: Oxford University Press.
- Carr, D., Goudas, L., Lawrence, D., Pirl, W., Lau, J., DeVine, D., et al. (2002). Management of cancer symptoms: pain, depression, and fatigue. Evidence Report/Technology Assessment No. 61 (Prepared by the New England Medical Center Evidence-based Practice Center under Contract No.290-97-0019). AHRQ Publication No. 02-E032. In. Rockville: MD: Agency for Healthcare Research and Quality.
- Chaudakshetrin, P. (2004). Opioids and pain management. In P. Chaudakshetrin & et al (Eds.), *Pain management* (pp. 30-104). Bangkok: TIMS (Thailand) Ltd
- Cleeland, C. S. (1988). Assessment of pain in cancer: Measurement issues. In K. M. Foley, J. J. Bonica & V. Ventafridda (Eds.), *Advance in Pain Research and Therapy* (Vol. 16, pp. 47-55). New York: Raven Press.
- Deerasamee, S., Martin, N., Sontipong, S., Sriamporn, S., Vatanasapt, V., & Parkin, D. M. (1998). Cancer in Thailand, Vol. II 1992-1994. In (pp. 134-135): Lyon: IARC Technical Report No.34

- Deerasamee, S., Martin, N., Sontipong, S., Sriamporn, S., Vatanasapt, V., Parkin, D. M., et al. (1993). Cancer in Thailand 1988 -1991. IARC Technical Report No.16. In (pp. 88-89). Lyon: International Agency for Research on Cancer.
- Hennekens, C., & Buring, J. (1987). *Epidemiology in medicine*. Boston: Little brown and company.
- Hodes, R. (1989). Cancer patients' needs and concerns when using narcotic analgesics. In C. S. Hill & W. R. Fielding (Eds.), *Drug treatment of cancer pain in a drug-oriented society. Advances in Pain Research and Therapy* (Vol. 11, pp. 91-99). New York: Raven Press.
- International Union Against Cancer (UICC). (1987). *TNM classification of malignant tumours. 4th ed.* . Berlin, Heidelberg, New York: Springer Verlag.
- Jacox, A., Carr, D. B., Payne, R., Berde, C. P., Brietbart, W., Cain, J., et al. (1994). Management of cancer pain. Clinical Practice Guideline No. 9. AHCPR Pub. No. 94-0592. In. Rockville: Agency for Health Care Policy and Research, US Department of Health and Human Services, Public Health Service.
- Kleinbaum, D. G., Kupper, L., & et al. (1982). *Epidemiological research: principles and quantitative methods*. New York: Springer Verlag.
- Kulkantrakorn, K. (2006). Current management of neuropathic pain. In R. Vilaichone & P. Piyayotai (Eds.), *Internal Medicine in Practice* (pp. 206-212). Bangkok: Thammasat University Printing House.
- Lauritsen, J., & Bruus, M. (2003). *EpiData (version 3): A comprehensive tool for validated entry and documentation of data*. Odense, Denmark: The EpiData Association.
- Paiboonvorachart, S., & Boonsong, P. (2000). *Pain management in Maharaj Nakorn Chiangmai Hospital*. Chiangmai, Thailand: Department of Anesthesiology, Chiang Mai University.
- Palliative Care Taskforce. (1999). *Palliative care plan*. Bangkok: National Cancer Institute, Ministry of Public Health
- Sriplung, H., Sontipong, S., Martin, N., Wiangnon, S., Vootiprux, V., Cheirsilpa, A., et al. (2003). *Cancer in Thailand, Vol III* Bangkok: Bangkok Medical Publisher.

- Statistic Division of Public Health. Permanent Secretary Office. (1998). *Cancer deaths: annual report 1988*. Bangkok: Ministry of Public Health.
- Stjernsward, J. (1993). Palliative Medicine - A Global Perspective. In Doyle D, Hanks GWC & MacDonald N (Eds.), *Oxford Textbook of Palliative Medicine* (pp. 805-816). Oxford: Oxford Medical Publications.
- Twycross, R. (1994). *Pain relief in advanced cancer*. London: Churchill Livingstone.
- WHO. (1999). *Health situation in the South-East Asia Region 1994-1997*. New Delhi: World Health Organization Regional Office for South-East Asia.
- World Health Organization. (1986). *Cancer pain relief*. Geneva, Switzerland: World Health Organization.
- World Health Organization. (1995). *National Cancer Control Programmes: priorities and managerial guidelines*. Geneva: WHO.
- World Health Organization. (1996). *Cancer pain relief with a guide to opioid availability*. Geneva, Switzerland.

Articles

- Ahles, T. A., Ruckdeschel, J. C., & Blanchard, E. B. (1984). Cancer-related pain--I. Prevalence in an outpatient setting as a function of stage of disease and type of cancer. *J Psychosom Res*, 28, 115-119.
- Ahmedzai, S. H. (1995). Recent clinical trails of pain control: impact on quality of life *Eur J Cancer*, 31, S2-S7.
- American Society of Clinical Oncology. (1996). Outcomes of cancer treatment for technology assessment and cancer treatment guidelines. *J Clin Oncol*, 14, 671-679.
- Anderson, K., Richman, S., Hurley, J., Palos, G., Valero, V., Mendoza, T., et al. (2002). Cancer pain management among underserved minority outpatients: perceived needs and barriers to optimal control. *Cancer*, 94, 2295-2304.
- Anderson, K. O., Mendoza, T. R., Valero, V., Richman, S. P., Russell, C., Hurley, J., et al. (2000). Minority cancer patients and their providers - pain management attitudes and practice. *Cancer*, 88, 1929-1938.
- Arathuzik, M. D. (1991). The appraisal of pain and coping in cancer patients. *West J Nurs Res*, 13, 714-731.

- Arolt, V., Fein, A., Driessen, M., & et al. (1998). Depression and social functioning in general hospital in-patients. *Psychosom Res*, 45, 117-126.
- Baile, W. F., Gilbertini, M., Scott, L., & Endicott, J. (1992). Depression and tumor state in cancer of the head and neck. *Psychooncology*, 1, 15-24.
- Bair, M. J., Robinson, R. L., Katon, W., & Kroenke, K. (2003). Depression and pain comorbidity. *Arch Intern Med*, 163, 2433-2445.
- Beck, S. L., & Falkson, G. (2001). Prevalence and management of cancer pain in South Africa. *Pain*, 94, 75-84.
- Benedetti, C., Brock, C., Cleeland, C., Coyle, N., Dube, J. E., Ferrell, B., et al. (2000). NCCN Practice Guidelines for Cancer Pain. *Oncology (Williston Park)*, 14, 135-150.
- Bercovitch, M., Waller, A., & Adusky, A. (1999). High dose morphine use in the hospice setting. A database survey of patient characteristics and effect on life expectancy. *Cancer*, 86, 871-877.
- Biancofiore, G. (2006). Oxycodone controlled release in cancer pain management. *Ther Clin Risk Manag*(3), 229-234.
- Bottomley, A. (1998). Depression in cancer patients: a literature review. *Eur J Cancer Care*, 7, 181-191.
- Bruera, E., & Kim, H. N. (2003). Cancer pain *JAMA*, 290, 2476-2479.
- Bruera, E., Willey, J. S., Ewert-Flannagan, P. A., Cline, M. K., Kaur, G., Shen, L., et al. (2005). Pain intensity assessment by bedside nurses and palliative care consultants: a retrospective study. *Support Care Cancer*, 13(4), 228-231.
- Caraceni, A., Mendoza, T. R., Mencaglia, E., Baratella, C., Edwards, K., Forjaz, M. J., et al. (1996). A validation study of an Italian version of the Brief Pain Inventory (Breve Questionario per la Valutazione del Dolore). *Pain*, 65, 87-92.
- Caron, A. T., Lynn, J., & Keaney, P. (1999). End of life care in medical textbooks. *Ann Intern Med*, 130, 82-86.
- Cascinu, S., Giordani, P., Agostinelli, R., Gasparini, G., Barni, S., Beretta, G. D., et al. (2003). Pain and its treatment in hospitalized patients with metastatic cancer. *Support Care Cancer*, 11, 587-592.

- Cella, D. F. (1995). Measuring quality of life in palliative care. *Semin Oncol*, 22, 73-81.
- Cella, D. F., Tulsky, D. S., Gray, G., Sarafian, B., Bonomi, A., Silberman, M., et al. (1993). The Functional Assessment of Cancer Therapy scale: development and validation of the general measure. *J Clin Oncol*, 11, 570-579.
- Chaudakshetrin, P. (1993). Thailand: status of cancer pain and palliative care *J Pain Symptom Manage*, 8, 434-436.
- Cherny, N. I., & Foley, K. M. (1994). Current approaches to the management of cancer pain: a review. *Ann Acad Med Singapore*, 23, 139-159.
- Cherny, N. J., Chang, V., Frager, G., Ingham, J. M., Tiseo, P. J., Popp, B., et al. (1995). Opioid pharmacotherapy in the management of cancer pain: a survey of strategies used by pain physicians for the selection of analgesic drugs and routes of administration. *Cancer*, 76, 1283-1293.
- Chong, M. S., & Bajwa, Z. H. (2003). Diagnosis and treatment of neuropathic pain. *J Pain Symptom Manage*, 25, S4-11.
- Cleeland, C. S. (1984). The impact of pain on the patient with cancer. *Cancer*, 54, 2635-2641.
- Cleeland, C. S., Cleeland, L. M., Dar, R., & Rinehardt, L. C. (1986). Factors influencing physician management of cancer pain. *Cancer*, 58, 796-800.
- Cleeland, C. S., Gonin, R., Baez, L., Loehrer, P., & Pandya, K. J. (1997). Pain and treatment of pain in minority patients with cancer. The Eastern Cooperative Oncology Group Minority Outpatient Pain Study. *Ann Intern Med*, 127, 813-816.
- Cleeland, C. S., Gonin, R., Hatfield, A. K., Edmonson, J. H., Blum, R. H., Stewart, J. A., et al. (1994). Pain and its treatment in outpatients with metastatic cancer. *N Engl J Med*, 330, 592-596.
- Cleeland, C. S., Landinsky, J. L., Serlin, R. C., & Thuy, N. C. (1998). Multidimensional measurement of cancer pain: Comparisons of US and Vietnamese patients. *J Pain Symptom Manage*, 3, 23-27.
- Cleeland, C. S., & Ryan, K. M. (1994). Pain assessment: global use of the Brief Pain Inventory. *Ann Acad Med Singapore*, 23, 129-138.

- Coley, N., Adelhardt, J., Foley, K. M., & Portenoy, R. K. (1990). Character of terminal illness in the advanced cancer patient: pain and other symptoms during the last four weeks of life. *J Pain Symptom Manage*, 5, 83-93.
- D' Arcy, Y. (2007). Using adjuvant medications for pain: Antidepressants and anticonvulsants. *LPN*, 3, 14-19.
- Dalton, J. A., & Feuerstein, M. (1989). Fear, alexithymia and cancer pain. *Pain*, 38, 159-170.
- Daut, R. L., & Cleeland, C. S. (1982). The prevalence and severity of pain in cancer. *Cancer*, 50, 1913-1918.
- de Wit, R., van Dam, F., Vielvoye-Kerkmeer, A., Mattern, C., & Abu-Saad, H. H. (1999). The treatment of chronic cancer pain in a cancer hospital in The Netherlands. *J Pain Symptom Manage*, 17, 333-350.
- DeFlorio, M. L., & Massie, M. J. (1995). Review of depression in cancer: gender differences. *Depression*, 3, 66-80.
- Du Pen, S. L., Du Pen, A. R., Polissar, N., Hansberry, J., Kraybill, B. M., Stillman, M., et al. (1999). Implementing guidelines for cancer pain management: results of a randomized controlled clinical trial. *J Clin Oncol*, 17, 361-370.
- Elliott, T. E., & Elliott, B. A. (1992). Physician attitudes and beliefs about use of morphine for cancer pain. *J Pain Symptom Manage*, 7, 141-148.
- Elwood, P. M. (1988). Shattuck lecture - outcomes management. A technology of patient experience. *N Engl J Med*, 318, 1549-1556.
- Ferraz, M. B., Quaresma, M. R., Aquino, L. R., & et al. (1990). Reliability of pain scales in the assessment of literate and illiterate patients with rheumatoid arthritis. *J Rheumatol*, 17, 1022-1024.
- Ferrell, B. R., Dean, G. E., Grant, M., & et al. (1995). An institutional commitment to pain management *J Clin Oncol*, 13, 2158-2165.
- Ferrell, B. R., & Griffith, H. (1994). Cost issues related to pain management: report from the cancer pain panel of the agency for healthcare policy and research. *J Pain Symptom Manage*, 9, 221-234.
- Ferrell, B. R., Wisdom, C., & Wenzl, C. (1989). Quality of life as an outcome variable in the management of cancer pain. *Cancer*, 63, 2321-2327.

- Ferrer-Brechner, T. (1985). The management of pain associated with malignancy. *Semin Anesth*, 4, 313-322.
- Fields, H. (2000). Pain modulation: expectations, opioid analgesia and virtual pain. *Prog Brain Res*, 122, 245-253.
- Fisch, M. J., Titzer, M. L., Kristeller, J. L., Shen, J., Loehrer, P. J., Jung, S. H., et al. (2003). Assessment of quality of life in outpatients with advanced cancer: the accuracy of clinician estimations and the relevance of spiritual well-being - a Hoosier Oncology Group Study *J Clin Oncol*, 21, 2754-2759.
- Foley, K. M. (1982). Clinical assessment of cancer pain. *Acta Anaesth Scand*, 74, 91-96.
- Gallagher, R. M., & Verma, S. (1999). Managing pain and comorbid depression: a public health challenge. *Semin Clin Neuropsychiatry*, 4(203-220).
- Ganz, P. A. (1994). Quality of life and the patient with cancer. Individual and policy implications. *Cancer*, 74, 1445-1452.
- Ger, L. P., Ho, S. P., & Wang, J. J. (2000). Physicians' knowledge and attitudes toward the use of analgesics for cancer pain management: a survey of two medical centers in Taiwan. *J Pain Symptom Manage*, 20, 335-344.
- Gilron, I. (2007). Gabapentin and pregabalin for chronic neuropathic and early postsurgical pain: current evidence and future directions. *Curr Opin Anaesthesiol*, 20(5), 456-472.
- Gonzales, G. R., Elliott, K. J., Portenoy, R. K., & Foley, K. M. (1991). The impact of a comprehensive evaluation in the management of cancer pain. *Pain*, 141-144.
- Goudas, L. C., Bloch, R., Gialeli-Goudas, M., & et al. (2005). The epidemiology of cancer pain. *Cancer Invest*, 23, 182-190.
- Grond, S., Radbruch, L., Meuser, T., Sabatowski, R., Loick, G., & Lehmann, K. A. (1999). Assessment and treatment of neuropathic cancer pain following WHO guidelines. *Pain*, 79, 15-20.
- Grond, S., Zech, D., Diefenbach, C., Radbruch, L., & Lehmann, K. A. (1996). Assessment of cancer pain: a prospective evaluation in 2266 cancer patients referred to a pain service. *Pain*, 64, 107-114.
- Grond, S., Zech, D., Schug, S. A., Lynch, J., Diefenbach, C., & Lehmann, K. A. (1991). Validation of World Health Organization guidelines for cancer pain

- relief during the last days and hours of life. *J Pain Symptom Manage*, 6, 411-422.
- Guay, D. R. (2001). Adjunctive agents in the management of chronic pain. *Pharmacotherapy*, 21(9), 1070-1081.
- Gullemin, F., Bombardier, C., & Beaton, D. (1993). Cross-cultural adaptation of health related quality of life measures: Literature review and proposed guidelines *J Clin Epidemiol*, 46(12), 1417-1432.
- Gunnarsdottir, S., Donovan, H. S., Serlin, R. C., Voge, C., & Ward, S. (2002). Patient-related barriers to pain management: the Barriers Questionnaire II (BQ-II). *Pain*, 99, 385-396.
- Hagen, N. A., Elwood, T., & Ernst, S. (1997). Cancer pain emergencies: a protocol for management. *J Pain Symptom Manage*, 14, 45-50.
- Hengrasmee, P., Padungsutt, P., & Boriboonthirunsarn, D. (2004). Depression among gynecologic cancer patients at Siriraj hospital: Prevalence and associated factors. *J Med Assoc Thai*, 87(Suppl 3), S74-79.
- Henningsohn, L., Wijkstrom, H., Dickman, P. W., Bergmark, K., & Steineck, G. (2001). Distressful symptoms after radical cystectomy with urinary diversion for urinary bladder cancer: a Swedish population-based study. *Eur Urol*, 40, 151-162.
- Hirakawa, N., Tershrer, S. A., & Fields, H. L. (1999). Highly delta selective antagonists in the RVM attenuate the antinociceptive effect of PAG DAMGO. *Neuroreport*, 10, 3125-3129.
- Hyun, M. S., Lee, J. L., Lee, K. H., Shin, S. O., Kwon, K. Y., Song, H. S., et al. (2003). Pain and its treatment in patients with cancer in Korea. *Oncology*, 64, 237-244.
- International Association for the Study of Pain. (1979). Subcommittee on taxonomy of pain terms: a list with definitions and notes on usage. *Pain*, 6, 249-252.
- Jennings, P. J. (2003). The epidemiology of pain. *Home Health Care Management & Practice*, 15, 192-197.
- Jensen, M. P., Karoly, P., & Braver, S. (1986). The measurement of clinical pain intensity: A comparison of six methods. *Pain*, 27, 117-126.

- Jones, W., Rimer, B., Levy, M., & Kinman, L. (1984). Cancer patients' knowledge, beliefs, and behavior regarding pain control regimens: implications for education programs. *Patient Educ Couns*, 5, 159-164.
- Joranson, D. E. (1993). Availability of opioids for cancer pain: recent trends, assessment of system barriers, New World Health Organization guidelines, and the risk of diversion. *J Pain Symptom Manage*, 8, 353-360.
- Joranson, D. E. (1994). Are health-care reimbursement policies a barrier to acute and cancer pain management? *J Pain Symptom Manage*, 8, 221-234
- Kessler, R. C., McGonagle, K. A., Zhao, S., & et al. (1994). Lifetime and 12-month prevalence of DSM-III-R psychiatric disorders in the United States. Results from the National Comorbidity Survey. *Arch Gen Psychiatry*, 51, 8-19.
- Klepstad, P., Kaasa, S., Skauge, M., & Borchgrevink, P. C. (2000). Pain intensity and side effects during titration of morphine to cancer patients using a fixed schedule dose escalation. *Acta Anesthesiol Scand*, 44, 656-664.
- Larue, F., Colleau, S. M., Brasseur, L., & Cleeland, C. S. (1995). Multicentre study of cancer pain and its treatment in France. *Bmj*, 310, 1034-1037.
- Laudico, A. V. (1996). The Philippines: status of cancer pain and palliative care. *J Pain Symptom Manage*, 12(2), 133-135.
- Leelanuntakit, S. (1992). The short report on the National Workshop on Cancer Pain. *IASP Pain News (Thai Chapter)*, 3, 6-7.
- Levin, D. N., Cleeland, C. S., & Dar, R. (1985). Public attitudes toward cancer pain. *Cancer*, 56, 2337-2339.
- Levy, M. H. (1996). Pharmacologic treatment of cancer pain. *N Engl J Med*, 335, 1124-1132.
- Lin, C. C. (1998). Comparison of the effects of perceived self-efficacy on coping with chronic cancer pain and coping with chronic low back pain. *Clin J Pain*, 14, 303-310.
- Lueboonthavatchai, P. (2007). Prevalence and psychosocial factors of anxiety and depression in breast cancer patients. *J Med Assoc Thai*, 90(10), 2164-2174.
- Lynch, M. E. (2001). Antidepressants as analgesics: a review of randomized controlled trials. *J Psychiatry Neurosci*, 26, 30-36.

- Marks, R. M., & Sachar, E. J. (1973). Undertreatment of medical inpatients with narcotic analgesics. *Ann Intern Med*, 78, 173-181.
- Martin, L. A., & Hagen, N. A. (1997). Neuropathic pain in cancer patients: Mechanisms, syndromes, and clinical controversies. *J Pain Symptom Manage*, 14, 99-117.
- Massie, M. J. (2004). Prevalence of depression in patients with cancer. *J Natl Cancer Inst Monogr*(32), 57-71.
- Massie, M. J., & Holland, J. C. (1990). Depression and the cancer patient. *J Clin Psychiatry*, 51, 12.
- McDaniel, J. S., Musselman, D. L., Porter, M. R., Reed, D. A., & Nemeroff, C. B. (1995). Depression in patients with cancer. *Arch Gen Psychiatry*, 52, 89-99.
- McKegney, F. P., Bailey, L. R., & Yates, J. W. (1981). Prediction and management of pain in patients with advanced cancer. *Gen Hosp Psychiatry*, 3, 95-101.
- Merboth, M. R., & Barnason, S. (2000). Managing pain: the fifth vital sign. *Nurs Clin North Am*, 35(2), 375-383.
- Mercadante, S. (1999). Pain treatment and outcomes for patients with advanced cancer who receive follow-up care at home. *Cancer*, 85, 1849-1858.
- Mercadante, S., Dardanoni, G., Salvaggio, L., Armata, M. G., & Agnello, A. (1997). Monitoring of opioid therapy in advanced cancer pain patients. *J Pain Symptom Manage*, 13, 204-212.
- Mystakidou, K., Mendoza, T., Tsilika, E., Befon, S., Parpa, E., Bellos, G., et al. (2001). Greek brief pain inventory: validation and utility in cancer pain. *Oncology*, 60, 35-42.
- Newport, D. J., & Nemeroff, C. B. (1998). Assessment and treatment of depression in the cancer patient. *J Psychosom Res*, 45, 215-237.
- Nilchaikovit, T., Lortrakul, M., & Phisansuthideth, U. (1996). Development of Thai version of Hospital Anxiety and Depression Scale in Cancer patients. *J Psychiatr Assoc Thai*, 41, 18-30.
- Okada, K., Murase, K., & Kawakita, K. (1999). Effects of electrical stimulation of thalamic nucleus submedius and periaqueductal gray on the visceral nociceptive responses of spinal dorsal horn neurons in the rat. *Brain Res*, 834, 112-121.

- Okuyama, T., Wang, X. S., Akechi, T., Mendoza, T. R., Hosaka, T., Cleeland, C. S., et al. (2004). Adequacy of cancer pain management in a Japanese Cancer Hospital. *Jpn J Clin Oncol*, *34*, 37-42.
- Patrick, D. L., Ferketich, S. L., Frame, P. S., Harris, J. J., Hendricks, C. B., Levin, B., et al. (2003). National Institutes of Health State-of-the-Science Conference Statement: Symptom Management in Cancer: Pain, Depression, and Fatigue, July 15-17, 2002. *J Natl Cancer Inst*, *95*, 1110-1117.
- Payne, R. (1992). Transdermal fentanyl: suggested recommendations for clinician use. *J Pain Symptom Manage*, *7*(Suppl), S40-S44.
- Portenoy, R. K. (1992). Cancer pain: pathophysiology and syndromes. *Lancet*, *339*, 1026-1031.
- Portenoy, R. K., & Lesage, P. (1999). Management of cancer pain. *Lancet*, *353*(9165), 1695-1700.
- Portenoy, R. K., Miransky, J., Thaler, H. T., Hornung, J., Bianchi, C., Cibas-Kong, I., et al. (1992). Pain in ambulatory patients with lung or colon cancer. Prevalence, characteristics, and effect. *Cancer*, *70*(6), 1616-1624.
- Quigley, C. (2005). The role of opioids in cancer pain. *Bmj*, *331*, 825-829.
- Radbruch, L., Loick, G., Kiencke, P., Lindena, G., Sagatowski, R., Grond, S., et al. (1999). Validation of the German version of the Brief Pain Inventory. *J Pain Symptom Manage*, *18*(3), 180-187.
- Rattanatharathorn, V., Sirilertrakul, S., Jirajarus, M., Silpakit, C., Maneechavakajorn, J., & Sailamai, P. (2001). Quality of life, functional assessment of cancer therapy-general. *J Med Assoc Thai*, *84*, 1430-1442.
- Reyes-Gibby, C. C., Ba Duc, N., Phi Yen, N., Hoai Nga, N., Van Tran, T., Guo, H., et al. (2006). Status of cancer pain in Hanoi, Vietnam: A hospital-wide survey in a tertiary cancer treatment center. *J Pain Symptom Manage*, *31*, 431-439.
- Rodin, G., & Voshart, K. (1986). Depression in the medically ill: an overview. *Am J Psychiatry*, *14*, 696-705.
- Rustoen, T., Moum, T., Padilla, G., Paul, S., & Miaskowski, C. (2005). Predictors of quality of life in oncology outpatients with pain from bone metastasis. *J Pain Symptom Manage*, *30*, 234-242.

- Sabatowski, R., Arens, E. R., Waap, I., & Radbruch, L. (2001). [Cancer pain management in Germany - results and analysis of a questionnaire]. *Schmerz*, *15*, 241-247.
- Sackett, D. L. (1979). Bias in analytic research. *Journal of Chronic Diseases*, *32*(1-2), 51-63.
- Saxena, A., Mendoza, T., & Cleeland, C. S. (1999). The assessment of cancer pain in north India: the validation of the Hindi Brief Pain Inventory--BPI-H. *J Pain Symptom Manage*, *17*, 27-41.
- Schug, S. A., Zech, D., & Don, U. (1990). Cancer pain management according to WHO analgesic guidelines. *J Pain Symptom Manage*, *5*, 27-32.
- Snaith, R. P., & Zigmond, A. S. (1986). The hospital anxiety and depression scale. *Br Med J (Clin Res Ed)*, 292-344.
- Soebadi, R. D., & Tejawinata, S. (1996). Indonesia: status of cancer pain and palliative care. *J Pain Symptom Manage*, *12*, 112-115.
- Spiegel, D. (1996). Cancer and depression. *Br J Psychiatry Suppl*(30), 109-116.
- Spiegel, D., Sands, S., & Koopman, C. (1994). Pain and depression in patients with cancer. *Cancer*, *74*(9), 2570-2578.
- Spiegel, D., Sands, S., & Koopman, C. (1994). Pain and depression in patients with cancer. *Cancer*, *74*, 2570-2578.
- Sriplung, H., Sontipong, S., Martin, N., Wiangnon, S., Vootiprux, V., Cheirsilpa, A., et al. (2005). Cancer incidence in Thailand, 1995-1997. *Asian Pac J Cancer Prev*, *6*, 276-281.
- Stjernsward, J. (1985). Cancer pain relief: an important global public health issue. *Clin J Pain*, *1*, 95-97.
- Sun, V. C., Borneman, T., Ferrell, B., Piper, B., Koczywas, M., & Choi, K. (2007). Overcoming barriers to cancer pain management: an institutional change model. *J Pain Symptom Manage*, *34*, 359-369.
- Sun, W. Z., Hou, W. Y., & Li, J. H. (1996). Republic of China: status of cancer pain and palliative care. *J Pain Symptom Manage*, *12*(2), 127-129.
- Sze, F. K., Chung, T. K., Wong, E., Lam, K. K., Lo, R., & Woo, J. (1998). Pain in Chinese cancer patients under palliative care. *Palliat Med*, *12*(4), 271-277.

- Thienthong, S., Pratheepawanit, N., Limwattananon, C., Maoleekoonpaibroj, S., Lertsanguansinchai, P., & Chanvej, L. (2006). Pain and quality of life of cancer patients: a multi-center study in Thailand. *J Med Assoc Thai*, *89*, 1120-1126.
- Tubiana-Hulin, M. (1991). Incidence, prevalence and distribution of bone metastases *Bone*, *12*(Suppl 11), S9-10.
- Tuttle, C. B. (1985). Drug management of pain in cancer patients. *Can Med Assoc J*, *132*, 121-134.
- Twycross, R., Harcourt, J., & Bergl, S. (1996). A survey of pain in patients with advanced cancer. *J Pain Symptom Manage*, *12*, 273-282.
- Uki, J., Mendoza, T., Cleeland, C. S., Nakamura, Y., & Takeda, F. (1998). A brief cancer pain assessment tool in Japanese: the utility of the Japanese Brief Pain Inventory--BPI-J. *J Pain Symptom Manage*, *16*, 364-373.
- Valentine, A. D. (2003). Cancer pain and depression: management of the dual-diagnosed patient. *Curr Pain Headache Rep*, *7*, 262-269.
- van den Beuken-van Everdingen, M. H., de Rijke, J. M., Kessels, A. G., Schouten, H. C., van Kleef, M., & Patijn, J. (2007). Prevalence of pain in patients with cancer: a systematic review of the past 40 years. *Ann Oncol*, *18*, 1437-1449.
- Vatanasapt, V., Sriamporn, S., & Vatanasapt, P. (2002). Cancer control in Thailand. *Jpn J Clin Oncol*, *32*(Supplement 1), S82-S91.
- Vatanasapt, V., Sripun, M., Tailert, J., Vatanasaksiri, D., Sriamporn, S., & Boonrodchu, D. (1992). Incidence of cancer pain in Khon Kaen, Thailand. *Thai Cancer J*, *2*, 64-70.
- Velikova, G., Booth, L., Smith, A. B., Brown, P. M., Lynch, P., Brown, J. M., et al. (2004). Measuring quality of life in routine oncology practice improves communication and patient well-being: a randomized controlled trial. *J Clin Oncol*, *22*, 714-724.
- Ventafriidda, V., Tamburini, M., Caraceni, A., & De Conno, A. (1987). A validation study of WHO method for cancer pain relief. *Cancer*, *59*, 850-856.
- Von Roenn, J. H., Cleeland, C. S., Gonin, R., Hatfield, A. K., & Pandya, K. J. (1993). Physician attitudes and practice in cancer pain management. A survey from the Eastern Cooperative Oncology Group. *Ann Intern Med*, *119*, 121-126.

- Wagner, G. (1984). Frequency of pain in patients with cancer. *Rec Res Cancer*, 89, 64-71.
- Wang, X. S., Mendoza, T. R., Gao, S. Z., & Cleeland, C. S. (1996). The Chinese version of the Brief Pain Inventory (BPI-C): its development and use in a study of cancer pain. *Pain*, 67, 407-416.
- Ward, S. E., Goldberg, N., Miller-McCauley, V., Mueller, C., Nolan, A., Pawlik-Plank, D., et al. (1993). Patient-related barriers to management of cancer pain. *Pain*, 52, 319-324.
- Weissman, D. E., Joranson, D. E., & Hopwood, M. B. (1991). Wisconsin physicians' knowledge and attitudes about opioid analgesic regulations. *Wis Med J*, 90, 671-675.
- Wells, N. (2000). Pain intensity and pain interference in hospitalized patients with cancer. *Oncol Nurs Forum*, 27, 985-991.
- Williams, J. E., Chandler, A., Ranwala, R., DeSilva, B. S., & Amarasinghe, I. (2001). Establishing a cancer pain clinic in a developing country: effect of a collaborative link project with a UK cancer pain center. *J Pain Symptom Manage*, 22, 872-878.
- Yun, Y. H., Heo, D. S., Lee, I. G., Jeong, H. S., Kim, H. J., Kim, S. Y., et al. (2003). Multicenter study of pain and its management in patients with advanced cancer in Korea. *J Pain Symptom Manage*, 25, 430-437.
- Zech, D. F., Grond, S., Lynch, J., Hertel, D., & Lehmann, K. A. (1995). Validation of World Health Organization Guidelines for cancer pain relief: a 10-year prospective study. *Pain*, 63, 65-76.

Other Materials

- Chukkul Luengsukcharoen, S. (1998). *Pain Experience and Pain Management Among Hospitalized Cancer Patients in Ramathibodi Hospital*. Unpublished master's thesis, Mahidol University, Bangkok Thailand.
- International Association for the Study of Pain. (1990). *Task Force on Guidelines for Desirable Characteristics for Pain Treatment Facilities. Desirable Characteristics for Pain Treatment Facilities*.

- Lukkahatai, N. (2004). *The Thai cancer pain experience: relationships among spiritual beliefs, pain beliefs, pain appraisal, pain coping, and pain perception and outcomes* Unpublished Dissertation, University of North Carolina, Chapel Hill.
- Petpichetchian, W. (1998). *Pain experiences in Thai patients with cancer pain. Unpublished manuscript*, Detroit: Wayne State University.
- Petpichetchian, W. (2001). *The cancer pain experience in Thai patients: meaning of cancer pain, control over pain, pain coping, and pain outcome* Unpublished Dissertation, Wayne State University, Detroit, Michigan.
- Ratanathai, P. (1998). *Pain experience and pain management in cancer patients. Unpublished master's thesis*, Mahidol University Bangkok Thailand.