

References

Books

- Barry, S. L. (1995). Animal clinical pathology. In M. J. Derelanko & M. A. Hollinger (Eds.), *CRC handbook of toxicology* (pp. 517-537). New York: CRC Press.
- Buja, M. L., & Krueger, G. R. F. (2005). *Netter's illustrated human pathology*. New Jersey: Icon Learning System.
- Carol S. A. (1995). Acute, subchronic and chronic toxicology. In M. J. Derelanko & M. A. Hollinger (Eds.), *CRC handbook of toxicology* (pp. 51-104). New York: CRC Press.
- Carson, F. L. (1996). *Histotechnology: A self-instructional text* (2nd ed.). Texas: Amer Society of Clinical.
- Chan, P. K. & Hayes, A. W. (1989). Principles and methods for acute toxicity and eye irritancy. In A. W. Hayes (Ed.), *Principles and methods of toxicology* (2nd ed.). New York: Raven Press.
- Charles, F. S. & Beth, H. R. T. (2006). Clinical laboratory test and interpretation. In R. A. Helms (Ed.), *Textbook of therapeutics: Drug and disease management* (8th ed., pp. 91-115). Texas: Culinary and Hospitality Industry Publications Services.
- Chengelis, C. P. (1995). Acute toxicity testing in drug safety evaluation. In S. C. Gad (Ed.), *Safety assessment for pharmaceuticals* (pp. 61-105). New York: Van Nostrand Reinhold.
- Feldman, B. F., Zinkl, J. G., Jain, N. C. & Moor, D. M. (2000). *Schalmsis veterinary hematology* (5th ed.). Philadelphia: Lea Febiger.
- Feldman, D. B. & John, C. S. (1998). *Necropsy guide: rodent and the rabbit* (pp. 23-50). Boca Raton, Florida: CRC press.
- Gad, S. C. (1995). *Safety assessment for pharmaceuticals: Subchronic and chronic toxicity studies* (pp. 111-127). North Carolina: Van Nostrand Reinhold.
- Gad, S. C. (2005). *Data Analysis applications in toxicology: Statistics and experimental design for toxicologists and pharmacologists* (4th ed., pp. 215-240). Boca Raton, Florida: Taylor and Francis.

- Gad, S. C. (2006). *Animal model in toxicology* (2nd, ed., pp. 150-247). Boca Raton, Florida: Taylor and Francis.
- Greaves, P. & Faccini, J. M. (1984). *Rat histopathology: a glossary for use in toxicity and carcinogenicity studies*. New York: Elsevier Science Publishing.
- Gregg, L. V. (2000). *Hematology techniques and concepts for veterinary technicians*. (pp. 95-101). Virginia: Iowa State University Press.
- Hayes, A. W. (2001). *Principle and method of toxicology: Short-term, subchronic, and chronic toxicology studies* (4th ed., pp. 917-955). Philadelphia: Taylor & Francis.
- Hodgeson E. & Levi P. E. (1987). *A textbook of modern toxicology*. New York: Elsevier Science Publishing.
- Huether, S. E. & McCance, K. L. (2008). *Understanding pathophysiology* (4th ed., pp. 62-65). New York: Elsevier Science Publishing.
- Johnson, M. D., & Gad, S. C. (2006). *Animal models in toxicology: The Rat* (pp. 150-245). New York: Taylor & Francis Group Boca Raton.
- Koller, A. & Kaplan, L. A. (1987). Total serum protein. In A. J. Pesce & L. A. Kaplan (Eds.), *Methods in clinical chemistry* (pp. 1134-1138). USA: Mosby company.
- Kumar, V., Abbas, A. K., & Fausto, N. (2004). *Robbins and cotran pathologic basis of disease* (7th ed., pp. 6-11, 39). Philadelphia: Elsevier Saunders.
- Ministry of Public Health, Department of Medical Sciences [MOPH]. (2000). *Thai Herbal Pharmacopoeia* (Vol. 2). Nonthaburi: Department of Medical Sciences.
- Peckham, J. C. (1995). Animal histopathology. In M. J. Derelanko & M. A. Höllinger (Eds.), *CRC handbook of toxicology* (pp. 452-485). New York: CRC Press.
- Sacher, R. A. & McPherson, R. A. (1991a). *Widmann's clinical interpretation of laboratory test: Test of liver function* (10th ed., pp. 416-443). USA: F.A. Davis Company.
- Sacher, R. A. & McPherson, R. A. (1991b). *Widmann's clinical interpretation of laboratory test: General chemistry* (10th ed., pp. 318-365). USA: F.A. Davis Company.

- Smitinand, T. (2001). *Thai Plant Names Dictionary*. Bangkok, Thailand: The forest herbarium, Royal forest department.
- Wilson, N. H., Hardisty, J. F., & Hayes, J. R. (2001). *Principle and Method of Toxicology: Short-term, subchronic, and chronic toxicology studies* (4th ed., pp. 917-955). Philadelphia: Taylor & Francis.
- Williams, J. W., Nelson, D. A., & Morris, M. W. (1990). Examination of the blood. In J. W. William (Ed.), *Hematology international* (4th ed., pp. 9-24). New York: Mc Graw-Hell.
- Young L. Y. & Holland E. G. (1995). *The clinical use of drugs: Interpretation of clinical laboratory tests* (6th ed., pp. 4-20). Vancouver: Lippincott Williams & Wilkins.

Articles

- Ahmad, I., Mehmood, Z., & Mohammad, F. (1998). Screening of some Indian medicinal plants for their antimicrobial properties. *J Ethnopharmacol*, 62(2), 183-193.
- Arora, S., Kaur, K., & Kaur, S. (2003). Indian medicinal plants as a reservoir of protective phytochemicals. *Teratog Carcinog Mutagen, Suppl 1*, 295-300.
- Arseculeratne, S. N., Gunatilaka, A. A., & Panabokke, R. G. (1985). Studies of medicinal plants of Sri Lanka. Part 14: Toxicity of some traditional medicinal herbs. *J Ethnopharmacol*, 13(3), 323-335.
- Bajpai, M., Pande, A., Tewari, S. K., & Prakash, D. (2005). Phenolic contents and antioxidant activity of some food and medicinal plants. *Int J Food Sci Nutr*, 56(4), 287-291.
- Bonjar, G. H. (2004a). Antibacterial screening of plants used in Iranian folkloric medicine. *Fitoterapia*, 75(2), 231-235.
- Bonjar, G. H. (2004b). Inhibition of Clotrimazole-resistant *Candida albicans* by plants used in Iranian folkloric medicine. *Fitoterapia*, 75(1), 74-76.
- Caisey, J. D. & King, D. J. (1980). Clinical chemical values for some common laboratory animal. *Clin Chem*, 26, 1877-1879.

- Cheng, H. Y., Lin, T. C., Yu, K. H., Yang, C. M., & Lin, C. C. (2003). Antioxidant and free radical scavenging activities of *Terminalia chebula*. *Biol Pharm Bull*, 26(9), 1331-1335.
- Creencia, E., Eguchi, T., Nishimura, T., & Kakinuma, K. (1966). Isolation and structure elucidation of the biologically active components of *Terminalia chebula* Retzius (Combretaceae). *KIMIKA*, 12, 1-10.
- Danciu, M. & Mihailovici, M. S. (2009). Atlas of pathology. Retrieved August 24, 2009, from <http://www.pathologyatlas.ro/index.php>
- Dutta, B. K., Rahman, I., & Das, T. K. (1998). Antifungal activity of Indian plant extracts. *Mycoses*, 41(11-12), 535-536.
- el-Mekkawy, S., Meselhy, M. R., Kusumoto, I. T., Kadota, S., Hattori, M., & Namba, T. (1995). Inhibitory effects of Egyptian folk medicines on human immunodeficiency virus (HIV) reverse transcriptase. *Chem Pharm Bull (Tokyo)*, 43(4), 641-648.
- Elizabeth, K. M. (2005). Antimicrobial activity of *Terminalia bellerica*. *Indian Journal of Clinical Biochemistry*, 20 (2) 150 -153.
- Environmental Protection Agency [EPA]. (1998). *Health effects test guidelines: Chronic toxicity* (OPPTS 870.4100). Washington: U.S. Government Printing Office.
- Hamada, S., Kataoka, T., Woo, J. T., Yamada, A., Yoshida, T., Nishimura, T., et al. (1997). Immunosuppressive effects of gallic acid and chebulagic acid on CTL-mediated cytotoxicity. *Biol Pharm Bull*, 20(9), 1017-1019.
- Jadon, A., Bhadauria, M., & Shukla, S. (2007). Protective effect of *Terminalia bellerica* Roxb. and gallic acid against carbon tetrachloride induced damage in albino rats. *J Ethnopharmacol*, 109(2), 214-218.
- Jagtap, A. G., & Karkera, S. G. (1999). Potential of the aqueous extract of *Terminalia chebula* as an anticaries agent. *J Ethnopharmacol*, 68(1-3), 299-306.
- Jin, Y. A., Li, G. H., Ahn, S. Y., Row, K. H., & Kim, E. K. (2006). Extraction and purification of depigmenting agents from Chinese plants. *Chemistry Research Chinese University*, 22(2), 162-167.

- Juang, L. J., Sheu, S. J., & Lin, T. C. (2004). Determination of hydrolyzable tannins in the fruit of *Terminalia chebula* Retz. by high-performance liquid chromatography and capillary electrophoresis. *J Sep Sci*, 27(9), 718-724.
- Kaur, S., Grover, I. S., Singh, M., & Kaur, S. (1998). Antimutagenicity of hydrolyzable tannins from *Terminalia chebula* in *Salmonella typhimurium*. *Mutat Res*, 419(1-3), 169-179.
- Kim, H. G., Cho, J. H., Jeong, E. Y., Lim, J. H., Lee, S. H., & Lee, H. S. (2006). Growth-inhibiting activity of active component isolated from *Terminalia chebula* fruits against intestinal bacteria. *J Food Prot*, 69(9), 2205-2209.
- Kumar, G. P. S., Arulselvan, P., Kumar, D. S., & Subramania, S. P. (2006). Antidiabetic activity of *Terminalia chebula* on streptozotocin-induced diabetic rats. *J Health Science*, 52(3), 283-91.
- Kusumoto, I. T., Nakabayashi, T., Kida, H., Hattori, M., Namba, T., et al. (1995). Screening of various plant extract used in Ayurvedic medicine for inhibitory effects on human immunodeficiency virus type 1 (HIV-1) protease. *Phytother Res*, 9, 180-4.
- Lee, H. S., Jung, S. H., Yun, B. S., & Lee, K. W. (2007). Isolation of chebulic acid from *Terminalia chebula* Retz. and its antioxidant effect in isolated rat hepatocytes. *Arch Toxicol*, 81(3), 211-218.
- Lee, S. H., Ryu, S. Y., Choi, S. U., Lee, C. O., & Ahn, J. W. (1995). Hydrolyzable tannins and related compound having cytotoxic activity from the fruits of *Terminalia chebula*. *Arch Pharmacol Res*, 18(2), 118-120.
- Lee, H. S., Won, N. H., Kim, K. H., Lee, H., Jun, W., & Lee, K. W. (2005). Antioxidant effects of aqueous extract of *Terminalia chebula* in vivo and in vitro. *Biol Pharm Bull*, 28(9), 1639-1644.
- Malekzadeh, F., Ehsanifar, H., Shahamat, M., Levin, M., & Colwell, R. R. (2001). Antibacterial activity of black myrobalan (*Terminalia chebula* Retz) against *Helicobacter pylori*. *Int J Antimicrob Agents*, 18(1), 85-88.
- Mokkhasmit, M., Swatdimongkol, K., & Satrawaha, P. (1971). Study on toxicity of Thai medicinal plants. *Bull Dept Med Sci*, 12, 36-65.

- Na, M., Bae, K., Kang, S. S., Min, B. S., Yoo, J. K., Kamiryo, Y., et al. (2004). Cytoprotective effect on oxidative stress and inhibitory effect on cellular aging of *Terminalia chebula* fruit. *Phytother Res*, 18(9), 737-741.
- Naik, G. H., Priyadarsini, K. I., Naik, D. B., Gangabhairathi, R., & Mohan, H. (2004). Studies on the aqueous extract of *Terminalia chebula* as a potent antioxidant and a probable radioprotector. *Phytomedicine*, 11(6), 530-538.
- Naik, G. H., Priyadarsini, K. I., Satav, J. G., Banavalikar, M. M., Sohoni, D. P., Biyani, M. K., et al. (2003). Comparative antioxidant activity of individual herbal components used in Ayurvedic medicine. *Phytochemistry*, 63(1), 97-104.
- Nancy, A. K., Chakraborty, A., Podder, G. (1997). Antimicrobial activity of *Terminalia bellerica* triterpenoids. *Fitoterapia*, 68, 178-180.
- Organization of Economic Co-operation and Development [OECD]. (1981a). OECD test guideline 401: Acute oral toxicity studies. Paris.
- Organization of Economic Co-operation and Development [OECD]. (1981b). OECD test guideline 452: Chronic toxicity studies. Paris.
- Organization of Economic Co-operation and Development [OECD]. (2001). OECD test guideline 423: Acute oral toxicity studies. Paris.
- Phadke, S. A., & Kulkarni, S. D. (1989). Screening of in vitro antibacterial activity of *Terminalia chebula*, *Eclapta alba* and *Ocimum sanctum*. *Indian J Med Sci*, 43(5), 113-117.
- Pinmai, K., Chunlaratthanabhorn, S., Ngamkitidechakul, C., Soonthornchareon, N., & Hahnvajanawong, C. (2008). Synergistic growth inhibitory effects of *Phyllanthus emblica* and *Terminalia bellerica* extracts with conventional cytotoxic agents: doxorubicin and cisplatin against human hepatocellular carcinoma and lung cancer cells. *World J Gastroenterol*, 14(10), 1491-1497.
- Prasad, L., Husain Khan, T., Jahangir, T., & Sultana, S. (2006). Chemomodulatory effects of *Terminalia chebula* against nickel chloride induced oxidative stress and tumor promotion response in male Wistar rats. *J Trace Elem Med Biol*, 20(4), 233-239.

- Rani, P., & Khullar, N. (2004). Antimicrobial evaluation of some medicinal plants for their anti-enteric potential against multi-drug resistant *Salmonella typhi*. *Phytother Res*, 18(8), 670-673.
- Rao, N. K., & Nammi, S. (2006). Antidiabetic and renoprotective effects of the chloroform extract of *Terminalia chebula* Retz. seeds in streptozotocin-induced diabetic rats. *BMC Complement Altern Med*, 6, 17.
- Row, L. R., & Murty, P. S. (1970). Chemical examination of *Terminalia belerica* Roxb. *Indian J Chem*, 8, 1047-1048.
- Sabu, M. C., & Kuttan, R. (2002). Anti-diabetic activity of medicinal plants and its relationship with their antioxidant property. *J Ethnopharmacol*, 81(2), 155-160.
- Saleem, A., Husheem, M., Harkonen, P., & Pihlaja, K. (2002). Inhibition of cancer cell growth by crude extract and the phenolics of *Terminalia chebula* Retz. fruit. *J Ethnopharmacol*, 81(3), 327-336.
- Sato, Y., Oketani, H., Singyouchi, K., Ohtsubo, T., Kihara, M., Shibata, H., et al. (1997). Extraction and purification of effective antimicrobial constituents of *Terminalia chebula* Retz. against methicillin-resistant *Staphylococcus aureus*. *Biol Pharm Bull*, 20(4), 401-404.
- Tasduq, S. A., Singh, K., Satti, N. K., Gupta, D. K., Suri, K. A., & Johri, R. K. (2006). *Terminalia chebula* (fruit) prevents liver toxicity caused by sub-chronic administration of rifampicin, isoniazid and pyrazinamide in combination. *Hum Exp Toxicol*, 25(3), 111-118.
- Thanaporn, S., Jaijoy, K., Thamaree, S., Ingkaninan, K., & Panthong, A. (2006). Acute and subacute toxicity study of the ethanol extract from the fruit of *Terminalia bellerica*. *Mahidol University J Pharm Sci*, 33(1-4): 23-30.
- Valsaraj, R., Pushpangadan, P., Smitt, U. W., Adersen, A., Christensen, S. B., Sittie, A., et al. (1997). New anti-HIV-1, antimalarial, and antifungal compounds from *Terminalia bellerica*. *J Nat Prod*, 60(7), 739-742.
- Vonshak, A., Barazani, O., Sathiyamoorthy, P., Shalev, R., Vardy, D., & Golan-Goldhirsh, A. (2003). Screening South Indian medicinal plants for antifungal activity against cutaneous pathogens. *Phytother Res*, 17(9), 1123-1125.

- World Health Organization [WHO]. (2000). General guidelines for methodologies on research and evaluation of traditional medicine (pp. 40-47). Geneva: World health organization.
- Yadava, R. N., & Rathore, K. (2001). A new cardenolide from the seeds of *Terminalia bellerica*. *Fitoterapia*, 72(3), 310-312.
- Yukawa, T. A., Kurokawa, M., Sato, H., Yoshida, Y., Kageyama, S., Hasegawa, T., et al. (1996). Prophylactic treatment of cytomegalovirus infection with traditional herbs. *Antiviral Res*, 32(2), 63-70.

Other Materials

- Angkhasirisap, W., Inala, P., Sirimontaporn, A., Inpunkaew, R., Rungrojajinda, K., Kengkoom, K., Ratanasak, W., Buripadi Lawson, D. (2002). Blood chemistry profiles of outbred Sprague-Dawley rat in The Facility of National Laboratory Animal Centre. 28th Congress on Science and Technology of Thailand. Bangkok, Thailand.
- Dahanukar, S. A. (1986). *Study of influence of plant products on adaptive processes*. Unpublished doctoral dissertation, Mumbai University, Faculty of Graduate Studies, Pharmacology and Therapeutics.
- Inala, P., Sirimontaporn, A., Inpunkaew, R., Rungrojajinda K., Kengkoom K., Ratanasak W., Buripakdi, Lawson D. (2002). Hematological analysis of outbred Sprague-Dawley rat in The Facility of National Laboratory Animal Centre. 28th Congress on Science and Technology of Thailand, Bangkok, Thailand.
- Kimbli, N. (1997). *Evaluation of protective effects of Indian medicinal plants against renal damage*. Unpublished master's thesis, Mumbai University, Faculty of Graduate Studies, Pharmacology and Therapeutics.
- Klatt, E. C. (2009). The internet pathology laboratory for medical education. Retrieved August 20, 2009, from <http://library.med.utah.edu/WebPath/webpath.html>
- Worasuttayangkurn L. (2001). *The study of toxic effects of Terminalia chebula Retz. in mice*. Unpublished master's thesis, Mahidol University, Faculty of Graduate Studies, Toxicology.



Appendix

สำนักหอสมุด

Appendix A

Chemical reagents

1. Hematoxylin solution (Harris)

Potassium or ammonium (alum)	100 g
Distilled water	1000 ml

Add 50 ml of 10% alcoholic hematoxylin solution and heat to boil for 1 minute. Remove from heat and slowly add 2.5 g of mercuric oxide (red). Heat to the solution and until it becomes dark purple color. Cool the solution in cold water bath and add 20 ml of glacial acetic acid (concentrated). Filter before use.

2. Eosin Y solution (1%)

Eosin Y	10 g
Distilled water	200 ml
95% Ethanol	800 ml

Mix to dissolve and store at room temperature.

Appendix B

Tables of normal range

Table 1

Physical and chemical quality regulations by Thai Herbal Pharmacopoeia (MOPH, 2000)

Physical and chemical quality regulations	<i>T. chebula</i>	<i>T. bellerica</i>
Loss on drying (not more than %w/w)	11	11
Total ash (not more than %w/w)	3.5	5
Acid-insoluble ash (not more than %w/w)	0.6	0.6
Extractive value (not less than %w/w)		
Ethanol-soluble extractive	20	17
Ethanol (70%)-soluble extractive	-	29
Water-soluble extractive	28	24
Tannin content (not less than %w/w)	14	16

Table 2

Hematological values of female Sprague Dawley rats in the Facility of National Laboratory Animal Centre,
Mahidol University (Inala et al., 2002)

Parameter	4 wks	6 wks	8 wks	10 wks	12 wks	Retired breeder
RBC (x10 ⁶ /μl)	5.2 - 6.4	6.0 - 7.1	7.1 - 7.7	7.2 - 8.3	7.8 - 8.7	7.4 - 8.7
Hemoglobin (g/dl)	11.4 - 13.9	13.0 - 14.7	14.7 - 15.6	14.7-16.2	15.2 - 16.9	15.1 - 16.8
Hematocrit (%)	33.8 - 41.2	37.7 - 41.2	42.0 - 44.2	39.8 - 45.2	41.0 - 46.2	41.2 - 45.4
MCV (fl)	61.0 - 68.0	56.9 - 63.8	56.2 - 59.4	52.1 - 57.0	51.1 - 53.7	50.7 - 57.7
MCH (pg)	20.8 - 23.4	20.2 - 22.5	19.8 - 21.2	19.2 - 20.9	18.4 - 19.9	18.5 - 20.5
MCHC (g/dl)	33.0 - 35.5	33.8 - 37.1	34.8 - 36.1	35.3 - 37.7	35.7 - 37.7	35.5 - 38.6
Platelet (x10 ⁵ /μl)	7.51 - 11.79	7.03 - 13.85	7.39 - 12.14	8.06 - 13.91	6.39 - 13.46	7.10 - 11.50
WBC (x10 ³ /μl)	1.6 - 6.0	4.3 - 9.9	5.2 - 12.5	5.4 - 11.6	4.6 - 10.9	2.9 - 8.3
Neutrophil (%)	5.0 - 22.0	3.0 - 16.0	3.0 - 15.0	5.0 - 26.0	8.0 - 25.0	14.0 - 31.0
Lymphocyte (%)	78.0 - 95.0	81.0 - 95.0	83.0 - 96.0	71.0 - 94.0	72.0 - 92.0	66.0 - 85.0
Monocyte (%)	0.0 - 2.0	0.0 - 3.0	0.0 - 2.0	0.0 - 4.0	0.0 - 4.0	0.0 - 3.0
Eosinophil (%)	0.0 - 1.0	0.0 - 2.0	0.0 - 1.0	0.0 - 2.0	0.0 - 2.0	0.0 - 1.0
Basophil (%)	0	0	0	0	0	0

Table 3

Hematological values of male Sprague Dawley rats in the Facility of National Laboratory Animal Centre,
Mahidol University (Inala et al., 2002)

Parameter	4 wks	6 wks	8 wks	10 wks	12 wks	Retired breeder
RBC (x10 ⁶ /μl)	5.6 - 6.7	6.5 - 7.1	6.8 - 7.8	7.2 - 7.7	7.2 - 8.2	7.2 - 8.9
Hemoglobin (g/dl)	11.7 - 13.9	13.7 - 15.1	14.4 - 17.1	14.6 - 15.7	14.6 - 16.0	15.7 - 18.3
Hematocrit (%)	35.9 - 40.4	37.8 - 41.6	37.6 - 43.0	38.0 - 41.7	37.2 - 42.0	42.5 - 51.9
MCV (fl)	59.7 - 66.7	56.9 - 59.8	53.8 - 57.8	51.7 - 55.0	50.6 - 53.3	55.6 - 61.5
MCH (pg)	19.8 - 23.0	20.4 - 21.9	8.9 - 22.9	19.5 - 21.3	19.3 - 21.1	20.1 - 22.1
MCHC (g/dl)	32.4 - 35.5	35.4 - 37.5	34.2 - 40.5	36.5 - 39.4	36.9 - 39.8	35.1 - 37.4
Platelet (x10 ⁵ /μl)	6.00 - 9.88	6.54 - 12.73	7.07 - 11.89	6.84 - 10.22	6.39 - 9.66	6.01 - 10.11
WBC (x10 ³ /μl)	2.0 - 5.3	4.1 - 9.4	2.9 - 11.1	3.7 - 8.5	3.2 - 9.0	3.1 - 12.4
Neutrophil (%)	4.0 - 18.0	2.0 - 19.0	3.0 - 16.0	5.0 - 19.0	3.0 - 33.0	4.0 - 60.0
Lymphocyte (%)	82.0 - 96.0	79.0 - 98.0	82.0 - 96.0	79.0 - 94.0	66.0 - 97.0	38.0 - 90.0
Monocyte (%)	0.0 - 3.0	0.0 - 7.0	0.0 - 6.0	0.0 - 4.0	0.0 - 7.0	0.0 - 10.0
Eosinophil (%)	0.0 - 2.0	0.0 - 1.0	0.0 - 3.0	0.0 - 3.0	0.0 - 3.0	0.0 - 20
Basophil (%)	0	0	0	0	0	0

Table 4

Clinical blood chemistry values of female Sprague Dawley rats in the Facility of National Laboratory Animal Centre,
Mahidol University (Inala et al., 2002)

Parameter	4 wks	6 wks	8 wks	10 wks	12 wks	Retired breeder
Glucose (mg/dl)	63.5 – 91.7	73.6 – 122.0	86.8 – 122.8	87.3 – 141.7	83.1- 133.9	114.4 – 162.9
BUN (mg/dl)	10.2 – 20.9	13.6 – 23.2	14.2 – 20.0	13.6 – 19.9	13.9 – 21.5	14.9 – 30.7
Creatinine (mg/dl)	0.37 – 0.50	0.46 – 0.58	0.50 – 0.61	0.51 – 0.70	0.50 – 0.65	0.55 – 0.70
Total protein (g/dl)	5.01 – 5.84	5.50 – 6.26	5.89 – 6.86	5.82 – 6.91	5.79 – 6.57	5.95 – 7.48
Albumin (g/dl)	3.80 – 4.40	4.10 – 4.50	4.10 – 4.70	4.10 – 4.90	4.00 – 4.70	3.90 – 4.50
Total bilirubin (mg/dl)	0.04 – 0.11	0.01 – 0.08	0.05 – 0.13	0.05 – 0.12	0.06 – 0.18	0.04 – 0.13
AST (U/l)	115 – 255	90 – 157	89 – 142	78 – 127	78 – 154	80 – 203
ALT (U/l)	27 – 43	23 – 53	22 – 37	20 – 41	21 – 50	24 – 66
ALP (U/l)	203 – 302	117 – 223	77 – 197	64 – 98	55 – 86	39 – 89

Table 5

Clinical blood chemistry values of male Sprague Dawley rats in the Facility of National Laboratory Animal Centre,
Mahidol University (Inala et al., 2002)

Parameter	4 wks	6 wks	8 wks	10 wks	12 wks	Retired breeder
Glucose (mg/dl)	36.2 – 86.4	71.5 – 186.8	93.1 – 142.3	80.3 – 156.7	91.3 – 136.5	97.8 – 157.5
BUN (mg/dl)	10.2 – 18.7	12.9 – 18.1	12.1 – 22.2	10.6 – 18.5	13.2 – 21.8	12.2 – 20.2
Creatinine (mg/dl)	0.35 – 0.50	0.42 – 0.52	0.41 – 0.60	0.46 – 0.65	0.46 – 0.55	0.51 – 0.66
Total protein (g/dl)	4.86 – 5.60	5.50 – 6.26	5.89 – 6.86	5.82 – 6.91	5.79 – 6.57	5.95 – 7.48
Albumin (g/dl)	3.80 – 4.40	4.10 – 4.50	4.10 – 4.70	4.10 – 4.90	4.00 – 4.70	3.90 – 4.50
Total bilirubin (mg/dl)	0.04 – 0.11	0.01 – 0.08	0.05 – 0.13	0.05 – 0.12	0.06 – 0.18	0.04 – 0.13
AST (U/l)	115 – 255	90 – 157	89 – 142	78 – 127	78 – 154	80 – 203
ALT (U/l)	27 – 43	23 – 53	22 – 37	20 – 41	21 – 50	24 – 66
ALP (U/l)	203 – 302	117 – 223	77 – 197	64 – 98	55 – 86	39 – 89

Vita

Name	Miss Watcharin Panunto
Date of birth	23 December 1976
Place of birth	Maharakham, Thailand
Institution attended	Bachelor of Science (Health Education) Rajabhat Institute Valialongkhon, Pathumtani, Thailand
Office address	Department of Preclinical Science, Faculty of Medicine Thammasat University

List of Publication and Proceeding

1. **Panunto W**, Soonthornchareonnon N, Jaijoy K, Sireeratawong S. Acute and chronic toxicity studies of the water extract from dried fruit of *Terminalia chebula* Retz. in rats. Changes: New Trend in Medicine, Med TU Forum 2009, July 14-17, 2009, Pathumthani, Thailand.
2. Hansakul P, Ngamkitidechakul C, Ingkaninan K, **Panunto W**. Antiproliferative, apoptotic induction, and antiinvasive effects of *Leersia hexandra* (L.) Sw., *Panicum repens* Linn., and *Brachiaria mutica* (Forsk.) Stapf extracts on human cancer cells. *Songklanakarinn J. Sci. Technol* 2009; 31(1): 79-84
3. Hansakul P, Ngamkitidechakul C, Ingkaninan K, Sireeratawong S, **Panunto W**. Apoptotic induction activity of *Dactyloctenium aegyptium* (L.) P.B. and *Eleusine indica* (L.) Gaerth. extracts on human lung and cervical cancer cell lines. *Songklanakarinn J. Sci. Technol* 2009; 31(3): 273-279