

REFERENCES

- Aguilar, J., 2001. A general ant colony model to solve combinatorial optimization problems, *Revista Colombiana De Computación*, 2, 1:7-18.
- Akinc, U. and Khumawala, B.W., 1977. An efficient branch and bound algorithm for the capacitated warehouse location problem. *Management Science*, 23:585-594.
- Altinkemer, K. and Gavish, B., 1991. Parallel saving based heuristics for the delivery problem, *Operation Research*, 39:456-469.
- Åhlander, F., 1994. *The capacitated facility location problem with single sourcing*, Master Thesis LiTH-MAT-EX-1994-07, Linköping University, Sweden.
- Baldacci, R., Hadjiconstantinou, E., Maniezzo, V. and Mingozzi, A., 2002. A new method for solving capacitated location problems based on a set partitioning approach, *Computer & Operation Research*, 29:365-386.
- Barceló, J., Fernandez, E. and Jornsten, K., 1991. Computational results from a new relaxation algorithm for the capacitated plant location problem, *European Journal of Operation Research*, 53:38-45.
- Barcelo, J. and Casanovas, J., 1984. A heuristic Lagrangean algorithm for the capacitated plant location problem, *European Journal of Operation Research*, 15:212-226.
- Beasley, J.E. and OR-Library, 1990. Distributing test problems by electronic mail, *Journal of the Operational Research Society*, 41:1069-1072.
- Beasley, J.E., 1993. Lagrangean heuristic for location problem, *European Journal of Operation Research*, 65:383-399.
- Bonabeau, E., Dorigo, M. and Theraulaz, G., 2000. Inspiration for optimization from social insect behaviour, *NATURE*, 406:39-42.
- Bornstein, C.T. and Azlan, H.B., 1998. The use of reduction tests and simulated annealing for the capacitated plant location problem, *Location Science*, 6:67-81.
- Canel C., Khumawala, B.M., Law, J. and Loh, A., 2001. An algorithm for the capacitated, multi-commodity multi-period facility location problem, *Computer & Operation Research*, 28:411-427.
- Christofides, N. and Beasley, J.E., 1983. Extensions to a Lagrangean relaxation approach for the capacitated warehouse location problem, *European Journal of Operational Research*, 12:19-28.
- Church, R. and ReVelle, C.C., 1974. The maximal covering location problem, *Paper of the Regional Science Association*, 32:101-118.

- Coloni, A., Dorigo, M. and Maniezzo, V., 1991a. Distributed optimization by ant colonies, *Proceeding of ECAL91-European Conference on Artificial Life*: Elsevier Publishing, Paris, France, 134-142.
- Coloni, A., Dorigo, M. and Maniezzo, V., 1991b. The ant system: Optimization by a colony of cooperating agents, *IEEE Transactions on Systems, Man, and Cybernetics-Part B*, 26, 1:29-42.
- Coloni, A., Dorigo, M., Maffiolo, F., Maniezzo, V., Righini, G. and Trubian, M., 1996. Heuristics from nature for hard combinatorial optimization problems, *Int. Trans. Opl Res.*, 3, 1:1-21.
- Cornuéjols, G., Nemhauser, G.H. and Wolsey, L., 1990. *The uncapacitated facility location problem: in Mirchandani, P. and Francis, R. (editors), Discrete Location Theory*, New York, John Wiley and Sons, Inc., 119-171.
- Cornuéjols, G., Srinathan, R. and Thizy, J.M., 1991. A comparison of heuristics and relaxations for the capacitated plant location problem, *European Journal of Operation Research*, 50:280-297.
- Cortinhal, M. J. and Captivo, M.E., 2003. Upper and lower bounds for the single source capacitated location problem, *European Journal of Operation Research*, 151, 2:333-351.
- Current, J. and O'Kelly, M., 1992. Locating emergency warning sirens, *Decision Sciences*, 23:221-234.
- Daskin, M.S., 1995. *Network and Discrete Location: Models, Algorithms and Applications*, New York, Wiley.
- Desrochers, M. and Verhoog, T.W., 1991. A new heuristic for the fleet size and mix vehicle routing problem, *Computer & Operations Research*, 18:263-274.
- Dorigo, M., Maniezzo, V., and Coloni, A., 1996. The ant system: optimization by a colony of cooperating agents, *IEEE Transactions on Systems, Man, and Cybernetics-Part B*, 26(1):1-13.
- Dorigo, M. and Gambardella, L.M., 1997. Ant colonies for the traveling salesman problem, *Bio Systems*, 43:73-81.
- Dorigo, M. and Di Carlo, G., 1999. *The ant colony optimization meta-heuristic: in Corne, D., Dorigo, M. and Glover, F. (eds), New Ideas in Optimization*, Berkshire, McGraw-Hill.
- Dorigo, M., Caro, G.D. and Gambardella, L.M., 1999. Ant algorithms for discrete optimization, *Artificial Life*, 5, 3:137-172.
- Dorigo, M., Bonabeau, E., and Theraulaz, G., 2000. Ant algorithms and stigmergy, *Future Generation Computer Systems*, 16:851-871.
- Erkut, E. and Bozkaya, B., 1999. Analysis of aggregation errors for the p -median problem, *Computers & Operations Research*, 26:1075-1096.

- Erlenkotter, D., 1987. A dual-base procedure for uncapacitated facility location, *Operations Research*, 26:992-1009.
- Fisher, M., Jaikumar, R. and Van Wassenhove, L., 1986. A multiplier adjustment method for the generalized assignment problem, *Management Science*, 32:1095-1103.
- Feo, T.A. and Resende, M.G.C., 1995. Greedy randomized adaptive search heuristic, *Journal of Global Optimization*, 6:109-133.
- Fordes, M.A., Holt, J.N., Kilby, P.J. and Watt, A.M., 1991. A matching algorithm with application to bus operations, *Australasian Journal of Combinatorics*, 4:71-85.
- Francis, R.L., McGinnis, Jr.L.F. and White, J.A., 1992. *Facility layout and location: an analytical approach*, Prentice-Hall, Inc.
- Gao, L. and Robunson, E.P. Jr., 1992. A dual-based optimization procedure for the two-echelon uncapacitated facility location problem, *Naval Research Logistics*, 39:191-212.
- Garey, M.R. and Johnson, D.S., 1979. *Computers and intractability: A Guide to the Theory of NP-Completeness*, San Francisco, Freeman.
- Geoffrion, A.M. and Graves, G.W., 1974. Multicommodity distribution system design by Benders decomposition, *Mathematical Programming*, 2:82-114.
- Ghosh, D., 2003. Neighborhood search heuristics for the uncapacitated facility location problem, *European Journal of Operation Research*, 150, 1:150-162.
- Guesi, editorial, 2000. Ant algorithms, *Future Generation Computer Systems*, 16:5-7.
- Guignard, M. and Kim, S., 1983. *A strong Lagrangian relaxation for capacitated plant location problems*, Technical Report No. 56, The Wharton School, Deptment of Statistics, University of Pensylvania.
- Gutjahr, W.J., 2000. A Graph-based ant system and its convergence, *Future Generation Computer Systems*. 16: 873-888.
- Haddadi, S. and Ouzia, H., 2003. Effective algorithm and heuristic for the generalized assignment problem, *European Journal of Operation Research*, article in press.
- Hillier, F.S. and Lieberman, G.J., 1995. *Introduction to Operation Research*, Mc Graw-Hill, Inc.
- Hillsman, E.L., 1984. The p -median structure as a unified linear model for location-allocation analysis, *Environment and Planning A*, 16:305-318.
- Hindi, K.S. and Basta, T., 1994. Computationally efficient solution of a multiproduct two-stage distribution-location problem, *Journal of the Operational Research Society*, 45:1316-1323.
- Hindi, K.S. and Pienkosz, K., 1999. Efficient solution of large scale single source capacitated plant location problem, *Journal of the Operational Research Society*, 50:268-274.

- Holmberg, K. and Ling, J., 1997. A Lagrangian heuristic for the facility location problem with stair costs, *European Journal of Operation Research*, 97:63-74.
- Holmberg, K., 1999. Exact solution methods for uncapacitated location problems with convex transportation costs, *European Journal of Operation Research*, 114:127-140.
- Holmberg, K., Rönnqvist, M. and Yuan, D., 1999. An exact algorithm for the capacitated facility location problems with single sourcing, *European Journal of Operation Research*, 113, 544-559.
- Jayaraman, V. and Pirkul, H., 2001. Planning and coordination of production and distribution facilities for multiple commodities, *European Journal of Operation Research*, 133:394-408.
- Kaufman, L., Eede, M.V. and Hansen, P., 1977. A plant and warehouse location problem, *Operational research Quarterly*, 28:547-554.
- Khumawala, B.M. and Stinson, J.P., 1984. Capacitated heuristic program for multi-activity, multi-facility system designs, *Journal of Operations Management*, 4, 4:295-304.
- Kirkpatrick, S., Gelatt, C.D. Jr. and Vecchi, M.P. 1983. Optimization by simulated annealing. *Science*, 220(4598): 671-680.
- Klincewicz, J.G. and Luss, H., 1986. A Lagrangian relaxation heuristic for capacitated facility location with single source constraints, *Journal of Operational Research Society*, 37:495-500.
- Klose, A., 1998. A branch and bound algorithm for an uncapacitated facility location problem with side constraint, *International Transportation Operation Research*, 5, 2:155-168.
- Klose, A., 2000. A Lagrangian relax-and-cut approach for the two-stage capacitated facility location problem, *European Journal of Operation Research*, 126:408-421.
- Krumke, S.O., 1995. On a generalization of the p -center problem, *Information Processing Letters*, 56:67-71.
- Kuehn, A. and Hamburger, M.J., 1963. A heuristic program for locating warehouses, *Management Science*, 9:643-666.
- Lorena, L.A.N. and Senne, E.L.F., 2004. A column generation approach to capacitated p -median problems, *Computers & Operations Research*, 31:863-876.
- Lourenço, H.R.D., and Serra, D., 2002. Adaptive search heuristic for the generalized assignment problem, *Mathware and Soft Computing*, 9(2-3):209-234.
- Maniezzo, V. and Carbonaro, A., 2000. An ANTS heuristic for the frequency assignment problem, *Future Generation Computer Systems*, 16:927-935.
- Melkote, S. and Daskin, M.S., 2001. Capacitated facility location/network design problems, *European Journal of Operation Research*, 129:481-495.

- Metropolis, N., Rosenbluth, A.N., Rosenbluth, M.N., Teller, A.H. and Teller, H., 1953. Equation of state calculation by fast computing machines, *Journal of chemical physics*, 21(6):1087-1092.
- Mirchandani, P.B. and Francis (Eds.), R.L., 1990. *Discrete Location Theory*, New York, Wiley.
- Montgomery, J. and Randall, M. *Iterative Pheromone Applications for Ant Colony Optimization*, School of Information Technology, Bond University, QLD 4229.
- Montgomery, J., 2002. *Towards a Systematic Problem Classification Scheme for Ant Colony Optimization*, <http://www.it.bond.edu.au/publications/02TR/02-15.pdf>.
- Nauss, R.M., 1978. An improved algorithm for the capacitated facility location problem, *Journal of the Operational Research Society*, 29:1195-1201.
- Nozick, L. K. and Turnquist, M.A., 2001. Inventory, transportation, service quality and the location of distribution centers, *European Journal of Operation Research*, 129:362-371.
- Osman, I.H., 1995. Heuristics for the generalized assignment problem: simulated annealing and tabu search approaches, *OR Spektrum*, 17:211-225.
- Pinkus, C.E., Gross, D. and Soland, R.M., 1973. Optimal design of multiactivity, multifacility systems by branch and bound, *Operations Research*, 21, 1:270-283.
- Pirkul, H., 1987. Efficient algorithm for the capacitated concentrator location problem, *Computer & Operations Research*, 14:197-208.
- Pirkul, H. and Jayaraman, V., 1998. A multi-commodity, multi-plant, capacitated facility location problem: Formulation and efficient heuristic solution, *Computer & Operation Research*, 25, 10:295-304.
- Rardin, R.L., 1998. *Optimization in Operations Research*, Prentice-Hall, Inc.
- Ro, H. and Tcha, D., 1984. A branch and bound algorithm for the two-level uncapacitated facility location problem with some side constraints, *European Journal of Operation Research*, 18:349-358.
- Rosing, K.E., ReVelle, C.S. and Swhilling, D.A., 1999. A gamma heuristic for the p -median problem, *European Journal of Operational Research*, 117:522-532.
- Rönnqvist, M., 1995. Solving single-source capacitated facility location problems using repeated matching. In: *Proceedings of the 31th Annual Conference of the Operational research Society of New Zealand*, Wellington, New Zealand, 187-194.
- Rönnqvist, M., Tragantalerngsak, S. and Holt, J., 1999. A repeated matching heuristic for the single-source capacitated facility location problem, *European Journal of Operation Research*, 116:51-68.
- Sahni, S. and Gonzalez, T., 1976. P-complete approximation problem, *J ACM*, 23:555-565.

- Senne, E.L.F., Lorena, L.A.N. and Pereira, M.A., 2005. A branch-and-price approach to p -median location problems, *Computers & Operations Research*, 32:1655-1664.
- Shetty B., 1990. Approximate solution to large scale capacitated facility location problems, *Applied Mathematics and Computation*, 39:159-175.
- Srindharan, R., 1993. A Lagrangian heuristic for the capacitated plant location problem with single source constraints, *European Journal of Operational Research*, 66:305-312.
- Sridhar, J. and Rajendran, C., 1993. Scheduling in a cellular manufacturing system: A simulated annealing approach, *International Journal of Production Research*, 31(12): 2927–2945.
- Sridharan, R., 1995. The capacitated plant location problem, *European Journal of Operation Research*, 87:203-213.
- Stinson, J.P. and Khumawala, B. M., 1981. An efficient heuristics program for solving the multiactivity, multifacility system design problem, *Proceedings of the 13th Annual AIDS Meeting*, 140-143.
- Stützle, T., and Hoos, H.H., 1997. MAX-MIN ant system and local search for combinatorial optimization problems, *Proceedings of the 2nd International Conference on Metaheuristic-MIC97; Sophia-Antipolis, July 21-24, 1997, France*, 1-15.
- Stützle, T., and Hoos, H.H., 1999. *MAX-MIN ant system and local search for combinatorial optimization*, in: S. Voß, S. Martello, I.H. Osman and C. Roucairol (eds), *Meta-Heuristics:Trends in Local Search paradigms for Optimization*, Dordrecht, Kluwer Academic Publishers, 313-329.
- Stützle, T., and Hoos, H.H., 2000. MAX-MIN ant system, *Future Generation Computer Systems*, 16: 889-914.
- Suzuki, A. and Drezner, Z., 1996. The p -center location problem in an area, *Location Science*, 4, 1/2:69-82.
- Syam, S.S., 1997. A model for the capacitated p -facility location problem in global environments, *Computer & Operation Research*, 24, 11:1005-1016.
- Taillard, É.D., Gambardella, L.M., Gendreau, M. and Potvin, J.Y., 2001. Adaptive memory programming: A unified view of metaheuristics, *European Journal of Operation Research*, 135:1-16.
- Tcha D., Myung, Y. and Chung, K., 1995. Parametric uncapacitated facility location, *European Journal of Operation Research*, 86: 469-479.
- Tragantalerngsak, S., Holt, J. and Rönnqvist, M., 1997. Lagrangian heuristics for the two-echelon, single-source, capacitated facility location problem, *European Journal of Operation Research*, 102:611-625.
- Tragantalerngsak, S., Holt, J. and Rönnqvist, M., 2000. An exact method for the two-echelon, single-source, capacitated facility location problem, *European Journal of Operation Research*, 123:473-489.

- Van Laarhoven, P.J.M and Aarts, E.H.L., 1987. *Simulated Annealing. Simulated Annealing: Theory and Applications*, Dordrecht, Kluwer Academic Publishers, 7-15.
- Van Roy, T.J., 1986. A cross decomposition algorithm for capacitated facility location, *Operation Research*, 34:145-163.
- Wark, P. and Holt, J., 1994. A repeated matching heuristic for the vehicle routing problem, *Journal of the Operational Research Society*, 45:1156-1167.
- Wark, P., Holt, J., Rönnqvist, M. and Ryan, D., 1997. Aircrew schedule generation using repeated matching, *European Journal of Operation Research*, 102:21-35.
- Yağiz, O., 1991. A heuristic preprocessor supported algorithm for the capacitated plant location problem, *Applied Mathematics Modelling*, 15:114-125.
- Yoo, C. and Tcha, D., 1986. A cross decomposition procedure for the facility location problem with a choice of facility type, *Computer and Industrial Engineering*, 10, 4:283-290.
- Zhao, P. and Batta, R., 1999. Analysis of centroid aggregation for the Euclidean distance p -median problem, *European Journal of Operational Research*, 113:147-168.