

Bibliography

- [1] Andrew Moore, 2001. K-Means and Hierarchical Clustering- Tutorial Slides. <http://www-2.cs.cmu.edu/awn/tutorials/kmeans.html>, School of Computer Science, Carnegie Mellon University.
- [2] Anoop M. Namboodiri, Student Member, IEEE, Anil K. Jain, Fellow, IEEE, 2004. On-line Handwritten Script Recognition. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 26, No. 1, pp. 124–130.
- [3] Ashutosh Malaviya, Cristoph Leja, Liliane Peters, 1996. Multi-script Handwriting Recognition with FOHDEL. *New Frontiers in Fuzzy Logic and Soft Computing Biennial Conference of the North American Fuzzy Information Society-NAFIPS, IEEE*, pp. 147–151.
- [4] B. B. Chaudhuri, U. Pal, 1997. An OCR System to Read Two Indian Language Scripts: Bangla and Devanagari (Hindi). *4th International Conference on Document Analysis and Recognition*, Vol. 2, pp. 1011–1015.
- [5] B. B. Chaudhuri, U. Pal, 2003. Skew Angle Detection of Digitized Indian Script Documents. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 19, No. 2, pp. 182–186.
- [6] Brijesh Verma, Jenny Lu, Moumita Ghosh, Ranadhir Ghosh, 2004. A Feature Extraction Technique for Online Handwriting Recognition. *IEEE International Joint Conference on Neural Networks*, pp. 1337–1341.
- [7] C.R. Dyer, 5/3/2007. CS540 Lecture Notes: Neural Networks. <http://www.cs.wisc.edu/~dyer/cs540/notes/nn.html>, University of Wisconsin-Madison.
- [8] C.Y. Suen, Jinho Kim, Kyekyung Kim, Qizhi Xu, Louisa Lam, 2000. Handwriting Recognition-The last Frontiers. *IEEE 15th International Conference on Pattern Recognition*, Vol. 4, pp. 1–10.
- [9] Francios Bouteruche, Eric Anquetil, Nicolas Ragot, 2005. Hanwritten Gesture Recognition Driven by the Spatial Context of Strokes. *8th International Conference on Document Analysis and Recognition(ICDAR)*.
- [10] Hangai S., Yamanaka S., Hammamoto T., 2000. Writer Verification Using Altitude and Direction of Pen Movement. *15th International Conference on Pattern Recognition*. Vol. 3, pp. 479–482.
- [11] C. C. Tappert, 1982. Cursive Script Recognition by Elastic Matching. *International Business Machine Journal Research and Development: Image processing and Pattern Recognition*, Vol. 26, No. 6, pp. 765–771.
- [12] C. C. Tappert, C. Y. Suen, T. Wakahara, 1990. The State of Art in Online Handwriting Recognition. *IEEE Transaction on Pattern Analysis and Machine Intelligence*, Vol. 12, No. 8, pp. 787–808.

- [13] Chun Lei He, Ping Zhang, Jian Xiong Dong, Ching Y. Suen, Tien D. Bui, 2005. The Role of Size Normalization on the Recognition Rate of Handwritten Numerals. *The 1st IAPR TC3 NNLPAR workshop*, pp. 8–12.
- [14] Claus Bahlmann and Hans Burkhardt, Member, IEEE 2004. The Writer Independent Online Handwriting Recognition System frog on hand and Cluster Generative Statistical Dynamic Time Warping. *IEEE transactions and Pattern Analysis and Machine Intelligence*, Vol. 26 No. 3, pp. 299–310.
- [15] Daiki Okumura, Seiichi Uchida, Hioraki Sakoe, 2005. An HMM Implementation for On-line Handwriting Recognition based on Pen-Coordinate Feature and Pen-Direction Feature. *Bioinformatics*, Vol. 18 No. 5, pp. 735–46.
- [16] De Smet F, Mathys J, Marchal K, Thijs G, De Moor B, Moreau Y., 2002. Adaptive Quality-based Clustering of Gene Expression Profiles. *8th IEEE International Conference on Document Analysis and Recognition (ICDAR)*, Vol. 1, pp. 26–30.
- [17] Eammon J. Keogh, M. J. Pazzani, 1999. Scaling Up Dynamic Time Warping to Massive Datasets. *3rd European Conference on Principles and Practice of Knowledge Discovery in Databases*, Vol. 1704, pp. 1–11.
- [18] E. J. Bellegarda, J. R. Bellegarda, D. Nahamoo, L.S. Nathan, 1994. A Fast Statistical Mixture Algorithm for On-line Handwriting Recognition. *IEEE Transaction PAMI*, Vol. 16, No. 12, pp. 1227–1233.
- [19] Esra Vural, Hakan Erdogan, Kemal Oflazer, Berin Yanikoglu, 2005. An Online Handwriting Recognition System for Turkish. *Document Recognition and Retrieval XII: In proceedings of SPIE Electronic Imaging Symposium*, Vol. 5676, pp. 56–65.
- [20] Glenn Fung, 2001. A comprehensive Overview of Basic Clustering Algorithms.
- [21] Henry A. Rowley, Manish Goyal, John Bennett, 2002. The Effect of Large Training Set Sizes on Online Japanese Kanji and English Cursive Recognizers. *8th IEEE International Workshop on Frontiers in Handwriting Recognition (IWFHR)*, pp. 36–40.
- [22] Homayoon S.M.Beigi, Krishna N., Gregory J. Clary, Jayashree S., 1994. Size Normalization in On-line Unconstrained Handwriting Recognition. *IEEE International Conference on Acoustics, Speech and Signal Processing*, Vol. 30, No. 9, pp. 1489–1500.
- [23] H. J. Kim, K. H. Kim, S. K. Kim, J. K. Lee, 1997. On-line Recognition of Handwritten Chinese Character based on Hidden Markov Models. *Pattern Recognition*, Vol. 1704, pp. 1–11.
- [24] Ian Scholey, 2006. Digitizer technology Comparison: Inductive and Resistive Technology. *Pen Computing Magazine*: http://pencomputing.com/features/wacom_digitizer_comparison.html (11/12/2006).
- [25] I. J. Sethi, B. Chatterjee, 1977. Machine Recognition of Constrained Handwritten printed Devanagari. *In Pattern Recognition*, Vol. 9, pp. 69–75.

- [26] Jay J. Lee, Jahwan Kim, Jin H. Kim, 2000. Data Driven Design of HMM Topology for On-line Handwriting Recognition. *7th International Workshop on Frontiers in Handwriting Recognition (IWFHR)*, pp. 239–248.
- [27] Jiang Gao, Xiaoqing Ding, Jing Zheng, 2000. Image Pattern Recognition Based on Examples– A combined Statistical and Structural-Syntactic Approach. *In Proceedings of Joint IAPR International Workshops, SSPR 2000 and SPR 2000.*, Vol. 1876, pp. 57–66.
- [28] Kenichi Toyozumi, Naoya Yamada, Takayuki Kitasaka, Kensaku Mori, Yasuhito Suenaga, Kenji Mase Tomoichi Takahashi, 2004. A Study of Symbol Segmentation Method for handwritten Mathematical Formula Recognition using Mathematical Structure Information. *IEEE 17th International Conference on pattern Recognition (ICPR)*, pp. 630–633.
- [29] Kanad Keeni, Hiroshi Simodaira, Tetsuro Nishino, Yasuo Tan, 1996. Recognition of Devanagari Characters Using Neural Networks. *IEICE Transactions on Information and Systems*, pp. 523–538.
- [30] Krishna S. Nathan, Homayoon S. M. Beigi, Jayashree Subrahmonia, Gregory J. Clary, Hiroshi Maruyama, 1995. Real-time On-line Unconstrained Handwriting Recognition Using Statistical Methods. *International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, Vol. 4, pp. 2619–2622.
- [31] L. Breiman, 1996. Heuristics of Instability and Stabilization in Model Selection. *Annals of Statistics*, Vol. 24, pp. 2350–2383.
- [32] Lippmann R., 1989. Pattern Classification using Neural Networks. *IEEE Communications Magazine*, pp. 48.
- [33] M. Blumenstein, B. Verma, H. Basli, 2003. A Novel Feature Extraction Technique for the Recognition of Segmented Handwritten Characters. *7th IEEE International Conference on Document Analysis and Recognition*, pp. 137.
- [34] M. Nakai, N. Akira, H. Shimordaria, S. Sagayama, 2001. Sub-stroke Approach to HMM-based on Kanji Handwriting Recognition. *Proceeding on ICDAR*, pp. 491–495.
- [35] Mohammad Asad Ronee, Seiichi Uchida, Hiroaki Sakoe, 2001. Handwritten Character Recognition Using Linear Two-Dimensional Warping. *6th International Conference on Document Analysis and Recognition (ICDAR)*, pp. 39–43.
- [36] Nicolas Alvertos, Ivan D’cunha, 1989. Optical Machine Recognition of Greek Characters of Any Size. *IEEE Proceedings: Energy and Information Technologies*, Vol. 2, pp. 623–627.
- [37] Niranjana Joshi, G. Sita, A. G. Ramakrishnan, Deepu V., Sriganesh Madhavanath, 2005. Machine Recognition of On-line Handwritten Devanagari Characters. *IEEE Transactions on Pattern Analysis and Machine Intelligence* Vol. 12, No. 8, pp. 787–807.

- [38] Niranjan Joshi, G. Sita, A.G. Ramakrishnan, Sriganesh Madhavanath, 2004. Comparison of Elastic Matching Algorithms for Online Tamil Handwritten Character Recognition. *9th IEEE International Workshop on Frontiers in Handwriting Recognition (IWFHR)*, pp. 444–449.
- [39] Oglja Veksler, 2/2/2007. Pattern Recognition, Lecture 8: Fisher Linear Discriminant. http://www.csd.uwo.ca/~olga/Courses//CS434a_541a//Lecture8.pdf
- [40] Oglja Veksler, 3/2/2007. Pattern Recognition, Lecture 11: Support Vector Machine. http://www.csd.uwo.ca/~olga/Courses//CS434a_541a//Lecture11.pdf
- [41] Panu Somervuo, Teuvo Kohonen, 1999. Self Organizing Maps and Learning Vector Quantization for Feature Sequences. *Neural Network Processing Letters*, Vol. 10, No. 2, pp. 151–159.
- [42] P. M. Lallican, C. Viard-gaudin, S.Knerr, 2000. From Off-line to On-line Handwriting Recognition. *7th International Workshop on Frontiers in Handwriting recognition, International Unipen Foundation*, pp. 303–312.
- [43] Qiang Gan, Ching Y. Suen, 1996. Neural Networks for Handwritten Character Recognition. *Fuzzy Logic and Neural Network Handbook: McGraw-Hill Series on Computer Engineering, C.H.Chen*, Chapter 16.
- [44] R. M. K. Sinha, H. N. Mahabala, 1979. Machine Recognition of Devanagari Script. *IEEE Transactions Systems, Man and Cybernetics*, Vol. 9, No. 8, pp. 435–441.
- [45] R. M. K. Sinha, Veena Bansal, 1995. On Devanagari Document Processing. *IEEE International Conference on Systems, Man and Cybernetics, 'Intelligent Systems for the 21st Century'*, Vol. 2, pp. 1621–1626.
- [46] Rudolf Freund, Markus Neubauer, Martin Summerer, Stefan Gruber, Jurgen Schaffer, Ronald Swoboda, 2000. A Hybrid System for the Recognition of Hand-Written Characters. *Joint IAPR International Workshops on Advances in Pattern Recognition: Lecture Notes in Computer Science, Springer Publication*, Vol. 1876, pp. 67–76.
- [47] Roshan Thapaliya, Hirokazu Koizumu, Kashiko Kodate, Takeshi Kamiya, 1998. Parallel Optical Recognition of Devanagari Script with Feature Extraction. *IEEE Conference on Lasers and Electro-optics Europe- Technical Digest.*, pp. 412–413.
- [48] S. C. Johnson, 1967. Hierarchical Clustering Schemes. *Psychometrika*, pp. 241–254.
- [49] S. palit, B. B. Chaudhari, 1995. A Featur-based Scheme for the Recognition of Printed Devanagari Script. *In Pattern Recognition, Image Processing and Computer Vision.*, pp. 163–168.
- [50] Sandip S., 2004. The Digital Pen as a Human Computer Interface. *IEEE International Symposium on Consumer Electrnoics*, pp. 629–634.
- [51] Sankoff D., Kruskal J. B., 1983. Time Warps, String Edits and Macromolecules: The theory and Practice of Sequence Comparison. *Addison-Wisely Publishing.*, pp. 125–160.

- [52]** Sanparith Marukatat, Rudy Sicard, Thierry Artieres, Patrick Gallinari, 2003. A Flexible Recognition Engine for Complex On-line Handwritten Recognition. *7th International Conference on Document Analysis and Recognition (ICDAR)*, pp. 1048–1052.
- [53]** Sanparith Marukatat, Thierry Artieres, Patrick Gallinari, 2004. A Generic Approach for On-line Handwriting Recognition. *9th International Workshop on Frontiers in Handwriting Recognition (IWFHR)*, pp. 401–406 .
- [54]** Sanparith Marukatat, Thierry Artieres, 2004. Handling Spatial Information in On-line Handwriting Recognition. *9th International Workshop on Frontiers in Handwriting Recognition (IWFHR)*, pp. 14–19.
- [55]** Santosh K. C., Cholwich Nattee, 2006. Structural Approach on Nepalese Natural Handwriting Recognition. *2nd IEEE International Conference on Cybernetics Intelligent Systems*, pp. 711–716.
- [56]** Santosh K. C., Cholwich Nattee, 2006. Stroke Number and Order Free Hanwriting Recognition for Nepali. *Trends in Aritificial Intelligence: 9th Pacific Rim International Conference on Aritificial Intelligence, Lecture Notes in Computer Science, Springer Publication*, Vol. 4099, pp. 990–994.
- [57]** Santosh K. C., Cholwich Nattee, 2006. Effect of Pre-processing and Feature Selection in Recognition for Nepali. *The first International Conference on Knowledge, Information and Creativity Support Systems (KICSS)*, pp. 139–146
- [58]** Scott D. Connell, R. M. K. Sinha, Anil K. Jain, 2000. Recognition of Unconstrained Online Devanagari Characters. *15th IEEE International Conference on Pattern Recognition*, pp. 368–371.
- [59]** Songl Albayrak, Fatih Amasyal, 2003. Fuzzy C-Means Clustering on Medical Diagnostic Systems. *International XII, Turkish Symposium on Artifical Intelligence and Neural Networks (TAINN)*.
- [60]** Stephen M. Watt, Xiaofang Xie, 2005. Recognition of Large Sets of Handwritten Mathematical Symbols. *IEEE International Conference on Document Analysis and Recognition (ICDAR)*, pp. 39–43.
- [61]** Sumaila Malik, Shoab A. Khan, 2005. Urdu Online Handwriting Recognition. *IEEE International Conference on Emerging Technolgies*, pp. 27–31.
- [62]** Sung-Hyuk Cha, Yong-Chul Shin, Sargur N. Srihari, 1999. Approximate Sequence String Matching Algorithm for Character Recognition and Analysis. *Fifth International Conference on Document Analysis and Recognition (ICDAR)*, pp. 53–56.
- [63]** Tom M. Mitchell. *Machine Learning*. The McGraw-Hill Companies, Inc.
- [64]** T. Artieres, P. Gallinari, 2002. Stroke Level HMMs for On-line Handwriting Recognition. *8th International Workshop in Handwriting Recognition*, pp. 227–232.
- [65]** T. Hasegawa, H. Yasuda, T. Motsumoto, 2000. Fast Discrete HMM Algorithm for On-line Handwriting Recognition. *Proceeding on ICPR*, Vol. 4, No. 4, pp. 535–538.

- [66]** T. Starner, J. Makhoul, R. Schwartz, G. Chou, 1994. On-line Cursive Handwriting Recognition Using Speech Recognition Methods. *Proceeding on ICASSP*, Vol. 5, No. 6, pp. 125–128.
- [67]** Utpal Garain, B. B. Chaudhari, 2004. Input of Handwritten Mathematical Expressions into Machine Coded Indian Language Documents. *Indo-European Conference on Multilingual Technologies (IECMT)*, pp. 3–12.
- [68]** Utpal Garain, B. B. Chaudhari, 2004. Recognition of On-line Handwritten Mathematical Expressions. *IEEE Transactions on Systems, Man and Cybernetics* , Vol. 34, No. 6, pp. 2366–2376.
- [69]** Veena Bansal, R. M. K. Sinha, 2002. Segmentation of Touching and Fused Devanagari Characters. *Pattern Recognition*, Vol. 35, No. 4, pp. 875–893.
- [70]** W. Guerfali, R. Plamondon, 1993. Normalizing and Restoring Online Handwriting Pattern Recognition. *Pattern Recognition*, Vol. 2, No. 3, pp. 419–431.
- [71]** A tutorial on Clustering Algorithms, 30/11/2006. http://www.elet.polimi.it/upload/matteucc/Clustering/tutorial_html/index.html.
- [72]** Fujitsu laboratories, 2005. Fujitsu - The Possibilities are Infinite, Ultrasound Electronic Pen.
- [73]** Wacom Technology, 12/12/2006. Wacom Components: Technology: EMR®Technology. <http://www.wacom-components.com/english/technology/emr.html>
- [74]** Statistical Classification, 2/1/2007. http://en.wikipedia.org/wiki/Statistical_classification
- [75]** Lecture 13: Validation, 5/3/2007. http://courses.cs.tamu.edu/rgutier/ceg499_s02/113.pdf, University of Wisconsin-Madison.