

## Bibliography

- [1] H. Rowley, S. Baluja, and T. Kanade, "Neural network-based face detection," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 1, no. 20, pp. 23–28, 1998.
- [2] D. Roth, M. Yang, and N. Ahuja, "A SNoW-based face detector," in *Advances in Neural Information Processing Systems (NIPS)*, pp. 855–861, 2000.
- [3] P. A. Viola and M. J. Jones, "Robust real-time face detection," *International Journal of Computer Vision*, vol. 57, no. 2, pp. 137–154, 2004.
- [4] J. M. Rehg and T. Kanade, "Visual tracking of high DOF articulated structures: An application to human hand tracking," in *Third European Conference on Computer Vision*, pp. 35–46, 1994.
- [5] S. Ahmad, "A usable real-time 3D hand tracker," in *Proceedings of the 28th IEEE Asilomar Conference on Signals, Systems and Computers*, pp. 1257–1261, 1995.
- [6] J. Segen and S. Kumar, "Human-computer interaction using gesture recognition and 3D hand tracking," in *Proceedings of the IEEE International Conference on Image Processing*, pp. 188–192, 1998.
- [7] C. R. Wren, A. Azarbayejani, T. Darrell, and A. Pentland, "Pfinder: Real-time tracking of the human body," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 19, no. 7, pp. 780–785, 1997.
- [8] N. Soontranon, S. Aramvith, and T. H. Chalidabhongse, "Face and hands localization and tracking for sign language recognition," in *International Symposium on Communications and Information Technologies*, pp. 1246–1251, 2004.
- [9] J. Wachs, H. Stern, Y. Edan, M. Gillam, C. Feied, M. Smith, and J. Handler, "A real-time hand gesture system based on evolutionary search," in *Genetic and Evolutionary Computation Conference*, 2005.
- [10] J. Varona, J. M. Buades, and F. J. Perales, "Hands and face tracking for VR applications," *Computers & Graphics*, vol. 29, no. 2, pp. 179–187, 2005.
- [11] A. Shamaie and A. Sutherland, "Hand tracking in bimanual movements," *Image and Vision Computing*, vol. 23, no. 13, pp. 1131–1149, 2005.
- [12] M. B. Caglar and N. Lobo, "Open hand detection in a cluttered single image using finger primitives," in *Proceeding of the 2006 Computer Vision and Pattern Recognition Workshop*, 2006.
- [13] M. Kölsch and M. Turk, "Robust hand detection," in *Proceedings of the IEEE International Conference on Automatic Face and Gesture Recognition*, 2004.
- [14] P. A. Viola and M. J. Jones, "Rapid object detection using a boosted cascade of simple features," in *IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, vol. 1, pp. 511–518, 2001.

- [15] E.-J. Ong and R. Bowden, "A boosted classifier tree for hand shape detection," in *Proceedings of the Sixth IEEE International Conference on Automatic Face and Gesture Recognition*, pp. 889–894, 2004.
- [16] R. Lienhart and J. Maydt, "An extended set of Haar-like features for rapid object detection," in *Proceedings of the IEEE International Conference on Image Processing (ICIP)*, vol. 1, pp. 900–903, 2002.
- [17] R. Lienhart, A. Kuranov, and V. Pisarevsky, "Empirical analysis of detection cascades of boosted classifiers for rapid object detection," tech. rep., Microprocessor Research Lab, Intel Labs, 2002.
- [18] J. Barreto, P. Menezes, and J. Dias, "Human-robot interaction based on Haar-like features and eigenfaces," in *Proceedings of the 2004 IEEE Conference on Robotics and Automation*, pp. 1888–1893, 2004.
- [19] M. N. Dailey and N. Bo Bo, "Toward real-time hand tracking in crowded scenes," in *The 2005 Asian Conference on Industrial Automation and Robotics*, 2005.
- [20] P. Viola, M. Jones, and D. Snow, "Detecting pedestrians using patterns of motion and appearance," in *IEEE International Conference on Computer Vision (ICCV)*, vol. 2, pp. 734–741, 2003.
- [21] Y. Freund and R. E. Shapire, "A decision-theoretic generalization of online learning and an application to boosting," *Journal of Computer and System Sciences*, vol. 5, no. 1, pp. 119–139, 1997.
- [22] F. Crow, "Summed-area tables for texture mapping," in *Proceedings of SIGGRAPH*, vol. 18, pp. 207–212, 1984.
- [23] J. Friedman, T. Hastie, and R. Tibshirani, "Hand tracking in bimanual movements," *Annals of Statistics*, vol. 28, no. 2, pp. 337–374, 2000.
- [24] Intel Corporation, "OpenCV Computer Vision Library (software)." Open source software available at <http://sourceforge.net/projects/opencv/>.
- [25] D. Saxe and R. Foulds, "Toward robust skin identification in video images," in *Proceedings of the Second International Conference on Automatic Face and Gesture Recognition*, pp. 379–384, 1996.
- [26] R. Kjellden and J. Kender, "Finding skin in color images," in *Proceedings of the Second International Conference on Automatic Face and Gesture Recognition*, pp. 312–317, 1996.
- [27] M. J. Jones and J. M. Rehg, "Statistical color models with application to skin detection," in *IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, 1999.
- [28] B. D. Zarit, B. J. Super, and F. K. H. Quek, "Comparison of five color models in skin pixel classification," in *International Workshop on Recognition, Analysis and Tracking of Faces and Gestures in Real-Time Systems*, pp. 58–63, 1999.

- [29] B. Jedynek, H. Zheng, and M. Daoudi, "Skin detection using pairwise models," *Image and Vision Computing*, vol. 23, no. 13, pp. 1122–1130, 2005.
- [30] L. da Fontoura Costa and R. M. Cesar Jr., *Shape Analysis and Classification, Theory and Practice*. CRC Press, 2000.
- [31] S. Belongie, J. Malik, and J. Puzicha, "Shape matching and object recognition using shape context," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 24, no. 24, pp. 509–522, 2002.
- [32] The MathWorks, Inc, "MATLAB, The Language of Technical Computing (software)."
- [33] J. Lattin, J. D. Carroll, and P. E. Green, *Analyzing Multivariate Data*. Thomson Learning, Inc., 2003.
- [34] M. Kölsch and M. Turk, "Analysis of rotational robustness of hand detection with a viola-jones detector," in *Proceedings of the 17th International Conference on Pattern Recognition*, vol. 3, pp. 107–110, 2004.