

## References

1. Albano, M.P. and Garrido, L. B., 2006. Aqueous tape casting of yttria stabilized zirconia. *Materials Science and Engineering*, A420: 171–178.
2. Askeland, D.R. and Phulé, P. P., 2006. The science and engineering of materials. *Thomson*, Canada.
3. ASTM Designation C 373-88., Reapproved 1999. Standard Test Method for Water Absorption, Bulk Density, Apparent Porosity, and Apparent Specific Gravity of Fired White ware Products: 118-119.
4. Barsoukov, E. and Macdonal, J.R. 2005. Impedance Spectroscopy Theory, Experiment, and applications. *John Wiley & Sons*: New Jersey.
5. Bauerle, J.E., 1969. Study of solid electrolyte Polarization by a Complex admittance Method. *Journal of Physics and Chemistry of Solids*, 30: 2657-2670.
6. Baur, E. and Preis, H., 1937. *Z Elektrochem*, 43: 727-732.
7. Chiang, Y-M, Birnie, III, D. P. and Kingery, W. D., 1997. Physical Ceramics: Principles for Ceramic Science and Engineering. *Wiley*: Amazon US.
8. Dong, Q., Du, Z.H., Zhang, T.S., Lu, J., Song, X.C., and Ma, J., 2009. Sintering and ionic conductivity of 8YSZ and CGO10 electrolytes with small addition of Fe<sub>2</sub>O<sub>3</sub>: A comparative study. *International Journal of Hydrogen Energy*, 34: 7903-7909.
9. Etsell, T. H. and Flengas, S. N., 1970. Electrical properties of solid oxide electrolytes. *Chemical Review*, 70: 339-376.
10. Fergus, J. W., 2006. Electrolytes for solid oxide fuel cells. *Journal of Power Sources*, 162: 30–40.

11. Fessler H. and Fricker D.C., 1984. Theoretical Analysis of The Ring-on -Ring loading Disk Test. *Journal of the American Ceramic Society*, 67(9): 582-588.
12. Gaudon, M., Laberty-Robert, Ch., Ansart, F. and Stevens, P., 2006. Thick YSZ films prepared via a modified sol-gel route: Thickness control (8-80  $\mu\text{m}$ ). *Journal of the European Ceramic Society*, 26: 3153-3160.
13. Grove, W. R., 1839. On Voltaic Series and Combination of Gases by Platinum. *Philosophical Magazine*, 14: 127-130.
14. Haile, S. M., 2003. Fuel cell materials and components. *Acta Materialia*, 51: 5981-6000.
15. Hannink R.H.J., Kelly P.M. and Muddle B.C., 2000. Transformation toughening in zirconia-containing ceramics. *Journal of the American Ceramic Society*, 83(3): 461-487.
16. Hattori, M., Takeda, Y., Sakaki, Y., Nakanishi, A., Ohara, S., Mukaic, K., Lee, J-H. and Fukui, T., 2004. Effect of aging on conductivity of yttria stabilized zirconia. *Journal of Power Sources*, 126, 23–27.
17. Hirschenhofer, J.H., Stauffer, D.B., Engleman, R.R., and Klett, M.G. for U.S. Department of Energy, 1998. Fuel Cell Handbook, 4th ed., the National Technical Information Service, U.S. Department of Commerce: Washington.
18. Inaba H. and Tagawa H., 1996. Review Ceria-based solid electrolytes. *Solid State Ionics*, 83: 1-16.
19. Ishida, T., Iguchi, F., Sato, K., Hashida, T., and Yugami, H., 2005. Fracture properties of  $(\text{CeO}_2)_{1-x}(\text{RO})_{1.5x}$  (R=Y, Gd, and Sm;  $x=0.02-0.20$ ) ceramics. *Solid State Ionics*, 176: 2417-2421.
20. Kim, S.-D. et al. (2007). Effects of anode and electrolyte microstructures on performance of solid oxide fuel cells. *Journal of Power Sources*, 169, 265–270.

21. Larminie, J. and Dicks, A., 2003. Fuel Cell Systems Explained, 2nd ed., *John Wiley & Sons*: West Sussex.
22. Liou, S.S. and Worrell, W.L., 1989. Electrical Properties of Novel Mixed-Conducting Oxides. *Applied Physics A*, 49: 25-31.
23. Macdonald, J.R., 1953. Theory of a. c. Space-Charge Polarization Effects in Photoconductors, Semiconductors, and Electrolyts. *Physical Review*, 92: 4-17
24. Maier, J., 2000. Mesoscopic fast ion conduction in nanometre-scale planar heterostructures. *Nature*, 408: 946-949.
25. Miller, R.A., Smialek, J.L., and Garlike, R.G., 1981. in Science and Technology of Zirconia, eds. Heuer, A.H. and Hobbs, L.W., *Advances in Ceramics*, *American Ceramics Society*, Columbus, OH, 3: 241.
26. Minh, N.Q. and Takahashi, T., 1995. Science and Technology of Ceramic Fuel Cells. *Elsevier*: Amsterdam.
27. Minh, N.Q., 1993. Ceramic Fuel Cells. *Journal of American Ceramic Society*, 76: 563-588.
28. Molenda, J., Świerczek, K. and Zajac, W., 2007. Functional materials for the IT-SOFC. *Journal of Power Sources*, 173: 657–670.
29. O' Hayre, R.P., Cha, S-W., Colella, W., and Prinz, F.B., 2006. Fuel Cell Fundamentals. *John Wiley & Sons*: Indiana.
30. Park, S., Vohs, J.M. and Gorte, R.T., 2000. Direct oxidation of hydrocarbons in a solid-oxide fuel cell. *Nature*, 404: 265-267.
31. Sammes, N., 2006. Fuel Cell Technology Reaching Towards Commercialization, *Springer*: London.

32. Singhal, S.C. and Kendall, K., 2003. High Temperature Solid Oxide Fuel Cells: Fundamentals, Design and Application. *Elsevier*: Oxford.
33. Skinner, S. J. and Kilner, J. A., March 2003. Oxygen ion conductors. *Materialstoday*: 30-37.
34. Steele, B.C.H. in: Proceeding of the International Symposium on Solid Oxide Fuel Cells, November 13-14, 1989, Nagoya, Japan, O. Yamamoto, M. Dokiya, and H. Tagawa (eds.), *Science House*, Tokyo, Japan, 1989, p. 135.
35. Steele, B.C.H. in: Takahashi, T. (Ed), High Conductivity Solid Ionic Conductors, Recent Trends and Applications, *World Scientific*, London, 1989, p. 402.
36. Stubican, V.V. in Science and Technology of Zirconia III, S. Somiya, N. Yamamoto, and H. Yanagida (eds.), American Ceramic Society, *Westerville*, OH, 1988, p. 71
37. Takahashi, T., Ito, K., and Iwahara, H. in *Proceedings of Journées Internationales d'Etude des Piles à Combustible III*, June 21-24, 1965, Société d'Etudes de Recherches et d'Application pour l'Industrie, Brussels, Belgium, 1965, p. 42.
38. The American Ceramic Society, 2006. Progress in Solid Oxide Fuel Cells. *John Wiley & Sons*: New York.
39. Tsoga A., Gupta A., Naoumidis A. and Nikolopoulos P., 2000. Gadolinia-doped ceria and yttria stabilized zirconia interfaces: regarding their application for SOFC technology. *Acta Materialia*. 48: 4709–4714.
40. Tuller, H.L. and Nowick, A.S., 1975. Doped Ceria as a Solid Oxide Electrolyte. *Journal of The Electrochemical Society*. 122: 255-259.
41. Tuller, H.L., 1981. in Sørensen, O.T. (Ed.), Nonstoichiometric Oxides, *Academic Press*: New York.

42. U.S. Department of Energy, 2002. Fuel Cell Handbook, 6th ed., the National Technical Information Service, *U.S. Department of Commerce*: Washington.
43. Vest, R.W. and Honing, J.M., 1974. in Tallan, N.M. (Ed.), Electrical Conductivity in Ceramics and Glass. *Marcel Dekker*: New York.
44. Wang, Z., Qian, J., Cao, J., Wang, S., and Wen, T., 2007. A study of multilayer tape casting method for anode-supported planar type solid oxide fuel cells (SOFCs). *Journal of Alloys and Compounds*, 437: 264–268.
45. Weber, A. and Ivers-Tiffée, E., 2004. Materials and concepts for solid oxide fuel cells (SOFCs) in stationary and mobile applications. *Journal of Power Sources*, 127: 273–283.
46. Xin, X., Lü, Z., Huang, X., Sha, X., Zhang, Y., Chen, K., Ai, N., Zhua, R., and Sua, W., 2006. Solid oxide fuel cells with dense yttria-stabilized zirconia electrolyte membranes fabricated by a dry pressing process. *Journal of Power Sources*, 160: 1221–1224.
47. Yahiro, H., Eguchi, E., and Arai, H., 1986. Ionic conduction and microstructure of the ceria-strontia system. *Solid State Ionics*, 21: 37-47.
48. Yahiro, H., Eguchi, E., and Arai, H., 1989. Electrical properties and reducibilities of ceria-rare earth oxide systems and their application to solid oxide fuel cell. *Solid State Ionics*, 36: 71-75.
49. Zhou X.-D., Scarfino B. and Anderson H.U., 2004. Electrical conductivity and stability of Gd-doped ceria/Y-doped zirconia ceramics and thin films. *Solid State Ionics*, 175:19-22.